

SYSTEMS FOR BATHROOM AND SHOWER

Programme · Prices in Euro excl. VAT · effective January 1, 2022



Welcome to LUX ELEMENTS



The family-owned company LUX ELEMENTS is an experienced specialist in the production of polystyrene hard foam and its further processing into secure substrates for bathrooms and wellness areas. For the sake of the environment, the company has been using a manufacturing process without the use of CFCs, HCFCs, HFCs or CO₂ propellant gases for more than two decades.

The product range is based on the ground-breaking invention of company founder Herbert Lux, patented in 1981: 'The Original' – a support element with a core of expanded polystyrene hard foam (EPS) and double-sided mortar coating in which a stabilising glass fibre fabric is embedded.


Starting from the construction panel in different thicknesses, the range has been constantly developed and expanded. Today, LUX ELEMENTS offers complete systems for **bathroom and shower**, **private spa** and **wellness**.




LUX ELEMENTS® – The original

On account of its outstanding physical properties in combination with very good workability, this moisture-resistant and modern building material creates free space for planners, designers, tradesmen and industry – whether in the form of panels, blanks or ready-made products.

Hard foam support elements from LUX ELEMENTS are characterised by these advantages:



Detailed information on the material properties can be found in the brochure
'Sustainability – The Original can do'
(Download from www.luxelements.com under *Downloads/Information brochure*)



LUX ELEMENTS – Products

■ Standard products and mounting material

The LUX ELEMENTS product portfolio includes a wide range of prefabricated shaped parts and building kits made of hard foam support material as standard products with fixed dimensions or in graduated sizes. This range is complemented by matching technical system products.

Furthermore, LUX ELEMENTS offers an extensive range of assembly materials for the safe processing of hard foam support elements, including adhesives, sealing tapes and sealing fillers as well as reinforcement fabric and mounting aids.

Together, all the products form **systems** for **bathroom construction** and **design**, including flush with the floor **shower bases** as well as the design of **private and public wellness areas**.









■ LUX ELEMENTS®-... PLUS – Individually made to measure

Unable to find the desired versions of standard products or looking for other dimensions or a different shape? LUX ELEMENTS is able to produce bespoke individual products. These bespoke productions bear the suffix 'PLUS'.

Just ask for the article you want. After successfully checking the technical feasibility you will receive an individual quotation.



Examples



LUX ELEMENTS – Online

■ Website – Product information and download centre



Detailed information on all products and on the company and link to the online calculator (see page 7).

A clearly arranged download area contains data sheets, assembly instructions, test reports and all brochures in PDF format.

www.luxelements.com



■ YouTube – Product and assembly videos



Illustrative information on many products, arranged into playlists. An extensive range of assembly videos shows you step by step how fast and simple the installation of the LUX ELEMENTS® hard foam support elements is:

www.youtube.com/user/luxelementscom



■ Social Media – Current news and pictures



The LUX ELEMENTS social media channels provide information on trade fairs, customer events, products, anniversaries and much more. Subscribe to our company pages – you're in for a surprise!

Facebook



Instagram



LinkedIn



■ **Online calculator** – Determining your own material requirements



... was never as simple and quick as this.

Get a complete bill of materials free of charge and without obligation – in a few steps – with the help of the online calculator.


Simply click on the icon at www.luxelements.com ...



- Select the category ...
- Answer the questions ...
- Step by step to the result ...



- Generate the list ...
- Done!



LUX ELEMENTS – Systems for bathroom and shower



Bathroom construction



Bathroom design



Showers

Construction panels – LUX ELEMENTS®-ELEMENT
Fastening sets and dowels – LUX ELEMENTS®-FIX
Adhesives – LUX ELEMENTS®-COL
Sealing tapes and sealing filler – LUX ELEMENTS®-DRY
Reinforcement fabric – LUX ELEMENTS®-ARM
Mounting aids – LUX ELEMENTS®-MONT

Systems for bathroom construction

from page 10

Installation cladding – LUX ELEMENTS®-TEC
Bath surrounds – LUX ELEMENTS®-TOP
Washstands – LUX ELEMENTS®-LAVADO
Bath tub construction kit – LUX ELEMENTS®-RELAX-BW
Niches – LUX ELEMENTS®-RELAX-NI
Benches – LUX ELEMENTS®-RELAX-BA
Shower partition walls – LUX ELEMENTS®-RELAX-TW

Systems for bathroom design

from page 26

Point drainage – LUX ELEMENTS®-TUB-...
Linear drainage– LUX ELEMENTS®-TUB-LINE ...

- ... on unfinished floor in screed
- ... on unfinished floor with integrated drainage technology
- ... on unfinished floor with separate drainage technology
- ... for wooden sub-constructions
- Drainage technology and accessories

Systems for showers

from page 46

LUX ELEMENTS – Systems for bathroom and shower

Bathroom construction

Here you will find all LUX ELEMENTS products for the construction of a bathroom. This includes the manufacture of substrates for tiles, panels and plaster on the walls and floor as well as cladding, sealing, construction and insulation. The bathroom construction is the basis for the bathroom design (from page 26).



Bathroom construction – Content




Construction panels

Universal construction panel – ELEMENT-EL	12
Easy to process on the building site – ELEMENT Baby Panel	12
Pre-slit construction panel – ELEMENT-SL/SQ	14
Multi-functional construction panel – ELEMENT-VK	14




Fastening sets and dowels

Plastic hammer fix plug – FIX-KSD	16
Hammer fix plugs – FIX-FID	16
Special screw plug – FIX-SD	16
Screw and washer fastening set – FIX-HS/-SB	16
Hard plastic insert – ADD PRO-MAK	16



Adhesives

Primer – COL-HSV	18
Fixing adhesive – COL-AK	18
Mounting adhesive – COL-MK	18




Sealing tapes and sealing filler

Sealing tape – DRY-DB	20
Sealing film – DRY-DF	20
Expansion zone sleeve – DRY-DBDZM	20
Sealing tape for ELEMENT-VK – DRY-DBV	20
Cut protection tape – DRY-SB	20
Sealing filler – DRY-ASK	20



Reinforcement fabric

Reinforcement fabric – ARM	22
----------------------------------	----



Mounting aids

Mounting aids – MONT-UNI and -H	24
Adjusting bath tub claddings – MONT-TOPFIX	24
Insertion of inspection openings – MONT-TOPREV	24



Universal construction panel **ELEMENT-EL**

- Moisture-insensitive substrate
- For watertight walls in your private shower
- Reliable on wall and floor
- Creative in design
- Water-resistant and mould-resistant

Application areas

Thin thicknesses up to 30 mm:

- 4 and 6 mm: e.g. wall levelling
- 10, 12 and 20 mm: stud frame planking
- from 30 mm: installation on dots

Thicker thicknesses from 30 to 100 mm:

- cladding
- construction
- insulating


Mixed pallets ELEMENT-EL MIX

- Prefabricated mixed pallets for reduced time and effort in ordering and handling
- Fast availability due to defined standard articles
- Optimised for standard applications, e.g. for wall levelling




Easy to process on the building site **ELEMENT Baby Panel**

- 'One-man panel' in a half-length of 1250 mm
- Easy transport, even in confined spaces
- Fits into smaller vans and other vehicles without being cut to size
- More comfortable installation in small rooms or in attics due to its handy size
- Well suited for floor applications



■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-ELEMENT** Packaging specifications see p. 126 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x THICKNESS	UNIT	PRICE / UNIT €
----------------	------------------------------------	---	------	----------------



	LELEE1116	ELEMENT-EL Baby 4*, hard foam support element	1250 x 600 x 4 mm	m ²	32,51
	LELEE1117	ELEMENT-EL Baby 6*, hard foam support element	1250 x 600 x 6 mm	m ²	30,97
	LELEE1118	ELEMENT-EL Baby 10*, hard foam support element	1250 x 600 x 10 mm	m ²	32,66
	LELEE1135	ELEMENT-EL Baby 12*, hard foam support element	1250 x 600 x 12 mm	m ²	33,50
	LELEE1141	ELEMENT-EL Baby 20*, hard foam support element	1250 x 600 x 20 mm	m ²	36,41
	LELEE1142	ELEMENT-EL Baby 30*, hard foam support element	1250 x 600 x 30 mm	m ²	39,62
	LELEE1143	ELEMENT-EL Baby 40*, hard foam support element	1250 x 600 x 40 mm	m ²	43,88
	LELEE1144	ELEMENT-EL Baby 50*, hard foam support element	1250 x 600 x 50 mm	m ²	48,09
	LELEE1145	ELEMENT-EL Baby 80*, hard foam support element	1250 x 600 x 80 mm	m ²	62,52
	LELEE1146	ELEMENT-EL Baby 100*, hard foam support element	1250 x 600 x 100 mm	m ²	71,86
	LELEE1119	ELEMENT-EL 10*, hard foam support element	2500 x 600 x 10 mm	m ²	32,66
	LELEE1131	ELEMENT-EL 12*, hard foam support element	2500 x 600 x 12 mm	m ²	33,50
	LELEE1120	ELEMENT-EL 20*, hard foam support element	2500 x 600 x 20 mm	m ²	36,41
	LELEE1121	ELEMENT-EL 30*, hard foam support element	2500 x 600 x 30 mm	m ²	39,62
	LELEE1123	ELEMENT-EL 40*, hard foam support element	2500 x 600 x 40 mm	m ²	43,88
	LELEE1122	ELEMENT-EL 50*, hard foam support element	2500 x 600 x 50 mm	m ²	48,09
	LELEE1133	ELEMENT-EL 80*, hard foam support element	2500 x 600 x 80 mm	m ²	62,52
	LELEE1137	ELEMENT-EL 100*, hard foam support element	2500 x 600 x 100 mm	m ²	71,86
	LELEEMIX1000	ELEMENT-EL BABY MIX 1*, mixed pallet with hard foam support elements, consisting of: 30 m ² /40 pieces EL Baby 4, 30 m ² /40 pieces EL Baby 6, 15 m ² /20 pieces EL Baby 10		set	2.397,54
	LELEEMIX2000	ELEMENT-EL MIX 1*, mixed pallet with hard foam support elements, consisting of: 33 m ² /22 pieces EL 10, 33 m ² /22 pieces EL 30, 9 m ² /6 pieces EL 40		set	2.781,02
	LELEEMIX2001	ELEMENT-EL MIX 2*, mixed pallet with hard foam support elements, consisting of: 30 m ² /20 pieces EL 10, 30 m ² /20 pieces EL 30, 15 m ² /10 pieces EL 50		set	2.890,91
	LELEEMIX2002	ELEMENT-EL MIX 3*, mixed pallet with hard foam support elements, consisting of: 30 m ² /20 pieces EL 10, 30 m ² /20 pieces EL 20, 15 m ² /10 pieces L 30		set	2.666,76
	LELEEMIX2003	ELEMENT-EL MIX 4*, mixed pallet with hard foam support elements, consisting of: 45 m ² /30 pieces EL 20, 24 m ² /16 pieces EL 30, 6 m ² /4 pieces EL 50		set	2.874,46



LUX ELEMENTS manufactures individual customised and special products for ELEMENT.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on ELEMENT.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

LUX ELEMENTS®-ELEMENT-SL/SQ
Standard-compliant substrate without further sealing
for private shower areas according to DIN 18534



LUX ELEMENTS®-ELEMENT-VK
Standard-compliant sealing for highly stressed
areas according to DIN 18534, Part 6



Pre-slit construction panel

ELEMENT-SL/SQ

- Factory pre-slit hard foam support elements, vertically slit (SL) or horizontally slit (SQ)
- Flexible, fast and clean shaping of round forms, e.g. rounded partition walls



Multi-functional construction panel

ELEMENT-VK

- Factory-sealed construction panel (panel-type sealing element AIV-P) with vapour barrier properties
- Unites the benefits of the ELEMENT-EL universal construction panel with those of a seal
- Also available as **Baby panel** ('one-man panel') in a half-length of 1250 mm (see page 12)
- Matching mounting material e.g. sealing tapes, inner and outer corners, see page 20



Application areas

In wet rooms where sealing or a vapour barrier is required:


- on the wall
- to laths
- to framework



ETA-13/0238
LUX ELEMENTS®
WATERTIGHT SOLUTION
COMPONENT 3.1/8
www.luxelements.com
0799-CPR-130 - Nr LEWS2013

■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-ELEMENT** Packaging specifications see p. 126 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x THICKNESS	UNIT	PRICE / UNIT €
----------------	------------------------------------	---	------	----------------



	LELEE2001	ELEMENT-SL 30* , hard foam support element, vertically slit	2500 x 600 x 30 mm	m ²	78,07
	LELEE2003	ELEMENT-SL 50* , hard foam support element, vertically slit	2500 x 600 x 50 mm	m ²	89,89
	LELEE2002	ELEMENT-SQ 30* , hard foam support element, horizontally slit	2500 x 600 x 30 mm	m ²	93,84
	LELEE2004	ELEMENT-SQ 50* , hard foam support element, horizontally slit	2500 x 600 x 50 mm	m ²	105,79
	LELEE3009	ELEMENT-VK Baby 6* , hard foam support element, fleece backed on one side	1250 x 600 x 6 mm	m ²	38,19
	LELEE3010	ELEMENT-VK Baby 12* , hard foam support element, fleece backed on one side	1250 x 600 x 12 mm	m ²	40,68
	LELEE3011	ELEMENT-VK Baby 20* , hard foam support element, fleece backed on one side	1250 x 600 x 20 mm	m ²	43,39
	LELEE3012	ELEMENT-VK Baby 30* , hard foam support element, fleece backed on one side	1250 x 600 x 30 mm	m ²	46,38
	LELEE3013	ELEMENT-VK Baby 50* , hard foam support element, fleece backed on one side	1250 x 600 x 50 mm	m ²	54,23
	LELEE3001	ELEMENT-VK 12* , hard foam support element, fleece backed on one side	2500 x 600 x 12 mm	m ²	40,68
	LELEE3002	ELEMENT-VK 20* , hard foam support element, fleece backed on one side	2500 x 600 x 20 mm	m ²	43,39
	LELEE3003	ELEMENT-VK 30* , hard foam support element, fleece backed on one side	2500 x 600 x 30 mm	m ²	46,38
	LELEE3005	ELEMENT-VK 50* , hard foam support element, fleece backed on one side	2500 x 600 x 50 mm	m ²	54,23



LUX ELEMENTS manufactures individual customised and special products for ELEMENT.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on ELEMENT.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

Fastening sets and dowels

FIX

Fastening sets/aids and dowels in a system for LUX-ELEMENTS® hard foam support elements:

Plastic hammer fix plug – FIX-KSD

- For fixing LUX ELEMENTS® hard foam support elements to an interior wall
- Drill with 8 mm drill
- Anchoring depth: 30–50 mm

Hammer fix plugs – FIX-FID

- Drill with 8 mm drill
- Anchoring depth: min. 50 mm
- Note: guaranteed fastening only with firm substrate for the 50 mm-long spreading part

Special screw plug – FIX-SD

- For connecting LUX ELEMENTS® hard foam support elements to one another
- Bit type PH3/PH2/PR2
- Note: select low speed, medium torque

Screw and washer fastening set – FIX-HS/-SB

- For the installation on supports

Hard plastic insert – ADD PRO-MAK

- For adhering to hard foam
- For the stable fastening, for example, of hose holders or fittings

→ **Product specifications see**
LUX ELEMENTS Programme 'Systems for wellness'



FIX-KSD



FIX-FID



FIX-SD



FIX-SB



ADD PRO-MAK

■ PRODUCT AND PACKAGING SPECIFICATIONS – LUX ELEMENTS®-FIX

Online calculator see p. 7

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMAT/DIMENSIONS	CONTAINER / PACKAGING	WEIGHT / CONTAINER	CONTENTS INDIV. PACKAGING	UNIT	PRICE / UNIT €
	LFIXZ1034	FIX-KSD 50, plastic hammer fix plug	50 mm length	bag	0,25 kg	50 pieces	piece	0,71
	LFIXZ1035	FIX-KSD 70, plastic hammer fix plug	70 mm length	bag	0,30 kg	50 pieces	piece	0,76
	LFIXZ1036	FIX-KSD 90, plastic hammer fix plug	90 mm length	bag	0,40 kg	50 pieces	piece	0,83
	LFIXZ2032	FIX-FID 80, hammer fix plug	80 mm length	bag	0,15 kg	10 pieces	piece	0,89
	LFIXZ2101	FIX-FID 80, hammer fix plug	80 mm length	bag	0,70 kg	50 pieces	piece	0,74
	LFIXZ1103	FIX-FID 110, hammer fix plug	110 mm length	bag	0,21 kg	10 pieces	piece	0,87
	LFIXZ1102	FIX-FID 110, hammer fix plug	110 mm length	bag	1,10 kg	50 pieces	piece	0,81
	LFIXZ1104	FIX-FID 140, hammer fix plug	140 mm length	bag	1,70 kg	50 pieces	piece	0,96
	LFIXZ1110	FIX-SD 80, screw plug	80 mm length	bag	0,06 kg	10 pieces	piece	0,82
	LFIXZ1010	FIX-SD 80, screw plug	80 mm length	bag	0,34 kg	50 pieces	piece	0,72
	LFIXZ1130	FIX-SD 130, screw plug	130 mm length	bag	0,12 kg	10 pieces	piece	1,10
	LFIXZ1030	FIX-SD 130, screw plug	130 mm length	bag	0,70 kg	50 pieces	piece	1,02
	LFIXZ1111	FIX-HS 80S70, screw with washer for wooden substrate	screw: 80 mm length, washer: \varnothing 70 mm	bag	1,36 kg	50 sets	set	1,04
	LFIXZ1112	FIX-SB 45S35, fastening sets with screw and washer	screw: 45 mm length, washer: \varnothing 35 mm	bag	0,34 kg	50 sets	set	0,61
	LFIXZ1113	FIX-SB 80S35, fastening sets with screw and washer	screw: 80 mm length, washer: \varnothing 35 mm	bag	0,70 kg	50 sets	set	0,89
	LFIXZ1033	FIX-S 35, washer, galvanised	\varnothing 35 mm	bag	0,05 kg	10 pieces	piece	0,61
	LFIXZ1114	FIX-S 35, washer, galvanised	\varnothing 35 mm	bag	0,15 kg	50 pieces	piece	0,57
	LFIXZ1115	FIX-S 70, washer, galvanised	\varnothing 70 mm	bag	0,95 kg	50 pieces	piece	0,58
	LFIXZ1025	FIX-S 60, washer, stainless steel	\varnothing 60 mm	bag	0,50 kg	50 pieces	piece	1,49

Visit www.luxelements.com for further information on FIX.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

Adhesives

COL

Adhesives and primers in a system with LUX ELEMENTS® hard foam support elements:

Primer – COL-HSV


- Solvent-free dispersion primer
- E.g. for wooden substrates
- For priming absorbing substrates
- As a preliminary wash primer for smooth and sealed substrates
- As moisture protection for calcium-sulphate bonded substrates

Fixing adhesive – COL-AK

- Ready-mixed dry mortar
- For the attachment, levelling and adhesion of LUX ELEMENTS® hard foam support elements
- Stable, fast bonding, waterproof
- Low on chromate in accordance with EC directive 2003/53/EC




Mounting adhesive – COL-MK

- Moisture-curing, 1-component adhesive based on silane-terminated polymers
- For gluing of LUX ELEMENTS® hard foam support elements both to one another and to wood, wood materials, various metals, stone and ceramics
- Elastic when set, i.e. it is very well suited for stress-compensating bonding
- Also adheres in the presence of water (not underwater areas) with a sealing function
- Adheres to numerous substrates



■ PRODUCT AND PACKAGING SPECIFICATIONS – LUX ELEMENTS®-COL

Online calculator see p. 7

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	CONTAINER / PACKAGING	WEIGHT / CONTAINER	CONTENTS INDIV. PACKAGING	CONTENTS COLLEC. PACKAGING	UNIT	PRICE / UNIT €
	LCOLZ1012	COL-HSV, dispersion-free primer	bottle	1 kg	1 kg		piece	15,07
	LCOLZ1014	COL-AK, fixing adhesive	bag	5 kg	5 kg	4 x 5 kg	kg	3,07
	LCOLZ1001	COL-AK, fixing adhesive	bag	25 kg	25 kg		kg	2,66
	LCOLZ1101	COL-AK, fixing adhesive	euro pallet	1050 kg		42 x 25 kg	kg	2,54
	LCOLZ1030	COL-MK, mounting adhesive	cartridge	0,5 kg	290 ml		piece	19,13
	LCOLZ1130	COL-MK, mounting adhesive	cardboard box	6 kg		12 x 290 ml	piece	15,49



Visit www.luxelements.com for further information on COL.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



Sealing tapes and sealing filler **DRY**

Sealing tapes, films and tape sealers for the manufacture of watertight substrates in a system with LUX ELEMENTS® hard foam support elements:

Sealing tape – DRY-DB

- Extremely thin, tear-resistant, elastic and vapour-permeable special tissue
- For connection sealing in conjunction with DRY-ASK sealing filler, DRY-DF sealing film or shower bases
- For wall/floor connections, inner corners, outer corners

Sealing film – DRY-DF

- Extremely thin, tear-resistant special tissue
- For flat, alternative seals on the floor or on the wall
- Use in conjunction with DRY-DB sealing tape and DRY-ASK sealing filler for completion of the sealing at transitions and corners

Expansion zone sleeve – DRY-DBDZM

- Expansion zone in the middle for various external pipe diameters
- Installation with DRY-ASK

Sealing tape for ELEMENT-VK – DRY-DBV




- With sealing vapour-barrier properties
- For use on the fleece-backed ELEMENT-VK (see page 14), e.g. for sealing plate joints
- Also in the shape of inner corners DRY-DBVIE and outer corners DRY-DBVAE

Cut protection tape – DRY-SB

- Self-adhesive, fixed-edge double-fabric tape with cut-resistant effect
- For the protection of the seal when renewing the permanently elastic service joint (e.g. silicone)

Sealing filler – DRY-ASK

- Single-component, water-impermeable, crack-bridging and flexible sealing compound
- For large seals on LUX ELEMENTS® hard foam support elements



■ PRODUCT AND PACKAGING SPECIFICATIONS – LUX ELEMENTS®-DRY

Online calculator see p. 7 · * standard-compliant according to DIN 18534

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMAT / DIMENSIONS	CONTAINER / PACKAGING	WEIGHT / CONTAINER	CONTENTS INDIV. PACKAGING	UNIT	PRICE / UNIT €
	LDRYZ1151	DRY-DB*, sealing tape	100 mm	roll	0,15 kg	5 m	m	5,13
	LDRYZ2001	DRY-DB*, sealing tape	100 mm	roll	0,4 kg	10 m	m	4,93
	LDRYZ2002	DRY-DB*, sealing tape	100 mm	roll	2,0 kg	50 m	m	3,73
	LDRYZ2014	DRY-DF*, sealing film	1000 mm	roll	4,2 kg	10 m	m	20,76
	LDRYZ2013	DRY-DF*, sealing film	1000 mm	roll	10,7 kg	30 m	m	15,12
	LDRYZ2103	DRY-DBIE*, sealing tape for inner corners		bag	0,045 kg	1 piece	piece	8,68
	LDRYZ2104	DRY-DBAE*, sealing tape for outer corners		bag	0,045 kg	1 piece	piece	8,68
	LDRYZ2105.L	DRY-DBIE LINE L*, sealing tape for inner corners, left, for TUB-LINE with one-sided gradient		bag	0,03 kg	1 piece	piece	10,18
	LDRYZ2105.R	DRY-DBIE LINE R*, sealing tape for inner corners, right, for TUB-LINE with one-sided gradient		bag	0,03 kg	1 piece	piece	10,18
	LDRYZ2206	DRY-DBWM*, Sealing sleeve for pipe openings	120/120 mm	bag	0,1 kg	4 pieces	piece	3,71
	LDRYZ2215	DRY-DBDZM 120*, expansion zone sleeve	120/120/25/8 mm	bag	0,12 kg	1 piece	piece	11,66
	LDRYZ2216	DRY-DBDZM 150*, expansion zone sleeve	150/150/60/20 mm	bag	0,14 kg	1 piece	piece	14,94
	LDRYZ3002	DRY-DBV*, sealing tape for ELEMENT-VK	120 mm	roll	0,5 kg	10 m	m	4,93
	LDRYZ3001	DRY-DBV*, sealing tape for ELEMENT-VK	120 mm	roll	1,5 kg	30 m	m	3,73
	LDRYZ3101	DRY-DBVIE*, sealing tape for ELEMENT-VK, inner corners		bag	0,043 kg	1 piece	piece	8,68
	LDRYZ3102	DRY-DBVAE*, sealing tape for ELEMENT-VK, outer corners		bag	0,043 kg	1 piece	piece	8,68
	LDRYZ4001	DRY-SB, cut protection tape	10 m	roll	0,4 kg	1 piece	m	15,42
	LDRYZ1016	DRY-ASK*, sealing filler		bag	3,5 kg		kg	9,18
	LDRYZ1015	DRY-ASK*, sealing filler		bag	15 kg		kg	6,98


 Visit www.luxelements.com for further information on DRY.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

Reinforcement fabric

ARM

Reinforcement fabric in a system with LUX ELEMENTS® hard foam support elements:





Application areas:

- Board joints
- Transitions
- Surfaces
- Corners



■ PRODUCT AND PACKAGING SPECIFICATIONS – LUX ELEMENTS®-ARM

Online calculator see p. 7

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMAT/ DIMENSIONS	CONTAINER / PACKAGING	WEIGHT / CONTAINER	CONTENTS INDIV. PACKAGING	UNIT	PRICE / UNIT €
	LARMZ1006	ARM-100 SK, reinforcement for transitions *	100 mm	roll	0,1 kg	10 m	m	1,20
	LARMZ1007	ARM-100 SK, reinforcement for transitions *	100 mm	roll	0,2 kg	20 m	m	1,08
	LARMZ1001	ARM-100 SK, reinforcement for transitions *	100 mm	roll	0,5 kg	90 m	m	0,84
	LARMZ1002	ARM-150 SK, reinforcement for corners *	150 mm	roll	1,0 kg	50 m	m	1,20
	LARMZ1003	ARM-250 SK, reinforcement for corners *	250 mm	roll	1,5 kg	50 m	m	1,49
	LARMZ1012	ARM-600, reinforcement for surfaces	600 mm	roll	0,2 kg	2,5 m	m	2,63
	LARMZ1004	ARM-600, reinforcement for surfaces	600 mm	roll	1,5 kg	20 m	m	1,92

* self-adhesive design



Visit www.luxelements.com for further information on ARM.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

Mounting aids **MONT**

Mounting aids in a system with LUX ELEMENTS® hard foam support elements:

MONT-UNI and -H


- For connecting LUX ELEMENTS® hard foam support elements to one another
- For mounting on the wall or floor
- For the extension of walls

MONT-TOPFIX

- For adjusting bath tub claddings (see TOP page 32)





MONT-TOPREV

- For insertion of inspection openings (see TOP page 32)



■ PRODUCT AND PACKAGING SPECIFICATIONS – LUX ELEMENTS®-MONT

Online calculator see p. 7

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	CONTAINER / PACKAGING	WEIGHT / CONTAINER	CONTENTS INDIV, PACKAGING	UNIT	PRICE / UNIT €
	LMONZ1117	MONT-UNI 50 , U-shape mounting aid	bag	0,35 kg	4 pieces	piece	4,36
	LMONZ1110	MONT-UNI 80 , U-shape mounting aid	bag	0,42 kg	4 pieces	piece	4,58
	LMONZ1108	MONT-H 50 , mounting aid for connecting two elements	bag	0,68 kg	4 pieces	piece	8,77
	LMONZ1113	MONT-H 80 , mounting aid for connecting two elements	bag	0,92 kg	4 pieces	piece	10,02
	LMONZ1015	MONT-TOPFIX , adjustable foot for bath surrounds	bag	0,28 kg	6 pieces	piece	5,09
	LMONZ1009	MONT-TOPREV , mounting aid for maintenance openings for bath tubs consisting of 2 parts for top and bottom	bag	0,25 kg	1 set	set	11,09



Visit www.luxelements.com for further information on MONT.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

LUX ELEMENTS – Systems for bathroom and showers

Bathroom design

Here you will find all LUX ELEMENTS products for bathroom design as a supplement to bathroom construction (from page 10). Whether claddings for installations and bath tubs or separate components such as washstands, bath tub construction kits, niches, bench seats or partition walls: all products are both design element and substrate for tiles, panels and plaster.



Bathroom design – Content



Installation cladding

Pipe cladding elements – TEC-KA / TEC-U	28
Cladding of pre-wall installation systems – TEC-VWD	28



Bath surrounds

Bath tub surrounds for rectangular standard bath tubs – TOP-TR	30
Removable whirlpool cladding – TOP-WP	34



Washstands

Washstands – LAVADO-FLOAT	36
---------------------------------	----



Bath tub construction kit

Bath tub construction kit – RELAX-BW	38
--	----



Niches

Niches – RELAX-NI	40
-------------------------	----



Benches

Benches – RELAX-BA	42
--------------------------	----



Shower partition walls

Shower partition wall – RELAX-TW	44
--	----



Pipe cladding elements

TEC-KA / TEC-U

- Cladding of conduits, pipes, joists, girders, beams and columns
- Application in corners or on straight surfaces



Cladding of pre-wall installation systems

TEC-VWD-PS

- Prefabricated element 1250 x 600 x 20 mm made of hard foam support material for cladding of pre-wall installation systems with 4 holes

TEC-VWD-E

- Element 1250 x 1200 x 20 mm made of hard foam support material for cladding of pre-wall installation systems without holes

TEC-VWD-P

- Prefabricated element 1250 x 1200 x 20 mm made of hard foam support material for cladding of pre-wall installation systems with 4 holes



■ Cladding of pre-wall installation systems




TEC-VWD-PS

- 1250 x 600 x 20 mm
- with 4 holes



TEC-VWD-E

- 1250 x 1200 x 20 mm
- without holes
- in addition to VWD-PS / VWD-P








TEC-VWD-P

- 1250 x 1200 x 20 mm
- with 4 holes

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TEC

Packaging specifications see p. 127 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS a x b x LENGTH x THICKNESS	UNIT	PRICE / UNIT €
	TEC-KA BS			
	TEC-U BS			

Pipe cladding elements		a x b x length x thickness			
	LTECX1001	TEC-KA 15 BS* , angular pipe cladding element, coated on both sides	150 x 150 x 2500 x 20 mm	piece	42,06
	LTECX1002	TEC-KA 20 BS* , angular pipe cladding element, coated on both sides	200 x 200 x 2500 x 20 mm	piece	58,64
	LTECX1003	TEC-KA 30 BS* , angular pipe cladding element, coated on both sides	300 x 300 x 2500 x 20 mm	piece	71,34
	LTECX1004	TEC-KA 40 BS* , angular pipe cladding element, coated on both sides	200 x 400 x 2500 x 20 mm	piece	71,34
	LTECX1010	TEC-U 20 BS* , U-shaped pipe cladding element, straight, coated both sides	400 x 200 x 2500 x 20 mm	piece	92,24
Cladding of pre-wall installation systems		length x width x thickness			
	LTECX5003	TEC-VWD-PS , prefabricated elements made of hard foam support material for cladding of pre-wall installation systems with 4 holes	1250 x 600 x 20 mm	piece	56,75
	LTECX5004	TEC-VWD-E , prefabricated elements made of hard foam support material for cladding of pre-wall installation systems without holes	1250 x 1200 x 20 mm	piece	68,05
	LTECX5002	TEC-VWD-P , prefabricated elements made of hard foam support material for cladding of pre-wall installation systems with 4 holes	1250 x 1200 x 20 mm	piece	70,65



LUX ELEMENTS manufactures individual customised and special products for TEC. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.




Visit www.luxelements.com for further information on TEC. Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

Bath tub surrounds for rectangular standard bath tubs


TOP-TR...

- Cladding elements for standard bath tubs
- Three design variants: Cladding elements for ...
 - Surrounds for smooth and flush bath cladding – TOP-TRS
 - Surrounds with footboard – TOP-TRU
 - Surrounds with ledge – TOP-TRV
- Included MONT-TOPFIX for adjusting bath tub claddings
- Light (for TOP-TRU), inspection options and mounting aids, see page 32




■ Installation situations


For the three design variants the following installation positions are possible:




Free-standing



Niche installation



Corner installation



3-sided installation




Installation with shelf

■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TOP**

Packaging specifications see p. 127 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x THICKNESS	UNIT	PRICE / UNIT €
----------------	------------------------------------	---	------	----------------



	LTOPE1002	TOP-TRS 1685 S , surround for bath tubs up to 1700 mm	1685 x 600 x 30 mm	piece	62,80
	LTOPE1004	TOP-TRS 1785 S , surround for bath tubs up to 1800 mm	1785 x 600 x 30 mm	piece	65,59
	LTOPE1054	TOP-TRS 1860 S , surround for bath tubs up to 1900 mm	1860 x 600 x 30 mm	piece	82,80
	LTOPE1006	TOP-TRS 2100 S , surround for bath tubs up to 2100 mm or tubs with foot-end shelving	2100 x 600 x 30 mm	piece	91,07
	LTOPE1010	TOP-TRS 800 S , surround for bath tub head end	800 x 600 x 30 mm	piece	35,30
	LTOPE1055	TOP-TRS 900 S , surround for bath tub head end	900 x 600 x 30 mm	piece	37,26
	LTOPE1017	TOP-TRU 2100 S , surround with footboard for bath tubs up to 2100 mm or bath tubs with foot-end shelving	2100 x 600 x 30 mm	piece	120,01
	LTOPE1021	TOP-TRU 900 S , surround for bath tub head end	900 x 600 x 30 mm	piece	45,83
	LTOPE1023	TOP-TRV 2100 S , surround with ledge for bath tubs up to 2100 mm	2100 x 580 x 30 mm	piece	111,62
	LTOPE1029	TOP-TRV 900 li S , surround with ledge for left hand bath tub head end	900 x 580 x 30 mm	piece	69,92
	LTOPE1031	TOP-TRV 900 re S , surround with ledge for right hand bath tub head end	900 x 580 x 30 mm	piece	69,92

Please note: Bath tub surrounds for standard rectangular tubs are not available as kits. Depending on the installation situation as many as 4 elements are needed.



LUX ELEMENTS manufactures individual customised and special products for TOP.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TOP.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

Light for bath surrounds TOP-TRU

TOP-TRU LI-WW 2100


- Light rope set, for TOP-TRU 2100 S



Inspection options and mounting aids


TOP-REVR

- Made to measure maintenance openings on the head end and longitudinal side with the TRV design variant
- Arbitrary size, adaptable to the tile grid size
- Fast opening and closing due to magnetic closure



MONT-TOPREV

- Fixing profile for mounting for maintenance openings in an arbitrary size adaptable to the tile grid size
- Simple, fast and flexible







TOP-KIT

- Complete mounting accessories for bath tub claddings



■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TOP**

Packaging specifications see p. 127 · Online calculator see p. 7

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	UNIT	PRICE / UNIT €
	LTOPELL1017	TOP-TRU LI-WW 2100 , LED light rope warm white, protection class IP 67, 24 V, 5 m supply cable, for TOP-TRU 2100 S, incl. power supply unit	set	255,95
	LTOPE1051	TOP-REVR-TR , recessed, removable maintenance opening integrated into the front or side wall, for all TRV model design variants, made to measure	piece	206,32
	LMONZ1009	MONT-TOPREV , mounting aid for maintenance openings for bath tubs consisting of 2 parts for top and bottom	set	11,30
	LTOPE1053	TOP-KIT , mounting set for cladding elements: 2 rabbets made of hard foam support element 350 x 50 x 50 mm, 4 pieces FIX-FID 110, 8 pieces FIX-SD 80, 1 cartridge COL-MK	kit	32,05



LUX ELEMENTS manufactures individual customised and special products for TOP.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TOP.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

Removable whirlpool cladding


TOP-WP...

- With footboard and ledge
- Mounting by means of metal plug connection
- Additionally held by magnets in case of round shapes
- Easily removable for maintenance and repair
- Available as a made to measure product



■ Whirlpool shapes

(All whirlpool claddings are equipped with footboard and ledge)



for rectangular and straight shapes – TOP-WP G



for quadrant shapes – TOP-WP V



for hexagonale shapes – TOP-WP S



for oval shapes – TOP-WP O



for trapezoidal shapes – TOP-WP T

Platform for corner installation – TOP-WP P

- Suitable for whirlpool cladding TOP-WP S 1900
- For compensation of the cavity behind the whirlpool tub
- Suitable for use as a shelf



TOP-WP P



TOP-WP LI

LED lighting – TOP-WP LI


- LED light rope warm white
- Made-to-measure for each whirlpool cladding

Maintenance opening – TOP-WP REV 300

- Supplied loose, incl. appropriate milling in the whirlpool cladding



TOP-WP REV 300








TOP-KIT WP

Mounting aids – TOP-KIT-WP

- Complete mounting accessories for whirlpool claddings

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TOP

Packaging specifications on request · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x THICKNESS	UNIT	PRICE / UNIT €
TOP-WP , whirlpool cladding with footboard, ledge and removable				
 LTOPE11001	TOP-WP G 1900 , whirlpool cladding 1x long side, for rectangular and straight shapes, tub length up to 1900 mm, tub width up to 900 mm	made to measure	set	705,00
LTOPE11002	TOP-WP G 1900/900 , whirlpool cladding 1x head- and 1x long side, for rectangular and straight shapes, tub length up to 1900 mm, tub width up to 900 mm	made to measure	set	985,00
LTOPE12001	TOP-WP V 1500 , whirlpool cladding 1x quadrant side, for quadrant shapes, tub length and width up to 1500 mm,	made to measure	set	1.260,00
LTOPE13001	TOP-WP S 1900 , whirlpool cladding 2x head- and 1x long side, for hexagonal shapes, tub length up to 1900 mm, tub width up to 900 mm	made to measure	set	1.150,00
LTOPE14001	TOP-WP O 1900/900 , whirlpool cladding 1x oval side and 1x long side, for oval shapes, tub length up to 1900 mm, tub width up to 900 mm	made to measure	set	1.220,00
LTOPE15001	TOP-WP T 1900/900 , whirlpool cladding 1x head- and 1x long side, for trapezoidal shapes, tub length up to 1900 mm, tub width up to 900 mm	made to measure	set	995,00
Platform for corner installation				
 LTOPE13002	TOP-WP P , Platform for corner installation, for whirlpool cladding TOP-WP S 1900, for compensation of the cavity behind the whirlpool tub	made to measure	set	350,00
TOP-WP LI-WW , LED light rope warm white, protection class IP 67, 24 V, 5 m supply cable, incl. power supply unit				
 LTOPE11011	TOP-WP LI-WW G 1900 , for whirlpool cladding TOP-WP G 1900	made to measure	set	243,40
LTOPE11012	TOP-WP LI-WW G 1900/900 , for whirlpool cladding TOP-WP G 1900/900	made to measure	set	330,20
LTOPE12011	TOP-WP LI-WW V 1500 , for whirlpool cladding TOP-WP V 1500	made to measure	set	287,20
LTOPE13011	TOP-WP LI-WW S 1900 , for whirlpool cladding TOP-WP S 1900	made to measure	set	353,60
LTOPE14011	TOP-WP LI-WW O 1900/900 , for whirlpool cladding TOP-WP O 1900/900	made to measure	set	290,30
LTOPE15011	TOP-WP LI-WW T 1900/900 , for whirlpool cladding TOP-WP T 1900/900	made to measure	set	316,10
Maintenance opening / mounting kit				
 LTOPE16000	TOP-WP REV 300 , maintenance opening, supplied loose, incl. appropriate milling in the whirlpool cladding and fillers for covering thicknesses of 2 or 12 mm	300 x 300 mm	surcharge	156,00
 LTOPE10005	TOP-KIT WP , mounting kit for whirlpool claddings: 10 pieces FIX-FID 110, 20 pieces FIX-SD 80, 1 cartridge COL-MK		kit	37,05



LUX ELEMENTS manufactures individual customised and special products for TOP.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.


 Visit www.luxelements.com for further information on TOP.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.


Washstands

LAVADO-FLOAT


- Stable suspension on two stainless steel brackets
- Can be shortened at the sides
- Installation possible on masonry and stud frames
- With channel drain: The system offers two design options due to a reversible channel cover rail
- Barrier-free: drive-under washing place
- In standard format or made to measure
- Optional: light rope, for the indirect lighting of the long side underneath the washstand, see page 37



■ System components – LAVADO-FLOAT G




■ System components – LAVADO-FLOAT L




■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-LAVADO

Packaging specifications see p. 128

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS WIDTH x DEPTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



LAVADO-FLOAT G



LAVADO-FLOAT L

Washstand even					
	LAVADO-FLOAT G , washstand, even, without recess, incl. 1 cartridge COL-MK and stainless steel brackets 450 mm in length				
	LLAVE5001	LAVADO-FLOAT G , as set for single washing facility, incl. 2 stainless steel brackets 450 mm in length, standard format	1170 x 585 x 100 mm	set	563,53
	LLAVE5101	LAVADO-FLOAT ONE G , as set for single washing facility, incl. 2 stainless steel brackets 450 mm in length, made to measure	max. width 1500 mm, max. depth 585 mm, height 100 mm	set	683,00
	LLAVE5201	LAVADO-FLOAT TWO G , as a set for double washing facility, incl. 3 stainless steel brackets 450 mm in length, made to measure	max. width 2400 mm, max. depth 585 mm, height 100 mm	set	1.040,00
Washstand with channel drain					
	LAVADO-FLOAT L , washstand, with sloping recess, with channel drain 70 x 650 mm, integrated in hard foam support material, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, height adjustable with height adapter from 5 – 17 mm, incl. fillers for tiling up to the edge of the channel, incl. clip-on drainage adapter for drain pipe 1 ¼", incl. 1 cartridge COL-MK and stainless steel brackets 450 mm in length				
	LLAVE5005	LAVADO-FLOAT L , as set for single washing facility, incl. 2 stainless steel brackets 450 mm in length standard format	1170 x 585 x 100 mm	set	950,75
	LLAVE5105	LAVADO-FLOAT ONE L , as set for single washing facility, incl. 2 stainless steel brackets 450 mm in length, made to measure	max. width 1500 mm, max. depth 585 mm, height 100 mm	set	1.099,00
	LLAVE5205	LAVADO-FLOAT TWO L , as a set for double washing facility, incl. 3 stainless steel brackets 450 mm in length, made to measure	max. width 2400 mm, max. depth 585 mm, height 100 mm	set	1.795,00
Light					
	LAVADO-FLOAT LI-WW , LED light rope warm white, for the indirect lighting of the long side underneath the washstand, protection class IP 67, 24 V, 5 m supply cable, incl. power supply unit				
	LLAVE5011	LAVADO-FLOAT LI-WW 1170 , for LAVADO-FLOAT G and L, standard format	length 1100 mm	set	214,30
	LLAVE5111	LAVADO-FLOAT LI-WW ONE , for LAVADO-FLOAT ONE, made to measure	max. length 1430 mm	set	234,55
	LLAVE5211	LAVADO-FLOAT LI-WW TWO , for LAVADO-FLOAT TWO, made to measure	max. length 2330 mm	set	324,30



LUX ELEMENTS manufactures individual customised and special products for LAVADO.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on LAVADO.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

Bath tub construction kit


RELAX-BW

- Construction kit for tileable bath tub
- Including drain and overflow fitting
- Two size graduations
- Optional built-in elements, e.g. head rest



■ Inlay elements

The inlay elements, with the variants 'Headrest' and 'Triangle' can be installed on one or both sides:







or



■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-RELAX-BW

Packaging specifications on request

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
	LREL3001	RELAX-BW 1800–2000, bath tub construction kit, tileable, incl. drain and overflow fitting and base element	1800–2000 x 800 x 600 mm	piece	1.953,92
	LREL3002	RELAX-BW 2001–2200, bath tub construction kit, tileable, incl. drain and overflow fitting and base element	2001–2200 x 800 x 600 mm	piece	2.067,35
	LREL3101	RELAX-BW EK, bath tub mounting part suitable for both tub sides, 'head rest' design	357 x 630 x 455 mm	piece	206,73
	LREL3102	RELAX-BW ED, bath tub mounting part suitable for both tub sides, 'triangle' design	300 x 630 x 455 mm	piece	155,21
	LREL3901	RELAX-KIT BW, mounting kit for RELAX-BW: 22 kg DRY-ASK (1x 15 kg + 2x 3,5 kg), 10 m DRY-DB, 4 pieces DRY-DBIE, 2 cartridges COL-MK, 10 m ARM-100 SK, 25 kg COL-AK		Kit	392,25



LUX ELEMENTS manufactures individual customised and special products for RELAX.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on RELAX.


Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



Niches

RELAX-NI

- Prefabricated niches with or without shelf
- Space-saving place to keep things in the shower and bathroom
- Design and function in a single product
- Various sizes
- Vertical or horizontal installation
- Optimally combinable with ELEMENT construction panel
- Matching, optional lighting technology, see page 41



■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-RELAX-NI**

Packaging specifications see p. 128 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
	RELAX-NI-M	RELAX-NI-L	RELAX-NI-XL	

	LREL8201	RELAX-NI-M* , prefabricated niches made of hard foam support material	406 x 406 x 89 mm	piece	93,90
	LREL8202	RELAX-NI-L* , prefabricated niches made of hard foam support material, including 1 loose shelf	559 x 406 x 89 mm	piece	106,08
	LREL8203	RELAX-NI-XL* , prefabricated niches made of hard foam support material, including 2 loose shelves	1070 x 406 x 89 mm	piece	158,34
	RELAX-NI LI-WW , LED light rope warm white, protection class IP 67, 24 V, 5 m supply cable, incl. power supply unit				
	LREL8211	RELAX-NI LI-WW 300 , for RELAX-NI-M, L and XL (vertical installation)	length 300 mm	set	149,50
	LREL8212	RELAX-NI LI-WW 450 , for RELAX-NI-L (horizontal installation)	length 450 mm	set	158,55
	LREL8213	RELAX-NI LI-WW 950 , for RELAX-NI-XL (horizontal installation)	length 950 mm	set	189,95



LUX ELEMENTS manufactures individual customised and special products for RELAX.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.




Visit www.luxelements.com for further information on RELAX.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

Benches




RELAX-BA

- Prefabricated bench seats for bathroom and shower areas
- **RELAX-BA-SOLO-G** – for use in front of the wall:
 - Choice of three sizes
 - For showers for the substitution of bath tubs BOL, see TUB from page 46
 - Optionally with factory-fitted seating area heating: RELAX-BA-SOLO-G HE-E
- **RELAX-BA-CO FLOAT** – for use in corners:
 - Choice of two sizes
 - Floating design
 - Including mounting accessories



■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-RELAX-BA**

Packaging specifications see p. 128 · * standard-compliant according to DIN 18534

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
Bench form SOLO					
	LREL8007	RELAX-BA-SOLO-G 800 , bench form SOLO, straight, 800 mm long	800 x 500 x 450 mm	piece	299,10
	LREL8003	RELAX-BA-SOLO-G 900 , bench form SOLO, straight, 900 mm long	900 x 500 x 450 mm	piece	325,03
	LREL8006	RELAX-BA-SOLO-G 1000 , bench form SOLO, straight, 1000 mm long	1000 x 500 x 450 mm	piece	342,20
	LREL8008	RELAX-BA-SOLO-G HE-E , seat heating, factory-installed heating mat (162 W/m ² , 36 V) with temperature sensor, for all RELAX-BA-SOLO-G models, incl. electronic temperature controller with time control (16 A, 230 V AC) for electric heating set (not suitable for damp rooms, protection class IP 30), incl. transformer		surcharge	743,10
Bench form CORNER FLOAT					
	LREL8001	RELAX-BA-CO FLOAT S , bench form CORNER FLOAT S, floating, including mounting kit consisting of 6 pieces FIX-SB 80S35, 4 pieces FIX-SD 80 and 1 cartridge COL-MK	610 x 430 x 100 mm	piece	78,32
	LREL8002	RELAX-BA-CO FLOAT L , bench form CORNER FLOAT L, floating, including mounting kit consisting of 6 pieces FIX-SB 80S35, 4 pieces FIX-SD 80 and 1 cartridge COL-MK	849 x 600 x 100 mm	piece	106,60



LUX ELEMENTS manufactures individual customised and special products for RELAX.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on RELAX.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



Shower partition walls


RELAX-TW

- Prefabricated shower partition wall elements in two sizes:
 - TW 900: 2500 mm high, 900 mm wide
 - TW 1200: 2500 mm high, 1200 mm wide
- Individual niche milling possible
- Optional including factory-fitted electric heating (thermostatic controllers in different versions see LUX ELEMENTS Programme 'Systems for wellness')

Hard plastic insert – ADD PRO-MAK



- For adhering to hard foam, for the stable fastening, for example, of hose holders or fittings

→ **Product specifications see**
LUX ELEMENTS Programme 'Systems for wellness'



■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-RELAX-TW

Packaging specifications see p. 128 · * standard-compliant according to DIN 18534

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS HEIGHT x WIDTH x THICKNESS	UNIT	PRICE / UNIT €
	LREL9000	RELAX-TW 900* , shower partition wall element, prefabricated from hard foam support material	2500 x 900 x 100 mm	piece	377,20
	LREL9001	RELAX-TW 1200* , shower partition wall element, prefabricated from hard foam support material	2500 x 1200 x 100 mm	piece	430,25
	LREL9002	RELAX-TW NI , individual niche milling (90 mm deep) in RELAX-TW 900 or 1200 (max. dimensions: 1200 x 540 mm)	made to measure	piece	116,70
	LREL9003	RELAX-TW EH , electric heating for RELAX-TW, factory-fitted heating mat (280 W/m ² , 230 V) incl. temperature sensor, individually made to measure as surcharge		set	on request
	LREL9011	RELAX-TW LI-WW , LED light rope warm white, protection class IP 67, 24 V, 5 m supply cable, for RELAX-TW NI (made to measure), incl. power supply unit	max. length 500 mm	set	166,25



LUX ELEMENTS manufactures individual customised and special products for RELAX.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on RELAX and DECO.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

LUX ELEMENTS – Systems for bathroom and shower

Showers

Here you will find an extensive range of systems for the manufacture of flush with the floor showers on unfinished floors or wooden sub-constructions, plus drainage technology and accessories. Depending on the installation situation, the products for unfinished floors are divided into "in screed", "shower bases with integrated drainage technology" and "shower bases with separate drainage technology".






See page 48/49 for more information and overview of the standard products.



ETA-13/0238
LUX ELEMENTS®
WATERTIGHT SOLUTION
COMPONENT 3.2/8
www.luxelements.com
0799-CPR-130 - Nr LEWS2013



Showers – Content

	Systems on unfinished floors – in screed	
	General information	50–51
	Overview of standard formats	52–53
	Point drainage	
	Shower drain element, drainage technology integrated – TUB-COMBI MQ SET 300	54
	Shower drain element, drainage technology separate – TUB-MQ-SET 300	54
	Linear drainage	
	Floor channel drains, drainage technology integrated – TUB-LINE COMBI RT	56
	Floor channel drains, drainage technology integrated, with extended cover rail – TUB-LINE COMBI V RT	58
	Floor channel drains, drainage technology separate – TUB-LINE RT, gradient and substrate elements	60
	Floor channel drains, drainage technology separate, with extended cover rail – TUB-LINE V RT, gradient and substrate elements	62
	Systems on unfinished floors – integrated drainage technology	
	General information	64–65
	Overview of standard formats	66–67
	Point drainage	
	Flush with the floor extra-slim shower bases, drainage technology integrated – TUB-COMBI-S	68
	Flush with the floor extra-slim shower bases for the substitution of bath tubs, drainage technology integrated – TUB-COMBI-S BOL	70
	Flush with the floor shower bases with integrated floor drain pump – TUB-PUMP	72
	Linear drainage	
	Flush with the floor extra-slim shower bases, drainage technology integrated – TUB-LINE COMBI	74
	Systems on unfinished floors – separate drainage technology	
	General information	76–77
	Overview of standard formats	78–79
	Point drainage	
	Flush with the floor shower bases, drainage technology separate – TUB-EQ/-MQ/-ER/-MR	80
	Flush with the floor shower bases for the substitution of bath tubs, drainage technology separate – TUB-BOL	84
	Flush with the floor shower bases, drainage technology separate, including surface element – TUB-FINISH	86
	Linear drainage	
	Flush with the floor shower bases, drainage technology separate, TUB-LINE	88
	Flush with the floor shower bases for the substitution of bath tubs, drainage technology separate – TUB-LINE BOL	94
	Flush with the floor shower bases, drainage technology separate, with extended cover rail – TUB-LINE V	96
	Flush with the floor shower bases for the substitution of bath tubs, drainage technology separate, with extended cover rail – TUB-LINE BOL V ...	98
	Flush with the floor shower bases, drainage technology separate, including surface element – TUB-LINE FINISH	100
	Substrate elements for TUB and TUB-LINE – TUB-U	102
	Systems for wooden sub-constructions	
	General information	104–105
	Overview of standard formats	106–107
	Point drainage	
	Flush with the floor shower bases, drainage technology separate, for installation in and on wooden sub-constructions – TUB-H	108
	Flush with the floor shower bases for the substitution of bath tubs, drainage technology separate, for installation in and on wooden sub-constructions – TUB-H BOL	112
	Linear drainage	
	Flush with the floor shower bases, drainage technology separate, for installation in and on wooden sub-constructions – TUB-LINE H	114
	Flush with the floor shower bases for the substitution of bath tubs, drainage technology separate, for installation in and on wooden sub-constructions – TUB-LINE H BOL	116
	Drainage technology and accessories	
	Floor drain supports and accessories TUB	118
	Floor drain supports and accessories TUB-LINE	122
	Mounting accessories for TUB and TUB-LINE – TUB-KIT	124

Overview according to installation situations


■ Systems on unfinished floors – in screed



... drainage technology integrated or separate

from page 50


■ Systems on unfinished floors – integrated drainage technology



... including special solution for missing gravity flow

from page 64

■ Systems on unfinished floors – separate drainage technology



... including special solution for jointless surface

from page 76

■ Systems for wooden sub-constructions – separate drainage technology



from page 104

■ Drainage technology and accessories



... for all systems

from page 118

Shower drain element with point drainage

LUX ELEMENTS®-TUB-MQ-SET ... / LUX ELEMENTS®-TUB-COMBI MQ SET ...

Floor channel drains with linear drainage and gradient and substrate elements

LUX ELEMENTS®-TUB-LINE (V) RT ... / LUX ELEMENTS®-TUB-LINE COMBI (V) RT ... / LUX ELEMENTS®-TUB-LINE (COMBI) GK ...

Shower bases with point drainage

LUX ELEMENTS®-TUB-COMBI ... / LUX ELEMENTS®-TUB-PUMP ...

Shower bases with linear drainage

LUX ELEMENTS®-TUB-LINE COMBI ...

Shower bases with point drainage

LUX ELEMENTS®-TUB ... / LUX ELEMENTS®-TUB-FINISH ...

Shower bases with linear drainage

LUX ELEMENTS®-TUB-LINE ... / LUX ELEMENTS®-TUB-LINE FINISH ...

Substrate elements

LUX ELEMENTS®-TUB-U

Shower bases with point drainage

LUX ELEMENTS®-TUB-H ...

Shower bases with linear drainage

LUX ELEMENTS®-TUB-LINE H ...

Drainage technology and accessories for point drainage

LUX ELEMENTS®-TUB ...

Drainage technology and accessories for linear drainage

LUX ELEMENTS®-TUB-LINE ...

Mounting accessories

LUX ELEMENTS®-TUB-KIT ...

■ Systems on unfinished floors – in screed

LUX ELEMENTS® shower drain elements (point drainage) and **floor channel drains** (linear drainage) with integrated or separate drainage technology for installation on unfinished floors, in screed – ready for tiling!

■ General properties


	TUB-COMBI MQ SET 300	TUB-MQ-SET 300	TUB-LINE COMBI ... RT	TUB-LINE ... RT
For barrier-free construction	■	■	■	■
Height-adjustable drain system	page 118	page 118	page 51	page 51
Grate fitting frame, factory-fitted	■	■	–	–
Floor channel drain, factory-fitted	–	–	■	■
Integrated drainage technology	■	–	■	–
Separate drainage technology	–	■	–	■
Loose sealing sleeve, compliant with DIN 18534	■	■	■	■
Second drainage level	■	■	■	■
Click system for fastening the drain connection fitting	–	■	–	■
Matching mounting accessories	from page 124	from page 124	from page 124	from page 124

■ Installation principle, integrated drainage technology



- 1** Combination of **shower drain element** or **floor channel drain** and **horizontal floor drain support** (DN 50), square or rectangular depending on drainage method (point or linear drainage)
- Details point drainage + linear drainage: page 51

■ Installation principle, separate drainage technology




- 1** **Shower drain element** or **floor channel drain** – depending on drainage method (point or linear drainage), square or rectangular, integrated floor drain system with separate drainage technology
- Details point drainage + linear drainage: page 51
- 2** **Drain support** – vertical (DN 40 or DN 50) or horizontal (DN 50) freely selectable depending on requirements; simple, fast and safe mounting by means of click system without gluing or screwing
- Details: from page 118 (point drainage)
- Details: page 122 (linear drainage)
- 3** **Substrate element** – for optimal height adjustment depending on the installation situation

■ Installation heights


Dimensions in mm. Measures without adhesive coating and tiles.

Integrated drainage technology

TUB-COMBI MQ SET 300




TUB-LINE COMBI (V) RT ...




Separate drainage technology

TUB-MQ-SET 300



TUB-LINE (V) RT ...



* substrate element used depending on the installation situation

■ Properties, point drainage

Grates/grate fitting frames – compatible with all LUX ELEMENTS®-TUB-RA... variants, standard and design – see page 119

Design variants – basic shape: square, drain position: centre



TUB-COMBI MQ SET 300



TUB-MQ-SET 300

■ Properties, linear drainage

Cover rail / Floor channel drain – dimensions: 70 x 650 mm, 70 x 750 mm or 70 x 850 mm, depending on the size of the hard foam support element

Special features: reversible cover rail for two design variants (brushed stainless steel and tileable rear side), tiling aid for clean tiling, height adjustable from 5 – 17 mm using height adapter, with odour trap



Design variants – basic shape: rectangular



TUB-LINE RT 900/200 (650)



TUB-LINE RT 900/200 (750)



TUB-LINE RT 1200/200 (850)



TUB-LINE COMBI RT 900 (650)



TUB-LINE COMBI RT 900 (750)




TUB-LINE COMBI RT 1200 (850)

Extended cover rail V – dimensions: 70 x 1000 / 1200 / 1800 mm depending on the size of the hard foam support element


Special features: brushed stainless steel (non-reversible), can be shortened (Including accessories for the stepless adaptation of the stainless steel components), tiling aid for clean tiling, height adjustable from 5 – 17 mm using height adapter, with odour trap




Design variants – basic shape: rectangular




TUB-LINE V RT 1000/200 (650)




TUB-LINE V RT 1200/200 (850)



TUB-LINE V RT 1800/200 (850)



TUB-LINE COMBI V RT 1000 (650)



TUB-LINE COMBI V RT 1200 (850)

OVERVIEW STANDARD FORMATS / SHOWER DRAIN ELEMENTS

		SIDE LENGTH
		300 mm
SIDE LENGTH	300 mm	<p>TUB-COMBI MQ SET (page 55)</p> <p>TUB-MQ-SET (page 55)</p>

OVERVIEW STANDARD FORMATS / FLOOR CHANNEL DRAINS + GRADIENT ELEMENTS+ SUBSTRATE ELEMENTS


		SIDE LENGTH – SHORT SIDE			
		200 mm	900 mm	1000 mm	1200 mm
SIDE LENGTH – LONG SIDE	900 mm	<p>TUB-LINE COMBI RT 900 (650) (page 57)</p> <p>TUB-LINE COMBI RT 900 (750) (page 57)</p> <p>TUB-LINE RT 900/200 (650) (page 61)</p> <p>TUB-LINE RT 900/200 (750) (page 61)</p>			
	1000 mm	<p>TUB-LINE COMBI V RT 1000 (650) (page 59)</p> <p>TUB-LINE V RT 1000/200 (650) (page 63)</p>		<p>TUB-LINE COMBI GK Q1 (page 57/59)</p> <p>TUB-LINE GK Q1 (page 61/63)</p>	
	1200 mm	<p>TUB-LINE COMBI RT 1200 (page 57)</p> <p>TUB-LINE COMBI V RT 1200 (850) (page 59)</p> <p>TUB-LINE RT 1200/200 (850) (page 61)</p> <p>TUB-LINE V RT 1200/200 (850) (page 63)</p>	<p>TUB-LINE COMBI GK R1 (page 57)</p> <p>TUB-LINE GK R1 (page 61)</p> <p>TUB-UR (page 61)</p>		<p>TUB-LINE COMBI GK Q1 (page 57/59)</p> <p>TUB-LINE GK Q1 (page 61/63)</p> <p>TUB-UQ (page 61/63)</p>
	1800 mm	<p>TUB-LINE V RT 1800/200 (850) (page 63)</p>		<p>TUB-LINE GK R1 (page 63)</p> <p>TUB-UBOL (page 63)</p>	

Hard foam shower drain element with integrated drainage technology
TUB-COMBI MQ SET 300

- For the installation in screed floors with slope
- Combination of shower drain element and horizontal floor drain support (DN 50)
- Including loose sealing sleeve
- Extra-flat shower base height: 68 mm
- For barrier-free construction
- Second drainage level
- Drainage capacity 1,0 l/s (higher than required by standard)
- Large selection of grate fitting frames (incl. standard or design grate)




■ Installation height TUB-COMBI MQ SET 300



Please note: Dimensions in mm. Measures without adhesive coating and tiles.


Hard foam shower drain element with separate drainage technology
TUB-MQ-SET 300

- For the installation in screed floors with slope
- Integrated floor drain support frame
- Including loose sealing sleeve
- Including substrate element for height adjustment
- For barrier-free construction
- Second drainage level
- Drainage technology separate, thus universally usable from page 118)





■ Installation height TUB-MQ-SET 300

* substrate element used depending on the installation situation



Please note: Dimensions in mm. Measures without adhesive coating and tiles.



■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-COMBI MQ SET 300** Packaging specifications see p. 129 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
 <p>TUB-COMBI MQ SET 300</p>					
	LTUBE19003	TUB-COMBI MQ SET 300* , extra-slim hard foam shower drain element with integrated horizontal floor drain, incl. loose sealing sleeve 400 x 400 mm, drain in the centre → Drainage technology and accessories see page 118–121	300 x 300 x 68 mm	set	150,55

 LUX ELEMENTS manufactures individual customised and special products for TUB. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.

 Visit www.luxelements.com for further information on TUB. Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-MQ-SET 300** Packaging specifications see p. 129 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
 <p>TUB-MQ-SET 300</p>					
	LTUBE1111	TUB-MQ-SET 300* , hard foam shower drain element with integrated floor drain support frame 135 x 135 mm, loose sealing sleeve 400 x 400 mm and substrate element TUB-UMQ 300 x 300 x 55 mm → Drainage technology and accessories see page 118–121	300 x 300 x 30 mm	set	81,49

 LUX ELEMENTS manufactures individual customised and special products for TUB. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.

 Visit www.luxelements.com for further information on TUB. Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



Floor channel drain with integrated drainage technology

TUB-LINE COMBI RT

- Combination of floor channel drain (70 x 650 mm, 70 x 750 mm or 70 x 850 mm) integrated in hard foam support element and horizontal drain support, including sealing sleeve
- Extra-flat height RT: 67 mm
- Reversible channel cover rail offers two design options
- Clean tiling with tiling aid
- Height-adjustable for optimum adaptation to covering thickness
- For barrier-free construction
- Second drainage level
- Drainage capacity: 0,52 l/s
- Also available with extended cover rail, see page 58


Gradient elements for TUB-LINE COMBI RT

TUB-LINE COMBI GK

- Can be fixed on one or both sides
- Simple cutting to length on the higher side for adaptation to the room situation
- Factory sealing and prefabricated gradient




■ Installation height



Please note: Dimensions in mm. Measures without adhesive coating and tiles.

■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE COMBI RT / GK** Packaging specifications see p. 129 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



	TUB-LINE COMBI RT , floor channel drain with integrated horizontal drain support, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, with odour trap, height adjustable with height adapter from 5–17 mm, integrated in hard foam support element, including sealing sleeve. → Accessories see page 122				
	TUBE9316	TUB-LINE COMBI RT 900 (650)* , floor channel drain 70 x 650 mm, with integrated horizontal drain support, integrated in hard foam support element, including sealing sleeve 1000 x 300 mm	200 x 900 x 67 mm	piece	468,93
	TUBE9306	TUB-LINE COMBI RT 900 (750)* , floor channel drain 70 x 750 mm, with integrated horizontal drain support, integrated in hard foam support element, including sealing sleeve 1000 x 300 mm	200 x 900 x 67 mm	piece	488,28
	TUBE9307	TUB-LINE COMBI GK R1 1200/900* , hard foam descending gradient element, sealed, with one-sided gradient	1200 x 900 x 70/85 mm	piece	243,33
	TUBE9308	TUB-LINE COMBI RT 1200 (850)* , floor channel drain 70 x 850 mm, with integrated horizontal drain support, integrated in hard foam support element, including sealing sleeve 1300 x 300 mm	200 x 1200 x 67 mm	piece	514,92
	TUBE9309	TUB-LINE COMBI GK Q1 1200* , hard foam descending gradient element, sealed, with one-sided gradient	1200 x 1200 x 70/85 mm	piece	305,98



LUX ELEMENTS manufactures individual customised and special products for TUB.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



Floor channel drain with integrated drainage technology with extended cover rail

TUB-LINE COMBI V RT

- Combination of floor channel drain integrated in hard foam support element and horizontal drain support, including sealing sleeve
- With extended cover rail (non-reversible) and extended tiling aid made of brushed stainless steel for continuous wall-to-wall channel look in a length of 1000 or 1200 mm
- Can be shortened to fit the shower area
- Extra-flat height RT: 67 mm
- Height-adjustable for optimum adaptation to covering thickness
- For barrier-free construction
- Second drainage level
- Drainage capacity: 0,52 l/s




Gradient elements for TUB-LINE COMBI V RT

TUB-LINE COMBI GK


- Can be fixed on one or both sides
- Simple cutting to length on the higher side for adaptation to the room situation
- Factory sealing and prefabricated gradient

■ Installation height



Please note: Dimensions in mm. Measures without adhesive coating and tiles.


■ Stepless adaptation



- for TUB-LINE COMBI V RT 1000 (650): up to 740 mm
- for TUB-LINE COMBI V RT 1200 (850): up to 940 mm

■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE COMBI V RT / GK** Packaging specifications see p. 129 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



<p>TUB-LINE COMBI V RT, floor channel drain with integrated horizontal drain support, with extended tiling aid V and extended cover rail V in brushed stainless steel, with odour trap, height adjustable with height adapter from 5–17 mm, integrated in hard foam support element, including sealing sleeve. Including accessories for the stepless adaptation of the stainless steel components. → Accessories see page 122</p>				
	<p>LTUBE98301 TUB-LINE COMBI V RT 1000 (650)*, extended cover rail V, 1000 mm long, including sealing sleeve 1100 x 300 mm</p>	200 x 1000 x 67 mm	piece	568,12
	<p>LTUBE9305 TUB-LINE COMBI GK Q1 1000*, hard foam descending gradient element, sealed, with one-sided gradient</p>	1000 x 1000 x 70/85 mm	piece	272,43
	<p>LTUBE98302 TUB-LINE COMBI V RT 1200 (850)*, extended cover rail V, 1200 mm long, including sealing sleeve 1300 x 300 mm</p>	200 x 1200 x 67 mm	piece	604,31
	<p>LTUBE9309 TUB-LINE COMBI GK Q1 1200*, hard foam descending gradient element, sealed, with one-sided gradient</p>	1200 x 1200 x 70/85 mm	piece	305,98



LUX ELEMENTS manufactures individual customised and special products for TUB. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TUB. Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



Floor channel drains with separate drainage technology

TUB-LINE RT

- Floor channel drain (70 x 650 mm, 70 x 750 mm or 70 x 850 mm) integrated in hard foam support element, with sealing sleeve
- Height RT: 30 mm
- Reversible channel cover rail offers two design options
- Clean tiling with tiling aid
- Height-adjustable for optimum adaptation to covering thickness
- For barrier-free construction
- Second drainage level
- Including substrate element, Height: 55 mm
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 122
- Also available with extended cover rail, see page 62




Gradient elements for TUB-LINE RT


TUB-LINE GK

- Can be fixed on one or both sides
- Simple cutting to length on the higher side for adaptation to the room situation
- Factory sealing and prefabricated gradient
- Matching substrate elements with a height of 55 mm

■ Combination possibilities




■ Installation height



Please note: Dimensions in mm. Measures without adhesive coating and tiles.

■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE RT / GK** Packaging specifications see p. 129 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



<p>TUB-LINE RT, floor channel drain with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, with odour trap, height adjustable with height adapter from 5 – 17 mm, integrated in hard foam support element, including substrate element, including sealing sleeve. → Drainage technology and accessories see page 122</p>					
	LTUBE95008	TUB-LINE RT 900/200 (650)* , floor channel drain 70 x 650 mm, integrated in hard foam support element, including substrate element 200 x 900 x 55 mm, including sealing sleeve 1000 x 300 mm	200 x 900 x 30 mm	set	432,50
	LTUBE95001	TUB-LINE RT 900/200 (750)* , floor channel drain 70 x 750 mm, integrated in hard foam support element, including substrate element 200 x 900 x 55 mm, including sealing sleeve 1000 x 300 mm	200 x 900 x 30 mm	set	449,83
	LTUBE95002	TUB-LINE GK R1 1200/900* , hard foam descending gradient element, sealed, with one-sided gradient	1200 x 900 x 30/45 mm	piece	211,40
	LTUBE11812	TUB-UR 1200/900 , universal substrate element, rectangular, for TUB-LINE GK R1 1200/900	1200 x 900 x 55 mm	piece	85,84
	LTUBE95003	TUB-LINE RT 1200/200 (850)* , floor channel drain 70 x 850 mm, integrated in hard foam support element, including substrate element 200 x 1200 x 55 mm, including sealing sleeve 1300 x 300 mm	200 x 1200 x 30 mm	set	476,72
	LTUBE95004	TUB-LINE GK Q1 1200* , hard foam descending gradient element, sealed, with one-sided gradient	1200 x 1200 x 30/45 mm	piece	255,11
	LTUBE11113	TUB-UQ 1200 , universal substrate element, square, for TUB-LINE GK Q1 1200	1200 x 1200 x 55 mm	piece	107,52



LUX ELEMENTS manufactures individual customised and special products for TUB.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



Floor channel drains with separate drainage technology with extended cover rail

TUB-LINE V RT

- Floor channel drain integrated in hard foam support element, with sealing sleeve
- With extended cover rail (non-reversible) and extended tiling aid made of brushed stainless steel for continuous wall-to-wall channel look in a length of 1000, 1200 mm or 1800 mm
- Can be shortened to fit the shower area
- Height RT: 30 mm
- Height-adjustable for optimum adaptation to covering thickness
- For barrier-free construction
- Second drainage level
- Including substrate element 55 mm height
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 122




Gradient elements for TUB-LINE V RT


TUB-LINE GK

- Can be fixed on one or both sides
- Simple cutting to length on the higher side for adaptation to the room situation
- Factory sealing and prefabricated gradient
- Matching substrate elements with a height of 55 mm

■ Combination possibilities




■ Installation height



Please note: Dimensions in mm. Measures without adhesive coating and tiles.


■ Stepless adaptation



- for TUB-LINE V RT 1000/200 (650): up to 740 mm
- for TUB-LINE V RT 1200/200 (850): up to 940 mm
- for TUB-LINE V RT 1800/200 (850): up to 940 mm

■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE V RT / GK** Packaging specifications see p. 129 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



TUB-LINE V RT , floor channel drain with extended tiling aid V and extended cover rail V in brushed stainless steel, with odour trap, height adjustable with height adapter from 5 – 17 mm, integrated in hard foam support element, including substrate element, including sealing sleeve. Including accessories for the stepless adaptation of the stainless steel components. → Drainage technology and accessories see page 122				
	LTUBE98201	TUB-LINE V RT 1000/200 (650)* , with extended cover rail V, 1000 mm long, including substrate element 200 x 1000 x 55 mm, including sealing sleeve 1100 x 300 mm	200 x 1000 x 30 mm	set 529,74
	LTUBE95009	TUB-LINE GK Q1 1000* , hard foam descending gradient element, sealed, with one-sided gradient	1000 x 1000 x 30/45 mm	piece 231,39
	LTUBE11112	TUB-UQ 1000 , universal substrate element, square, for TUB-LINE GK Q1 1000	1000 x 1000 x 55 mm	piece 94,75
	LTUBE98202	TUB-LINE V RT 1200/200 (850)* , with extended cover rail V, 1200 mm long, including substrate element 200 x 1200 x 55 mm, including sealing sleeve 1300 x 300 mm	200 x 1200 x 30 mm	set 565,92
	LTUBE95004	TUB-LINE GK Q1 1200* , hard foam descending gradient element, sealed, with one-sided gradient	1200 x 1200 x 30/45 mm	piece 255,11
	LTUBE11113	TUB-UQ 1200 , universal substrate element, square, for TUB-LINE GK Q1 1200	1200 x 1200 x 55 mm	piece 107,52
	LTUBE98205	TUB-LINE V RT 1800/200 (850)* , with extended cover rail V, 1800 mm long, including substrate element 200 x 1800 x 55 mm, including sealing sleeve 1900 x 300 mm	200 x 1800 x 30 mm	set 981,60
	LTUBE95010	TUB-LINE GK R1 1000/1800* , hard foam descending gradient element, sealed, with one-sided gradient	1000 x 1800 x 30/45 mm	piece 319,78
	LTUBE98101	TUB-UBOL 1800/1000 , substrate element, for TUB-LINE GK R1 1000/1800	1800 x 1000 x 55 mm	piece 158,45



LUX ELEMENTS manufactures individual customised and special products for TUB. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TUB. Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.


■ Systems on unfinished floors – integrated drainage technology

LUX ELEMENTS® shower base elements, flush with the floor and extra-flat, with integrated drainage technology (point or linear drainage) for installation on unfinished floors – ready for tiling!

■ General properties

	TUB-COMBI-S	TUB-PUMP-S	TUB-LINE COMBI
For barrier-free construction	■	■	■
Height-adjustable drain system	page 118	—	page 65
Factory sealing, compliant with DIN 18534	■	■	■
Integrated horizontal floor drain support	■	—	■
Grate fitting frame, factory sealed	—	—	—
Floor channel drain, factory sealed	■	—	■
Ø DN 40	■	—	—
Ø DN 50	—	■	■
Integrated and sealed-in floor drain pump	—	■	—
Prefabricated gradient	■	■	■
Extra-flat shower base height	■	—	■
Second drainage level	■	■	■
Sealing sleeve for sealing the pipe	■	—	■
Matching mounting accessories	from page 124	from page 124	from page 124
Made to measure possible	■	■	■

■ Installation principle, general



1 Shower base element – combination of extra-flat shower base and horizontal floor drain support (DN 40 or DN 50), factory sealed, square or rectangular, with one-sided or four-sided slope depending on drainage method (point or linear)

- Details design variants: page 65


- Details format variants: page 65

■ Installation heights


Dimensions in mm. Measures without adhesive coating and tiles.

Point drainage

TUB-COMBI-S




TUB-PUMP-S



Linear drainage

TUB-LINE COMBI




* substrate element used depending on the installation situation

■ Properties, point drainage

Grates/grate fitting frames – compatible with all LUX ELEMENTS®-TUB-RA... variants, standard and design – see page 119

Design variants – basic shape: square or rectangular, **gradient**: four-sided, **drain position**: centre or off-centre

Special features: also as TUB-COMBI-S BOL with slope and shortening area, e.g. as bath tub replacement system (see page 70)



TUB-COMBI-S MQ


TUB-COMBI-S ER

TUB-COMBI-S BOL

Grates/grate fitting frames – two-part, reversible grate (height-adjustable) made of brushed stainless steel, tileable on rear side, allows different design variants



Design variants – basic shape: square or rectangular, **gradient**: four-sided, **drain position**: centre



TUB-PUMP-S MQ

TUB-PUMP-S MR


■ Properties, linear drainage

Cover rail / Floor channel drain – dimensions: 70 x 650 mm, 70 x 750 mm or 70 x 850 mm, depending on the size of the shower base

Special features: reversible cover rail for two design variants (brushed stainless steel and tileable rear side), tiling aid for clean tiling, height adjustable from 5 – 17 mm using height adapter, with odour trap



Design variants – basic shape: square or rectangular, **gradient**: one-sided, **drain position**: on shorter side



TUB-LINE COMBI Q1

TUB-LINE COMBI R1

OVERVIEW STANDARD FORMATS SQUARE

		SIDE LENGTH LENGHT				
		800 mm	900 mm	1000 mm	1100 mm	1200 mm
SIDE LENGTH WIDTH	800 mm	TUB-COMBI-S MQ (page 69) TUB-PUMP-S MQ (page 73) TUB-LINE COMBI Q1 (page 75)				
	900 mm		TUB-COMBI-S MQ (page 69) TUB-PUMP-S MQ (page 73) TUB-LINE COMBI Q1 (page 75)			
	1000 mm			TUB-COMBI-S MQ (page 69) TUB-PUMP-S MQ (page 73) TUB-LINE COMBI Q1 (page 75)		
	1100 mm				TUB-COMBI-S MQ (page 69) TUB-PUMP-S MQ (page 73) TUB-LINE COMBI Q1 (page 75)	
	1200 mm					TUB-COMBI-S MQ (page 69) TUB-PUMP-S MQ (page 73) TUB-LINE COMBI Q1 (page 75)

OVERVIEW STANDARD FORMATS RECTANGULAR

		SIDE LENGTH – SHORT SIDE		
		800 mm	900 mm	1000 mm
SIDE LENGTH – LONG SIDE	900 mm	TUB-COMBI-S ER (page 69) TUB-PUMP-S MR (page 73) TUB-LINE COMBI R1 (page 75)		
	1000 mm	TUB-COMBI-S ER (page 69) TUB-PUMP-S MR (page 73) TUB-LINE COMBI R1 (page 75)	TUB-COMBI-S ER (page 69) TUB-PUMP-S MR (page 73) TUB-LINE COMBI R1 (page 75)	
	1100 mm	TUB-COMBI-S ER (page 69) TUB-PUMP-S MR (page 73) TUB-LINE COMBI R1 (page 75)	TUB-COMBI-S ER (page 69) TUB-PUMP-S MR (page 73) TUB-LINE COMBI R1 (page 75)	TUB-COMBI-S ER (page 69) TUB-PUMP-S MR (page 73) TUB-LINE COMBI R1 (page 75)
	1200 mm	TUB-COMBI-S ER (page 69) TUB-PUMP-S MR (page 73) TUB-LINE COMBI R1 (page 75)	TUB-COMBI-S ER (page 69) TUB-PUMP-S MR (page 73) TUB-LINE COMBI R1 (page 75)	TUB-COMBI-S ER (page 69) TUB-PUMP-S MR (page 73) TUB-LINE COMBI R1 (page 75)
	1300 mm		TUB-COMBI-S ER (page 69) TUB-PUMP-S MR (page 73)	TUB-COMBI-S ER (page 69) TUB-PUMP-S MR (page 73)
	1400 mm		TUB-COMBI-S ER (page 69) TUB-PUMP-S MR (page 73)	TUB-COMBI-S ER (page 69) TUB-PUMP-S MR (page 73)
	1500 mm		TUB-COMBI-S ER (page 69) TUB-PUMP-S MR (page 73)	TUB-COMBI-S ER (page 69) TUB-PUMP-S MR (page 73)
	1600 mm		TUB-COMBI-S ER (page 69) TUB-PUMP-S MR (page 73)	TUB-PUMP-S MR (page 73)
	1800 mm	TUB-COMBI-S BOL (page 71)	TUB-COMBI-S BOL (page 71)	TUB-COMBI-S BOL (page 71)



Flush with the floor extra-slim shower bases with integrated drainage technology



TUB-COMBI-S

- Combination of shower base and horizontal floor drain support (connection DN 40)
- Factory sealing and prefabricated gradient (four-sided)
- Extra-flat shower base height: 55/65 mm
- For barrier-free construction
- Second drainage level
- Good drainage capacity: 0,8 l/s resp. 48 l/min
- Large selection of grate fitting frames depending on the covering thickness (tile + adhesive) of the shower base:
 - TUB RA-A with standard grate: from a covering thickness of 9 mm
 - TUB RA-S with standard grate: from a covering thickness of 14 mm
 - TUB-RA-DC/DM/DL/DV/DS with design grate: from a covering thickness of 14 mm



Also available as shower base for the substitution of bath tubs see TUB-COMBI-S BOL, page 70

Also available with floor channel drain, see TUB-LINE COMBI, page 74




SYSTEMS ON UNFINISHED FLOORS – SHOWERS POINT DRAINAGE / INTEGRATED DRAINAGE TECHNOLOGY


■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-COMBI-S

Packaging specifications see p. 130 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



TUB-COMBI-S MQ



TUB-COMBI-S ER

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
TUB-COMBI-S , extra-slim hard foam shower base element with integrated and sealed horizontal floor drain DN 40, with odour trap, with integrated and sealed grate fitting frame and loose sealing sleeve 200 x 800 mm. → Accessories see page 121				
	LTUBE19302	TUB-COMBI-S MQ 800* , square, drain in the centre	800 x 800 x 55/65 mm	piece 445,28
	LTUBE19300	TUB-COMBI-S MQ 900* , square, drain in the centre	900 x 900 x 55/65 mm	piece 445,28
	LTUBE19301	TUB-COMBI-S MQ 1000* , square, drain in the centre	1000 x 1000 x 55/65 mm	piece 467,80
	LTUBE19303	TUB-COMBI-S MQ 1100* , square, drain in the centre	1100 x 1100 x 55/65 mm	piece 478,41
	LTUBE19304	TUB-COMBI-S MQ 1200* , square, drain in the centre	1200 x 1200 x 55/65 mm	piece 489,01
	LTUBE19305	TUB-COMBI-S ER 900/800* , rectangular, drain off-centre	900 x 800 x 55/65 mm	piece 422,00
	LTUBE19306	TUB-COMBI-S ER 1000/800* , rectangular, drain off-centre	1000 x 800 x 55/65 mm	piece 436,84
	LTUBE19307	TUB-COMBI-S ER 1100/800* , rectangular, drain off-centre	1100 x 800 x 55/65 mm	piece 455,00
	LTUBE19308	TUB-COMBI-S ER 1200/800* , rectangular, drain off-centre	1200 x 800 x 55/65 mm	piece 476,00
	LTUBE19309	TUB-COMBI-S ER 1000/900* , rectangular, drain off-centre	1000 x 900 x 55/65 mm	piece 467,80
	LTUBE19310	TUB-COMBI-S ER 1100/900* , rectangular, drain off-centre	1100 x 900 x 55/65 mm	piece 485,50
	LTUBE19311	TUB-COMBI-S ER 1200/900* , rectangular, drain off-centre	1200 x 900 x 55/65 mm	piece 506,85
	LTUBE19312	TUB-COMBI-S ER 1300/900* , rectangular, drain off-centre	1300 x 900 x 55/65 mm	piece 524,50
	LTUBE19313	TUB-COMBI-S ER 1400/900* , rectangular, drain off-centre	1400 x 900 x 55/65 mm	piece 542,01
	LTUBE19314	TUB-COMBI-S ER 1500/900* , rectangular, drain off-centre	1500 x 900 x 55/65 mm	piece 556,69
	LTUBE19315	TUB-COMBI-S ER 1600/900* , rectangular, drain off-centre	1600 x 900 x 55/65 mm	piece 570,31
	LTUBE19316	TUB-COMBI-S ER 1100/1000* rectangular, drain off-centre	1100 x 1000 x 55/65 mm	piece 516,10
	LTUBE19317	TUB-COMBI-S ER 1200/1000* rectangular, drain off-centre	1200 x 1000 x 55/65 mm	piece 537,43
	LTUBE19318	TUB-COMBI-S ER 1300/1000* rectangular, drain off-centre	1300 x 1000 x 55/65 mm	piece 555,10
	LTUBE19319	TUB-COMBI-S ER 1400/1000* rectangular, drain off-centre	1400 x 1000 x 55/65 mm	piece 572,75
	LTUBE19320	TUB-COMBI-S ER 1500/1000* , rectangular, drain off-centre	1500 x 1000 x 55/65 mm	piece 587,45
LTUBE19321	TUB-COMBI-S ER 1600/1000* , rectangular, drain off-centre	1600 x 1000 x 55/65 mm	piece 601,20	



LUX ELEMENTS manufactures individual customised and special products for TUB.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



Flush with the floor extra-slim shower bases with integrated drainage technology for the substitution of bath tubs

TUB-COMBI-S BOL


- Combination of shower base and horizontal floor drain support (connection DN 40)
- Factory sealing and prefabricated gradient (four-sided)
- Can be shortened in length through area without gradient
- Extra-flat shower base height: 55/65 mm
- For barrier-free construction
- Second drainage level
- Good drainage capacity: 0,8 l/s resp. 48 l/min

Accessories (optional)

- Matching bench RELAX-BA-SOLO-G see page 42



- Shower base, can be cut to size




*Please note: the fittings are to be located in the shower area

SYSTEMS ON UNFINISHED FLOORS – SHOWERS POINT DRAINAGE / INTEGRATED DRAINAGE TECHNOLOGY

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-COMBI-S BOL Packaging specifications see p. 130 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	---	------	----------------



TUB-COMBI-S BOL 1800/800: a = 800
TUB-COMBI-S BOL 1800/900: a = 900
TUB-COMBI-S BOL 1800/1000: a = 1000

	TUB-COMBI-S BOL , extra-slim hard foam shower base element for the substitution of bath tubs, with integrated and sealed horizontal floor drain DN 40, with odour trap, with integrated and sealed grate fitting frame and loose sealing sleeve 200 x 800 mm. → Accessories see page 121				
	LTUBE19322	TUB-COMBI-S BOL 1800/800* , can be cut to a minimum of 800 x 1200 mm, gradient area from 800 x 1200 mm	1800 x 800 x 55/65 mm	piece	579,90
	LTUBE19323	TUB-COMBI-S BOL 1800/900* , can be cut to a minimum of 900 x 1200 mm, gradient area from 900 x 1200 mm	1800 x 900 x 55/65 mm	piece	598,60
	LTUBE19324	TUB-COMBI-S BOL 1800/1000* , can be cut to a minimum of 1000 x 1200 mm, gradient area from 1000 x 1200 mm	1800 x 1000 x 55/65 mm	piece	629,20



LUX ELEMENTS manufactures individual customised and special products for TUB.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TUB.


Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



Flush with the floor shower bases with integrated floor drain pump **TUB-PUMP**

TUB-PUMP-S

- Shower base element with integrated and sealed-in floor drain pump
- Prefabricated gradient (four-sided)
- 95 mm installation height (without glue layers)
- Pumps water upwards if it cannot reach the drainpipe by gravity flow
- Suitable for the installation of a flush with the floor shower in case of renovations where the connection point to the soil stack is a few centimetres too high
- Float-controlled – switches on independent of the water inlet through the pipe
- Two-part, brushed stainless steel, reversible grate, tileable on rear side, allows different design variants
- Height-adjustable reversible grate
- Drainage capacity: 25 l/min with a height difference of 0,6 m




TUB-PUMP

Also available as product variant TUB-PUMP with powerful floor drain pump with an installation height of 125 mm excluding glue layers.

For further information and technical data, see the LUX ELEMENTS®-TUB-PUMP data sheet. Price on request.



■ Performances



Pumping height H [m]	0,1	0,75	1,0	1,5	2,0
Output volume Q [l/s] TUB-PUMP-S ...	0,43	0,38	0,27		
Output volume Q [l/s] TUB-PUMP ...		0,77	0,67	0,52	0,33

■ Installation height TUB-PUMP-S

* substrate element used depending on the installation situation




Please note: Dimensions in mm. Measures without adhesive coating and tiles.

SYSTEMS ON UNFINISHED FLOORS – SHOWERS POINT DRAINAGE / INTEGRATED DRAINAGE TECHNOLOGY


■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-PUMP

Packaging specifications see p. 131 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



TUB-PUMP-S MQ



TUB-PUMP-S MR

	TUB-PUMP-S , hard foam shower base element with integrated and sealed-in floor drain pump, installation height 95 mm (45+50 mm) without glue layers, incl. 2 substrate elements (height 50 and 30 mm, used depending on the installation situation), cover made of stainless steel, cover tileable on the rear side.			
	LTUBE19209	TUB-PUMP-S MQ 800* , square	800 x 800 x 30/45 mm	set 1.594,15
	LTUBE19205	TUB-PUMP-S MQ 900* , square	900 x 900 x 30/45 mm	set 1.611,31
	LTUBE19210	TUB-PUMP-S MQ 1000* , square	1000 x 1000 x 30/45 mm	set 1.662,87
	LTUBE19211	TUB-PUMP-S MQ 1100* , square	1100 x 1100 x 30/45 mm	set 1.714,43
	LTUBE19206	TUB-PUMP-S MQ 1200* , square	1200 x 1200 x 30/45 mm	set 1.765,99
	LTUBE19212	TUB-PUMP-S MR 900/800* , rectangular	900 x 800 x 30/45 mm	set 1.602,15
	LTUBE19213	TUB-PUMP-S MR 1000/800* , rectangular	1000 x 800 x 30/45 mm	set 1.612,50
	LTUBE19214	TUB-PUMP-S MR 1100/800* , rectangular	1100 x 800 x 30/45 mm	set 1.622,85
	LTUBE19215	TUB-PUMP-S MR 1200/800* , rectangular	1200 x 800 x 30/45 mm	set 1.633,20
	LTUBE19216	TUB-PUMP-S MR 1000/900* , rectangular	1000 x 900 x 30/45 mm	set 1.621,00
	LTUBE19217	TUB-PUMP-S MR 1100/900* , rectangular	1100 x 900 x 30/45 mm	set 1.635,50
	LTUBE19207	TUB-PUMP-S MR 1200/900* , rectangular	1200 x 900 x 30/45 mm	set 1.649,99
	LTUBE19218	TUB-PUMP-S MR 1300/900* , rectangular	1300 x 900 x 30/45 mm	set 1.675,77
	LTUBE19208	TUB-PUMP-S MR 1400/900* , rectangular	1400 x 900 x 30/45 mm	set 1.701,55
	LTUBE19219	TUB-PUMP-S MR 1500/900* , rectangular	1500 x 900 x 30/45 mm	set 1.733,72
	LTUBE19220	TUB-PUMP-S MR 1600/900* , rectangular	1600 x 900 x 30/45 mm	set 1.765,90
	LTUBE19221	TUB-PUMP-S MR 1100/1000* , rectangular	1100 x 1000 x 30/45 mm	set 1.688,85
	LTUBE19222	TUB-PUMP-S MR 1200/1000* , rectangular	1200 x 1000 x 30/45 mm	set 1.714,63
	LTUBE19223	TUB-PUMP-S MR 1300/1000* , rectangular	1300 x 1000 x 30/45 mm	set 1.740,41
	LTUBE19224	TUB-PUMP-S MR 1400/1000* , rectangular	1400 x 1000 x 30/45 mm	set 1.766,19
	LTUBE19225	TUB-PUMP-S MR 1500/1000* , rectangular	1500 x 1000 x 30/45 mm	set 1.791,97
LTUBE19226	TUB-PUMP-S MR 1600/1000* , rectangular	1600 x 1000 x 30/45 mm	set 1.817,75	



LUX ELEMENTS manufactures individual customised and special products for TUB.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



Flush with the floor extra-slim shower bases with integrated drainage technology


TUB-LINE COMBI

- Combination of shower base with built-in and sealed floor channel drain (70 x 650 mm, 70 x 750 mm or 70 x 850 mm) and horizontal floor drain support (including odour trap)
- Factory sealing
- Prefabricated gradient (one-sided)
- Extra-flat shower base height: 67/80 mm
- Reversible channel cover rail offers two design options
- Clean tiling with tiling aid
- Height-adjustable for optimum adaptation to covering thickness
- Including sealing sleeve for sealing the pipe
- For barrier-free construction
- Second drainage level
- Drainage capacity 0,52 l/s (higher than required by standard)


Also available with point drainage, see TUB-COMBI-S, page 68



■ Installation height




Please note: Dimensions in mm. Measures without adhesive coating and tiles.



SYSTEMS ON UNFINISHED FLOORS – SHOWERS LINEAR DRAINAGE / INTEGRATED DRAINAGE TECHNOLOGY

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE COMBI Packaging specifications see p. 131 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	---	------	----------------



TUB-LINE COMBI Q1

TUB-LINE COMBI R1

Floor channel drain

<p>TUB-LINE COMBI, extra-slim hard foam shower base element with integrated and sealed floor channel drain, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, with odour trap, height adjustable with height adapter from 5–17 mm, with 1-sided gradient, with integrated horizontal drain support, including loose sealing sleeve 200 x 800 mm. → Accessories see page 122</p>					
with floor channel drain 70 x 650 mm					
	LTUBE9324	TUB-LINE COMBI Q1 800*, square	800 x 800 x 67/80 mm	piece 750,95	
	with floor channel drain 70 x 750 mm				
	LTUBE9322	TUB-LINE COMBI Q1 900*, square	900 x 900 x 67/80 mm	piece 786,30	
with floor channel drain 70 x 850 mm					
	LTUBE9325	TUB-LINE COMBI Q1 1000*, square	1000 x 1000 x 67/80 mm	piece 854,22	
	LTUBE9326	TUB-LINE COMBI Q1 1100*, square	1100 x 1100 x 67/80 mm	piece 881,15	
	LTUBE9327	TUB-LINE COMBI Q1 1200*, square	1200 x 1200 x 67/80 mm	piece 908,08	
	with floor channel drain 70 x 650 mm				
	LTUBE9328	TUB-LINE COMBI R1 900/800*, rectangular	900 x 800 x 67/80 mm	piece 752,20	
	LTUBE9329	TUB-LINE COMBI R1 1000/800*, rectangular	1000 x 800 x 67/80 mm	piece 767,30	
	LTUBE9334	TUB-LINE COMBI R1 1100/800*, rectangular	1100 x 800 x 67/80 mm	piece 780,40	
	LTUBE9335	TUB-LINE COMBI R1 1200/800*, rectangular	1200 x 800 x 67/80 mm	piece 794,10	
	with floor channel drain 70 x 750 mm				
	LTUBE9336	TUB-LINE COMBI R1 1000/900*, rectangular	1000 x 900 x 67/80 mm	piece 785,20	
	LTUBE9337	TUB-LINE COMBI R1 1100/900*, rectangular	1100 x 900 x 67/80 mm	piece 805,40	
	LTUBE9323	TUB-LINE COMBI R1 1200/900*, rectangular	1200 x 900 x 67/80 mm	piece 825,85	
	with floor channel drain 70 x 850 mm				
LTUBE9338	TUB-LINE COMBI R1 1100/1000*, rectangular	1100 x 1000 x 67/80 mm	piece 865,46		
LTUBE9339	TUB-LINE COMBI R1 1200/1000*, rectangular	1200 x 1000 x 67/80 mm	piece 882,45		



LUX ELEMENTS manufactures individual customised and special products for TUB. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TUB. Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.


■ Systems on unfinished floors – separate drainage technology

LUX ELEMENTS® shower base elements, flush with the floor, with separate drainage technology (point or linear drainage) for installation on unfinished floors – ready for tiling!

■ General properties

	TUB	TUB-LINE
For barrier-free construction	■	■
Height-adjustable drain system	page 118	page 77
Factory sealing, compliant with DIN 18534	■	■
Grate fitting frame, factory sealed	■	—
Floor channel drain, factory sealed	—	■
Prefabricated gradient, 30/45 mm	■	■
Second drainage level	■	■
Optional: matching substrate element, 55 mm	from page 102	from page 102
Click system for fastening the drain connection fitting	■	■
Separate floor drain support, vertical or horizontal	from page 118	from page 122
Extensive accessories	page 121	page 123
Matching mounting accessories	from page 124	from page 124
Made to measure possible	■	■

■ Installation principle, general



1 Shower base element – factory sealed, square or rectangular, depending on drainage method (point or linear drainage) with one-sided or four-sided gradient, integrated and sealed floor drain system

- Details design variants: page 77
- Details format variants: page 77

2 Drain support – vertical (DN 40 or DN 50) or horizontal (DN 50) freely selectable depending on requirements; simple, fast and safe mounting by means of click system without gluing or screwing

- Details: from page 118 (point drainage)
- Details: page 122 (linear drainage)

3 Substrate element – optional, to match shower base element, either universal or made to measure, for optimal height adjustment depending on the installation situation

- Details: from page 102

■ Installation heights, general

Dimensions in mm. Measures without adhesive coating and tiles.

Floor drain support vertical without substrate element



Floor drain support vertical with substrate element



Floor drain support horizontal with substrate element




Please note: The overall height when installing the vertical drain without a substrate element is reduced by the height of the substrate element (= 55 mm). For further details, please see technical data sheet TUB-(LINE) ...

■ Properties, point drainage

Grates/grate fitting frames – compatible with all LUX ELEMENTS®-TUB-RA... variants, standard and design – see page 119

Design variants – basic shape: square or rectangular, **gradient**: four-sided, **drain position**: corner, centre or off-centre

Special features: also as TUB-BOL with slope and shortening area, e.g. as bath tub replacement system (see page 84)



■ Properties, linear drainage


Cover rail / Floor channel drain – dimensions: 70 x 650 mm, 70 x 750 mm or 70 x 850 mm, depending on the size of the shower base

Special features: reversible cover rail for two design variants (brushed stainless steel and tileable rear side), tiling aid for clean tiling, height adjustable from 5 – 17 mm using height adapter, with odour trap



Design variants – basic shape: square or rectangular, **gradient**: one-sided or four-sided, **drain position**: on shorter side

Special features: also as TUB-LINE BOL with slope and shortening area, e.g. as bath tub replacement system (see page 94)




Extended cover rail V – dimensions: 70 x 800 / 900 / 1000 / 1100 / 1200 mm, depending on the size of the shower base

Special features: brushed stainless steel (non-reversible), can be shortened (Including accessories for the stepless adaptation of the stainless steel components), tiling aid for clean tiling, height adjustable from 5 – 17 mm using height adapter, with odour trap



Design variants – basic shape: square or rectangular, **gradient**: one-sided, **drain position**: on shorter side

Special features: also as TUB-LINE BOL V R1 with slope and shortening area, e.g. as bath tub replacement system (see page 98)



OVERVIEW STANDARD FORMATS SQUARE

For more formats made to measure see product data tables.

		SIDE LENGTH LENGTH					
		800 mm	900 mm	1000 mm	1100 mm	1200 mm	1500 mm
SIDE LENGTH WIDTH	800 mm	TUB-EQ (p. 81) TUB-MQ (p. 81) TUB-LINE Q4 (p. 89) TUB-LINE Q1 (p. 89) TUB-LINE V Q1 (p. 97)					
	900 mm		TUB-EQ (p. 81) TUB-MQ (p. 81) TUB-FW MQ (p. 87) TUB-LINE Q4 (p. 89) TUB-LINE Q1 (p. 89) TUB-LINE V Q1 (p. 97) TUB-LINE FW Q4 (p. 101)				
	1000 mm			TUB-EQ (p. 81) TUB-MQ (p. 81) TUB-LINE Q4 (p. 89) TUB-LINE Q1 (p. 89) TUB-LINE V Q1 (p.97)			
	1100 mm				TUB-EQ (p. 81) TUB-MQ (p. 81) TUB-LINE V Q1 (p. 97)		
	1200 mm					TUB-EQ (p. 81) TUB-MQ (p. 81) TUB-LINE Q4 (p. 89) TUB-LINE Q1 (p. 89) TUB-LINE V Q1 (p. 97)	
	1500 mm						TUB-EQ (p. 81) TUB-MQ (p. 81)

OVERVIEW STANDARD FORMATS RECTANGULAR

For more formats made to measure see product data tables.


		SIDE LENGTH – SHORT SIDE			
		800 mm	900 mm	1000 mm	1200 mm
SIDE LENGTH – LONG SIDE	900 mm	TUB-ER (p. 82) / TUB-MR (p. 83) TUB-LINE R4 (p. 90) / TUB-LINE R1 (p. 92) TUB-LINE V R1 (p. 97)			
	1000 mm	TUB-ER (p. 82) / TUB-MR (p. 83) TUB-LINE R4 (p. 90) / TUB-LINE R1 (p. 92) TUB-LINE V R1 (p. 97)	TUB-ER (p. 82) / TUB-MR (p. 83) TUB-LINE R4 (p. 90) / TUB-LINE R1 (p. 92) TUB-LINE V R1 (p. 97)		
	1100 mm	TUB-ER (p. 82) / TUB-MR (p. 83) TUB-LINE R4 (p. 90) / TUB-LINE R1 (p. 92) TUB-LINE V R1 (p. 97)	TUB-ER (p. 82) / TUB-MR (p. 83) TUB-LINE R4 (p. 90) / TUB-LINE R1 (p. 92) TUB-LINE V R1 (p. 97)	TUB-ER (p. 82) / TUB-MR (p. 83) TUB-LINE R4 (p. 90) / TUB-LINE R1 (p. 92) TUB-LINE V R1 (p. 97)	
	1200 mm	TUB-ER (p. 82) / TUB-MR (p. 83) TUB-LINE R4 (p. 90) / TUB-LINE R1 (p. 92) TUB-LINE V R1 (p. 97)	TUB-ER (p. 82) / TUB-MR (p. 83) TUB-FW ER (p. 87) TUB-LINE R4 (p. 90) / TUB-LINE R1 (p. 92) TUB-LINE V R1 (p. 97) TUB-LINE FW R4 (p. 101)	TUB-ER (p. 82) / TUB-MR (p. 83) TUB-LINE R4 (p. 90) / TUB-LINE R1 (p. 92) TUB-LINE V R1 (p. 97)	
	1300 mm		TUB-ER (p. 82) / TUB-MR (p. 83) TUB-LINE R4 (p. 90) / TUB-LINE R1 (p. 92) TUB-LINE V R1 (p. 97)	TUB-ER (p. 82) / TUB-MR (p. 83) TUB-LINE R4 (p. 90) / TUB-LINE R1 (p. 92) TUB-LINE V R1 (p. 97)	
	1400 mm		TUB-ER (p. 82) / TUB-MR (p. 83) TUB-LINE R4 (p. 90) / TUB-LINE R1 (p. 92) TUB-LINE V R1 (p. 97)	TUB-ER (p. 82) / TUB-MR (p. 83) TUB-LINE R4 (p. 90) / TUB-LINE R1 (p. 92) TUB-LINE V R1 (p. 97)	
	1500 mm		TUB-ER (p. 82) / TUB-MR (p. 83) TUB-LINE R4 (p. 90) / TUB-LINE R1 (p. 92) TUB-LINE V R1 (p. 97)	TUB-ER (p. 82) / TUB-MR (p. 83) TUB-LINE R4 (p. 90) / TUB-LINE R1 (p. 92) TUB-LINE V R1 (p. 97)	
	1600 mm		TUB-ER (p. 82) / TUB-MR (p. 83) TUB-FW ER (p. 87) TUB-LINE R4 (p. 90) / TUB-LINE R1 (p. 92) TUB-LINE V R1 (p. 97) TUB-LINE FW R4 (p. 101)	TUB-ER (p. 82) / TUB-MR (p. 83) TUB-LINE R4 (p. 90) / TUB-LINE R1 (p. 92) TUB-LINE V R1 (p. 97)	
	1800 mm	TUB-BOL (p. 85) TUB-LINE BOL (p. 95) TUB-LINE BOL V R1 (p. 99)	TUB-BOL (p. 85) TUB-LINE BOL (p. 95) TUB-LINE BOL V R1 (p. 99)	TUB-BOL (p. 85) TUB-LINE BOL (p. 95) TUB-LINE BOL V R1 (p. 99)	TUB-LINE BOL V R1 (p. 99)



Flush with the floor shower bases with separate drainage technology with point drainage


TUB

- Factory sealing
- Sealed floor drain fitting frame
- Prefabricated gradient (four-sided)
- Shower base height: 30/45 mm
- For barrier-free construction
- Second drainage level
- Matching substrate elements with a height of 55 mm, see page 102
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 118–121




■ Installation heights


Floor drain support vertical without substrate element



Floor drain support vertical with substrate element



Floor drain support horizontal with substrate element




Please note: Dimensions in mm. Measures without adhesive coating and tiles. For further details, please see technical data sheet TUB.

SYSTEMS ON UNFINISHED FLOORS – SHOWERS POINT DRAINAGE / SEPARATE DRAINAGE TECHNOLOGY


■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-EQ / -MQ

Packaging specifications see p. 132 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



TUB-EQ



TUB-MQ

	TUB-EQ , hard foam shower base elements, square, with integrated and sealed floor drain support frame 135 x 135 mm in the corner. → Substrate elements see page 102–103 / Drainage technology and accessories see page 118–121			
	LTUBE10000	TUB-EQ 800* , standard format	800 x 800 x 30/45 mm	piece 324,28
	LTUBE10001	TUB-EQ 900* , standard format	900 x 900 x 30/45 mm	piece 324,28
	LTUBE10002	TUB-EQ 1000* , standard format	1000 x 1000 x 30/45 mm	piece 346,80
	LTUBE10009	TUB-EQ 1100* , standard format	1100 x 1100 x 30/45 mm	piece 357,41
	LTUBE10003	TUB-EQ 1200* , standard format	1200 x 1200 x 30/45 mm	piece 368,01
	LTUBE10004	TUB-EQ 1500* , standard format	1500 x 1500 x 30/45 mm	piece 469,20
	LTUBE10005	TUB-EQ 1–1000* , made to measure	1–1000 x 30/45 mm	piece 382,46
	LTUBE10006	TUB-EQ 1001–1200* , made to measure	1001–1200 x 30/45 mm	piece 455,35
LTUBE10007	TUB-EQ 1201–1400* , made to measure	1201–1400 x 30/45 mm	piece 555,33	
	TUB-MQ , hard foam shower base elements, square, with integrated and sealed floor drain support frame 135 x 135 mm in the centre, → Substrate elements see page 102–103 / Drainage technology and accessories see page 118–121			
	LTUBE10100	TUB-MQ 800* , standard format	800 x 800 x 30/45 mm	piece 324,28
	LTUBE10101	TUB-MQ 900* , standard format	900 x 900 x 30/45 mm	piece 324,28
	LTUBE10102	TUB-MQ 1000* , standard format	1000 x 1000 x 30/45 mm	piece 346,80
	LTUBE10109	TUB-MQ 1100* , standard format	1100 x 1100 x 30/45 mm	piece 357,41
	LTUBE10103	TUB-MQ 1200* , standard format	1200 x 1200 x 30/45 mm	piece 368,01
	LTUBE10104	TUB-MQ 1500* , standard format	1500 x 1500 x 30/45 mm	piece 469,20
	LTUBE10105	TUB-MQ 1–1000* , made to measure	1–1000 x 30/45 mm	piece 382,46
	LTUBE10106	TUB-MQ 1001–1200* , made to measure	1001–1200 x 30/45 mm	piece 455,35
LTUBE10107	TUB-MQ 1201–1400* , made to measure	1201–1400 x 30/45 mm	piece 555,33	



LUX ELEMENTS manufactures individual customised and special products for TUB.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.




Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-ER

Packaging specifications see p. 132 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



TUB-ER

TUB-ER, hard foam shower base elements, rectangular, integrated and sealed floor drain support frame 135 x 135 mm off-centre,
 → Substrate elements see page 102–103 / Drainage technology and accessories see page 118–121

LTUBE10616	TUB-ER 900/800*, standard format	900 x 800 x 30/45 mm	piece	301,00
LTUBE10614	TUB-ER 1000/800*, standard format	1000 x 800 x 30/45 mm	piece	315,84
LTUBE10617	TUB-ER 1100/800*, standard format	1100 x 800 x 30/45 mm	piece	334,00
LTUBE10618	TUB-ER 1200/800*, standard format	1200 x 800 x 30/45 mm	piece	355,00
LTUBE10619	TUB-ER 1000/900*, standard format	1000 x 900 x 30/45 mm	piece	346,80
LTUBE10620	TUB-ER 1100/900*, standard format	1100 x 900 x 30/45 mm	piece	364,50
LTUBE10601	TUB-ER 1200/900*, standard format	1200 x 900 x 30/45 mm	piece	385,85
LTUBE10615	TUB-ER 1300/900*, standard format	1300 x 900 x 30/45 mm	piece	403,50
LTUBE10603	TUB-ER 1400/900*, standard format	1400 x 900 x 30/45 mm	piece	421,01
LTUBE10604	TUB-ER 1500/900*, standard format	1500 x 900 x 30/45 mm	piece	435,69
LTUBE10605	TUB-ER 1600/900*, standard format	1600 x 900 x 30/45 mm	piece	449,31
LTUBE10621	TUB-ER 1100/1000*, standard format	1100 x 1000 x 30/45 mm	piece	395,10
LTUBE10602	TUB-ER 1200/1000*, standard format	1200 x 1000 x 30/45 mm	piece	416,43
LTUBE10622	TUB-ER 1300/1000*, standard format	1300 x 1000 x 30/45 mm	piece	434,10
LTUBE10623	TUB-ER 1400/1000*, standard format	1400 x 1000 x 30/45 mm	piece	451,75
LTUBE10624	TUB-ER 1500/1000*, standard format	1500 x 1000 x 30/45 mm	piece	466,45
LTUBE10625	TUB-ER 1600/1000*, standard format	1600 x 1000 x 30/45 mm	piece	480,20
LTUBE10606	TUB-ER 1–1000*, made to measure	1–1000 x 30/45 mm	piece	382,46
LTUBE10607	TUB-ER 1001–1200*, made to measure	1001–1200 x 30/45 mm	piece	434,87
LTUBE10608	TUB-ER 1201–1400*, made to measure	1201–1400 x 30/45 mm	piece	528,83
LTUBE10609	TUB-ER 1401–1600*, made to measure	1401–1600 x 30/45 mm	piece	710,72
LTUBE10610	TUB-ER 1601–1800*, made to measure manufactured in 2 parts, incl. 1 cartridge COL-MK	1601–1800 x 30/45 mm	piece	795,05
LTUBE10611	TUB-ER 1801–2000*, made to measure manufactured in 2 parts, incl. 1 cartridge COL-MK	1801–2000 x 30/45 mm	piece	831,18



LUX ELEMENTS manufactures individual customised and special products for TUB. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.




Visit www.luxelements.com for further information on TUB. Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

SYSTEMS ON UNFINISHED FLOORS – SHOWERS POINT DRAINAGE / SEPARATE DRAINAGE TECHNOLOGY

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-MR


Packaging specifications see p. 133 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



TUB-MR

TUB-MR, hard foam shower base elements, rectangular, integrated and sealed floor drain support frame 135 x 135 mm in the centre,
→ Substrate elements see page 102–103 / Drainage technology and accessories see page 118–121



LTUBE10719	TUB-MR 900/800*, standard format	900 x 800 x 30/45 mm	piece	301,00
LTUBE10701	TUB-MR 1000/800*, standard format	1000 x 800 x 30/45 mm	piece	315,84
LTUBE10720	TUB-MR 1100/800*, standard format	1100 x 800 x 30/45 mm	piece	334,00
LTUBE10718	TUB-MR 1200/800*, standard format	1200 x 800 x 30/45 mm	piece	355,00
LTUBE10721	TUB-MR 1000/900*, standard format	1000 x 900 x 30/45 mm	piece	346,80
LTUBE10722	TUB-MR 1100/900*, standard format	1100 x 900 x 30/45 mm	piece	364,50
LTUBE10702	TUB-MR 1200/900*, standard format	1200 x 900 x 30/45 mm	piece	385,85
LTUBE10717	TUB-MR 1300/900*, standard format	1300 x 900 x 30/45 mm	piece	403,50
LTUBE10704	TUB-MR 1400/900*, standard format	1400 x 900 x 30/45 mm	piece	421,01
LTUBE10705	TUB-MR 1500/900*, standard format	1500 x 900 x 30/45 mm	piece	435,69
LTUBE10706	TUB-MR 1600/900*, standard format	1600 x 900 x 30/45 mm	piece	449,31
LTUBE10723	TUB-MR 1100/1000*, standard format	1100 x 1000 x 30/45 mm	piece	395,10
LTUBE10703	TUB-MR 1200/1000*, standard format	1200 x 1000 x 30/45 mm	piece	416,43
LTUBE10724	TUB-MR 1300/1000*, standard format	1300 x 1000 x 30/45 mm	piece	434,10
LTUBE10725	TUB-MR 1400/1000*, standard format	1400 x 1000 x 30/45 mm	piece	451,75
LTUBE10726	TUB-MR 1500/1000*, standard format	1500 x 1000 x 30/45 mm	piece	466,45
LTUBE10727	TUB-MR 1600/1000*, standard format	1600 x 1000 x 30/45 mm	piece	480,20
LTUBE10707	TUB-MR 1–1000*, made to measure	1–1000 x 30/45 mm	piece	382,46
LTUBE10708	TUB-MR 1001–1200*, made to measure	1001–1200 x 30/45 mm	piece	434,87
LTUBE10709	TUB-MR 1201–1400*, made to measure	1201–1400 x 30/45 mm	piece	528,83
LTUBE10710	TUB-MR 1401–1600*, made to measure	1401–1600 x 30/45 mm	piece	710,72
LTUBE10711	TUB-MR 1601–1800*, made to measure, manufactured in 2 parts, incl. 1 cartridge COL-MK	1601–1800 x 30/45 mm	piece	795,05
LTUBE10712	TUB-MR 1801–2000*, made to measure, manufactured in 2 parts, incl. 1 cartridge COL-MK	1801–2000 x 30/45 mm	piece	831,18



LUX ELEMENTS manufactures individual customised and special products for TUB.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



Flush with the floor shower bases with separate drainage technology for the substitution of bath tubs

TUB-BOL

- Factory sealing
- Sealed floor drain fitting frame
- Prefabricated gradient (four-sided)
- Can be shortened in length through area without gradient
- Shower base height: 30/45 mm
- For barrier-free construction
- Second drainage level
- Matching substrate elements with a height of 55 mm, see page 102
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 118–121

Also available with floor channel drain, see TUB-LINE BOL, page 94

Accessories (optional)

- Matching bench RELAX-BA-SOLO-G see page 42




- Shower base, can be cut to size

TUB-BOL 1800/800 – can be cut to size to minimum 800 x 1200 mm

TUB-BOL 1800/900 – can be cut to size to minimum 900 x 1200 mm

TUB-BOL 1800/1000 – can be cut to size to minimum 1000 x 1200 mm




Shower area* (slope area)

*Please note: the fittings are to be located in the shower area

SYSTEMS ON UNFINISHED FLOORS – SHOWERS POINT DRAINAGE / SEPARATE DRAINAGE TECHNOLOGY

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-BOL Packaging specifications see p. 133 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



TUB-BOL 1800/800: a = 800
TUB-BOL 1800/900: a = 900
TUB-BOL 1800/1000: a = 1000



TUB-BOL , hard foam shower base elements for the substitution of bath tubs, with integrated and sealed floor drain support frame 135 x 135 mm, can be cut to length, drain in the slope area in the centre. → Substrate elements see page 102–103 / Drainage technology and accessories see page 118–121				
LTUBE18026	TUB-BOL 1800/800* , can be cut to length to minimum 800 x 1200 mm, slope area from 800 x 1200 mm	1800 x 800 x 30/45 mm	piece	449,90
LTUBE18018	TUB-BOL 1800/900* , can be cut to length to minimum 900 x 1200 mm, slope area from 900 x 1200 mm	1800 x 900 x 30/45 mm	piece	468,60
LTUBE18027	TUB-BOL 1800/1000* , can be cut to length to minimum 1000 x 1200 mm, slope area from 1000 x 1200 mm	1800 x 1000 x 30/45 mm	piece	499,20



LUX ELEMENTS manufactures individual customised and special products for TUB.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



Flush with the floor shower bases with separate drainage technology including surface element



TUB-FINISH

- Set of shower base and surface element made of white solid surface material including design grate made of solid surface material
- Ready to adhere – without time-consuming cutting to size
- Sealed floor drain fitting frame
- Factory sealing
- Prefabricated gradient (four-sided)
- Excellent hygienic properties of the surface
- Pore-free, heat-resistant surface
- Simple maintenance and care
- Durable and hard-wearing
- Shower base height: 30/45 mm
- Surface element height: 6 mm
- For barrier-free construction
- Second drainage level
- Matching substrate elements with a height of 55 mm, see page 102
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 118–121

Also available with floor channel drain, see TUB-LINE FINISH page 100

Adhesion with mounting adhesive COL-MK (see p. 18), consumption of COL-MK:

- Shower bases 900 x 900 mm = 1 cartridge,
- Shower bases 1200 x 900 mm = 2 cartridges,
- Shower bases 1600 x 900 mm = 3 cartridges







SYSTEMS ON UNFINISHED FLOORS – SHOWERS POINT DRAINAGE / SEPARATE DRAINAGE TECHNOLOGY

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-FINISH

Packaging specifications see p. 133 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	---	------	----------------



TUB-FW , hard foam shower base elements, with built-in and sealed floor drain fitting frame 135 x 135 mm, with surface element FW (d=6 mm) and design grate FW (d=6 mm) made of white solid surface material. → Substrate elements see page 102–103 / Drainage technology and accessories see page 118–121				
	LTUBE10101.FW	TUB-FW MQ 900* , square, drain in the centre	shower base element: 900 x 900 x 30/45 mm, surface element: 900 x 900 x 6 mm	set 664,76
	LTUBE10601.FW	TUB-FW ER 1200/900* , rectangular, drain off-centre	shower base element: 1200 x 900 x 30/45 mm, surface element: 1200 x 900 x 6 mm	set 713,55
	LTUBE10605.FW	TUB-FW ER 1600/900* , rectangular, drain off-centre	shower base element: 1600 x 900 x 30/45 mm, surface element: 1600 x 900 x 6 mm	set 799,19



LUX ELEMENTS manufactures individual customised and special products for TUB.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.







Flush with the floor shower bases with separate drainage technology with sealed floor channel drain

TUB-LINE

- Shower base element with integrated and sealed floor channel drain (70 x 650 mm, 70 x 750 mm or 70 x 850 mm)
- Factory sealing
- Prefabricated gradient (one-sided/four-sided)
- Shower base height: 30/45 mm
- Reversible channel cover rail offers two design options
- Clean tiling with tiling aid
- Height-adjustable for optimum adaptation to covering thickness
- For barrier-free construction
- Second drainage level
- Matching substrate elements with a height of 55 mm, see page 102
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 122



■ Installation heights




* The overall height when installing the vertical drain without a substrate element is reduced by the height of the substrate element (= 55 mm).

Please note: Dimensions in mm. Measures without adhesive coating and tiles. For further details, please see technical data sheet TUB-LINE.


SYSTEMS ON UNFINISHED FLOORS – SHOWERS LINEAR DRAINAGE / SEPARATE DRAINAGE TECHNOLOGY

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE Q4 / Q1 Packaging specifications see p. 134 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



TUB-LINE Q4



TUB-LINE Q1



Floor channel drain

	TUB-LINE Q4 , hard foam shower base elements, square, with 4-sided gradient, with integrated and sealed floor channel drain, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, with odour trap, height adjustable with height adapter from 5–17 mm. → Substrate elements see page 102–103 / Drainage technology and accessories see page 122				
	with floor channel drain 70 x 650 mm				
	LTUBE94033	TUB-LINE Q4 800*, standard format	800 x 800 x 30/45 mm	piece	743,93
	LTUBE94035	TUB-LINE Q4 800-900*, made to measure	800–900 x 800–900 x 30/45 mm	piece	765,05
	with floor channel drain 70 x 750 mm				
	LTUBE94001	TUB-LINE Q4 900*, standard format	900 x 900 x 30/45 mm	piece	779,28
	LTUBE94009	TUB-LINE Q4 900–1000*, made to measure	900–1000 x 900–1000 x 30/45 mm	piece	842,94
	with floor channel drain 70 x 850 mm				
	LTUBE94017	TUB-LINE Q4 1000*, standard format	1000 x 1000 x 30/45 mm	piece	847,18
	LTUBE94037	TUB-LINE Q4 1100*, standard format	1100 x 1100 x 30/45 mm	piece	874,10
	LTUBE94019	TUB-LINE Q4 1200*, standard format	1200 x 1200 x 30/45 mm	piece	901,04
	LTUBE94023	TUB-LINE Q4 1000–1200*, made to measure	1000–1200 x 1000–1200 x 30/45 mm	piece	919,47
		TUB-LINE Q1 , hard foam shower base elements, square, with 1-sided gradient, with integrated and sealed floor channel drain, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, with odour trap, height adjustable with height adapter from 5–17 mm. → Substrate elements see page 102–103 / Drainage technology and accessories see page 122			
with floor channel drain 70 x 650 mm					
LTUBE94034		TUB-LINE Q1 800*, standard format	800 x 800 x 30/45 mm	piece	736,95
LTUBE94036		TUB-LINE Q1 800-900*, made to measure	800–900 x 800–900 x 30/45 mm	piece	755,60
with floor channel drain 70 x 750 mm					
LTUBE94002		TUB-LINE Q1 900*, standard format	900 x 900 x 30/45 mm	piece	772,30
LTUBE94010		TUB-LINE Q1 870–1000*, made to measure	870–1000 x 900–1000 x 30/45 mm	piece	836,09
with floor channel drain 70 x 850 mm					
LTUBE94018		TUB-LINE Q1 1000*, standard format	1000 x 1000 x 30/45 mm	piece	840,22
LTUBE94038		TUB-LINE Q1 1100*, standard format	1100 x 1100 x 30/45 mm	piece	867,15
LTUBE94020		TUB-LINE Q1 1200*, standard format	1200 x 1200 x 30/45 mm	piece	894,08
LTUBE94024		TUB-LINE Q1 970–1200*, made to measure	970–1200 x 1000–1200 x 30/45 mm	piece	912,39




LUX ELEMENTS manufactures individual customised and special products for TUB. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TUB. Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE R4** Packaging specifications see p. 134 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



	TUB-LINE R4 , hard foam shower base elements, rectangular, with 4-sided gradient, with integrated and sealed floor channel drain on shorter side, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, with odour trap, height adjustable with height adapter from 5–17 mm. → Substrate elements see p. 102–103 / Drainage technology and accessories see p. 122				
	with floor channel drain 70 x 650 mm				
	LTUBE94039	TUB-LINE R4 900/800*, standard format	900 x 800 x 30/45 mm	piece	745,20
	LTUBE94041	TUB-LINE R4 1000/800*, standard format	1000 x 800 x 30/45 mm	piece	759,20
	LTUBE94043	TUB-LINE R4 1100/800*, standard format	1100 x 800 x 30/45 mm	piece	773,20
	LTUBE94045	TUB-LINE R4 1200/800*, standard format	1200 x 800 x 30/45 mm	piece	787,20
	with floor channel drain 70 x 750 mm				
	LTUBE94047	TUB-LINE R4 1000/900*, standard format	1000 x 900 x 30/45 mm	piece	778,00
	LTUBE94049	TUB-LINE R4 1100/900*, standard format	1100 x 900 x 30/45 mm	piece	798,47
	LTUBE94003	TUB-LINE R4 1200/900*, standard format	1200 x 900 x 30/45 mm	piece	818,97
	LTUBE94051	TUB-LINE R4 1300/900*, standard format	1300 x 900 x 30/45 mm	piece	843,71
	LTUBE94005	TUB-LINE R4 1400/900*, standard format	1400 x 900 x 30/45 mm	piece	868,44
	LTUBE94053	TUB-LINE R4 1500/900*, standard format	1500 x 900 x 30/45 mm	piece	881,20
	LTUBE94007	TUB-LINE R4 1600/900*, standard format	1600 x 900 x 30/45 mm	piece	893,95
	with floor channel drain 70 x 850 mm				
	LTUBE94055	TUB-LINE R4 1100/1000*, standard format	1100 x 1000 x 30/45 mm	piece	858,46
	LTUBE94021	TUB-LINE R4 1200/1000*, standard format	1200 x 1000 x 30/45 mm	piece	875,54
	LTUBE94057	TUB-LINE R4 1300/1000*, standard format	1300 x 1000 x 30/45 mm	piece	902,69
	LTUBE94059	TUB-LINE R4 1400/1000*, standard format	1400 x 1000 x 30/45 mm	piece	930,73
	LTUBE94061	TUB-LINE R4 1500/1000*, standard format	1500 x 1000 x 30/45 mm	piece	949,71
LTUBE94063	TUB-LINE R4 1600/1000*, standard format	1600 x 1000 x 30/45 mm	piece	964,21	



LUX ELEMENTS manufactures individual customised and special products for TUB. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.




Visit www.luxelements.com for further information on TUB. Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

SYSTEMS ON UNFINISHED FLOORS – SHOWERS LINEAR DRAINAGE / SEPARATE DRAINAGE TECHNOLOGY

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE R4 Packaging specifications on request · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



TUB-LINE R4

Floor channel drain

	TUB-LINE R4 , hard foam shower base elements, rectangular, with 4-sided gradient, with integrated and sealed floor channel drain on shorter side, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, with odour trap, height adjustable with height adapter from 5–17 mm. → Substrate elements see p. 102–103 / Drainage technology and accessories see p. 122				
	with floor channel drain 70 x 650 mm				
	LTUBE94065	TUB-LINE R4 900–1200/800–900*, made to measure	900–1200 x 800–900 x 30/45 mm	piece	843,25
	with floor channel drain 70 x 750 mm				
	LTUBE94011	TUB-LINE R4 1000–1200/900–1000*, made to measure	1000–1200 x 900–1000 x 30/45 mm	piece	871,28
	LTUBE94013	TUB-LINE R4 1200–1400/900–1000*, made to measure	1200–1400 x 900–1000 x 30/45 mm	piece	956,21
	LTUBE94015	TUB-LINE R4 1400–1600/900–1000*, made to measure	1400–1600 x 900–1000 x 30/45 mm	piece	987,39
	with floor channel drain 70 x 850 mm				
	LTUBE94025	TUB-LINE R4 1000–1200/1000–1100*, made to measure	1000–1200 x 1000–1100 x 30/45 mm	piece	913,79
	LTUBE94067	TUB-LINE R4 1200–1400/1000–1100*, made to measure	1200–1400 x 1000–1100 x 30/45 mm	piece	1.052,15
LTUBE94069	TUB-LINE R4 1400–1600/1000–1100*, made to measure	1400–1600 x 1000–1100 x 30/45 mm	piece	1.077,70	



LUX ELEMENTS manufactures individual customised and special products for TUB.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.




Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE R1** Packaging specifications see p. 135 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



	TUB-LINE R1 , hard foam shower base elements, rectangular, with 1-sided gradient, with integrated and sealed floor channel drain on shorter side, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, with odour trap, height adjustable with height adapter from 5–17 mm. → Substrate elements see p. 102–103 / Drainage technology and accessories see p. 122				
	with floor channel drain 70 x 650 mm				
	LTUBE94040	TUB-LINE R1 900/800*, standard format	900 x 800 x 30/45 mm	piece	738,20
	LTUBE94042	TUB-LINE R1 1000/800*, standard format	1000 x 800 x 30/45 mm	piece	753,30
	LTUBE94044	TUB-LINE R1 1100/800*, standard format	1100 x 800 x 30/45 mm	piece	766,40
	LTUBE94046	TUB-LINE R1 1200/800*, standard format	1200 x 800 x 30/45 mm	piece	780,10
	with floor channel drain 70 x 750 mm				
	LTUBE94048	TUB-LINE R1 1000/900*, standard format	1000 x 900 x 30/45 mm	piece	771,20
	LTUBE94050	TUB-LINE R1 1100/900*, standard format	1100 x 900 x 30/45 mm	piece	791,40
	LTUBE94004	TUB-LINE R1 1200/900*, standard format	1200 x 900 x 30/45 mm	piece	811,85
	LTUBE94052	TUB-LINE R1 1300/900*, standard format	1300 x 900 x 30/45 mm	piece	836,70
	LTUBE94006	TUB-LINE R1 1400/900*, standard format	1400 x 900 x 30/45 mm	piece	861,36
	LTUBE94054	TUB-LINE R1 1500/900*, standard format	1500 x 900 x 30/45 mm	piece	874,10
	LTUBE94008	TUB-LINE R1 1600/900*, standard format	1600 x 900 x 30/45 mm	piece	886,88
	with floor channel drain 70 x 850 mm				
	LTUBE94056	TUB-LINE R1 1100/1000*, standard format	1100 x 1000 x 30/45 mm	piece	851,46
	LTUBE94022	TUB-LINE R1 1200/1000*, standard format	1200 x 1000 x 30/45 mm	piece	868,45
	LTUBE94058	TUB-LINE R1 1300/1000*, standard format	1300 x 1000 x 30/45 mm	piece	895,69
	LTUBE94060	TUB-LINE R1 1400/1000*, standard format	1400 x 1000 x 30/45 mm	piece	923,74
	LTUBE94062	TUB-LINE R1 1500/1000*, standard format	1500 x 1000 x 30/45 mm	piece	942,73
LTUBE94064	TUB-LINE R1 1600/1000*, standard format	1600 x 1000 x 30/45 mm	piece	957,21	



LUX ELEMENTS manufactures individual customised and special products for TUB. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.




Visit www.luxelements.com for further information on TUB. Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

SYSTEMS ON UNFINISHED FLOORS – SHOWERS

LINEAR DRAINAGE / SEPARATE DRAINAGE TECHNOLOGY

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE R1 Packaging specifications on request · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



TUB-LINE R1

Floor channel drain

	TUB-LINE R1 , hard foam shower base elements, rectangular, with 1-sided gradient, with integrated and sealed floor channel drain on shorter side, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, with odour trap, height adjustable with height adapter from 5–17 mm. → Substrate elements see page 102–103 / Drainage technology and accessories see p. 122				
	with floor channel drain 70 x 650 mm				
	LTUBE94066	TUB-LINE R1 900–1200/770–900*, made to measure	900–1200 x 770–900 x 30/45 mm	piece	835,95
	with floor channel drain 70 x 750 mm				
	LTUBE94012	TUB-LINE R1 1000–1200/870–1000*, made to measure	1000–1200 x 870–1000 x 30/45 mm	piece	864,21
	LTUBE94014	TUB-LINE R1 1200–1400/870–1000*, made to measure	1200–1400 x 870–1000 x 30/45 mm	piece	949,24
	LTUBE94016	TUB-LINE R1 1400–1600/870–1000*, made to measure	1400–1600 x 870–1000 x 30/45 mm	piece	980,30
	with floor channel drain 70 x 850 mm				
	LTUBE94026	TUB-LINE R1 1000–1200/970–1100*, made to measure	1000–1200 x 970–1100 x 30/45 mm	piece	906,72
	LTUBE94068	TUB-LINE R1 1200–1400/970–1100*, made to measure	1200–1400 x 970–1100 x 30/45 mm	piece	1.037,40
LTUBE94070	TUB-LINE R1 1400–1600/970–1100*, made to measure	1400–1600 x 970–1100 x 30/45 mm	piece	1.058,05	



LUX ELEMENTS manufactures individual customised and special products for TUB.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



Flush with the floor shower bases with separate drainage technology for the substitution of bath tubs

TUB-LINE BOL

- Shower base element with integrated and sealed floor channel drain (70 x 650 mm, 70 x 750 mm or 70 x 850 mm)
- Reversible channel cover rail offers two design options
- Factory sealing
- Prefabricated gradient (four-sided)
- Shower base height: 30/45 mm
- Clean tiling with tiling aid
- Height-adjustable for optimum adaptation to covering thickness
- Can be shortened in length through area without gradient
- For barrier-free construction
- Second drainage level
- Matching substrate elements with a height of 55 mm, see page 102
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 122
- Also available with extended cover rail, see page 98


Also available with point drainage, see TUB-BOL, page 84

Accessories (optional)

- Matching bench RELAX-BA-SOLO-G see page 42



- Shower base, can be cut to size




*Please note: the fittings are to be located in the shower area

SYSTEMS ON UNFINISHED FLOORS – SHOWERS LINEAR DRAINAGE / SEPARATE DRAINAGE TECHNOLOGY

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE BOL

Packaging specifications see p. 135 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



TUB-LINE BOL 1800/800: a = 800
TUB-LINE BOL 1800/900: a = 900
TUB-LINE BOL 1800/1000: a = 1000

	<p>TUB-LINE BOL, hard foam shower base elements for the substitution of bath tubs, with 4-sided gradient, with integrated and sealed floor channel drain on shorter side, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, with odour trap, height adjustable with height adapter from 5–17 mm. → Substrate elements see p. 102–103 / Drainage technology and accessories see p. 122</p>				
	<p>with floor channel drain 70 x 650 mm</p>				
	LTUBE97003	<p>TUB-LINE BOL 1800/800*, can be cut to length to minimum 800 x 1200 mm, slope area from 800 x 1200 mm</p>	1800 x 800 x 30/45 mm	piece	891,00
	<p>with floor channel drain 70 x 750 mm</p>				
LTUBE97001	<p>TUB-LINE BOL 1800/900*, can be cut to length to minimum 900 x 1200 mm, slope area from 900 x 1200 mm</p>	1800 x 900 x 30/45 mm	piece	925,14	
<p>with floor channel drain 70 x 850 mm</p>					
LTUBE97005	<p>TUB-LINE BOL 1800/1000*, can be cut to length to minimum 1000 x 1200 mm, slope area from 1000 x 1200 mm</p>	1800 x 1000 x 30/45 mm	piece	946,11	



LUX ELEMENTS manufactures individual customised and special products for TUB.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TUB.


Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



Flush with the floor shower bases
with separate drainage technology
with extended cover rail

TUB-LINE V

- Shower base element with integrated and sealed floor channel drain
- With extended cover rail (non-reversible) and extended tiling aid made of brushed stainless steel for continuous wall-to-wall channel look
- Can be shortened to fit the shower area
- Factory sealing
- Prefabricated gradient (one-sided)
- Shower base height: 30/45 mm
- Height-adjustable for optimum adaptation to covering thickness
- For barrier-free construction
- Second drainage level
- Matching substrate elements with a height of 55 mm, see page 102
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 122




SYSTEMS ON UNFINISHED FLOORS – SHOWERS LINEAR DRAINAGE / SEPARATE DRAINAGE TECHNOLOGY


■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE V

Packaging specifications see p. 136 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



TUB-LINE V Q1



TUB-LINE V R1

TUB-LINE V, hard foam shower base elements with integrated and sealed floor channel drain (rectangular: on shorter side), with one-sided gradient, with extended tiling aid V and extended cover rail V over the shower base width in brushed stainless steel, with odour trap, height adjustable with height adapter from 5–17 mm. Shower base can be cut to size. Including accessories for the stepless adaptation of the stainless steel components → **Substrate elements see page 102–103 / Drainage technology and accessories see page 122**

	LTUBE98010	TUB-LINE V Q1 800* , square	800 x 800 x 30/45 mm	piece	766,65
	LTUBE98011	TUB-LINE V Q1 900* , square	900 x 900 x 30/45 mm	piece	802,00
	LTUBE98012	TUB-LINE V Q1 1000* , square	1000 x 1000 x 30/45 mm	piece	869,92
	LTUBE98013	TUB-LINE V Q1 1100* , square	1100 x 1100 x 30/45 mm	piece	896,85
	LTUBE98014	TUB-LINE V Q1 1200* , square	1200 x 1200 x 30/45 mm	piece	923,78
	LTUBE98015	TUB-LINE V R1 900/800* , rectangular	900 x 800 x 30/45 mm	piece	767,90
	LTUBE98016	TUB-LINE V R1 1000/800* , rectangular	1000 x 800 x 30/45 mm	piece	783,00
	LTUBE98017	TUB-LINE V R1 1100/800* , rectangular	1100 x 800 x 30/45 mm	piece	796,10
	LTUBE98018	TUB-LINE V R1 1200/800* , rectangular	1200 x 800 x 30/45 mm	piece	809,80
	LTUBE98019	TUB-LINE V R1 1000/900* , rectangular	1000 x 900 x 30/45 mm	piece	800,90
	LTUBE98020	TUB-LINE V R1 1100/900* , rectangular	1100 x 900 x 30/45 mm	piece	821,10
	LTUBE98021	TUB-LINE V R1 1200/900* , rectangular	1200 x 900 x 30/45 mm	piece	841,55
	LTUBE98022	TUB-LINE V R1 1300/900* , rectangular	1300 x 900 x 30/45 mm	piece	866,40
	LTUBE98023	TUB-LINE V R1 1400/900* , rectangular	1400 x 900 x 30/45 mm	piece	891,06
	LTUBE98024	TUB-LINE V R1 1500/900* , rectangular	1500 x 900 x 30/45 mm	piece	903,80
	LTUBE98025	TUB-LINE V R1 1600/900* , rectangular	1600 x 900 x 30/45 mm	piece	916,58
	LTUBE98026	TUB-LINE V R1 1100/1000* , rectangular	1100 x 1000 x 30/45 mm	piece	881,16
	LTUBE98027	TUB-LINE V R1 1200/1000* , rectangular	1200 x 1000 x 30/45 mm	piece	898,15
	LTUBE98028	TUB-LINE V R1 1300/1000* , rectangular	1300 x 1000 x 30/45 mm	piece	925,36
	LTUBE98029	TUB-LINE V R1 1400/1000* , rectangular	1400 x 1000 x 30/45 mm	piece	953,44
	LTUBE98030	TUB-LINE V R1 1500/1000* , rectangular	1500 x 1000 x 30/45 mm	piece	972,43
	LTUBE98031	TUB-LINE V R1 1600/1000* , rectangular	1600 x 1000 x 30/45 mm	piece	986,91



LUX ELEMENTS manufactures individual customised and special products for TUB.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.





Flush with the floor shower bases with separate drainage technology with extended cover rail

TUB-LINE BOL V

- Shower base element with integrated and sealed floor channel drain
- With extended cover rail (non-reversible) and extended tiling aid made of brushed stainless steel for continuous wall-to-wall channel look
- Can be shortened to fit the shower area
- Factory sealing
- Prefabricated gradient (one-sided)
- Shower base height: 30/45 mm
- Can be shortened in length through area without gradient
- Height-adjustable for optimum adaptation to covering thickness
- For barrier-free construction
- Second drainage level
- Matching substrate elements with a height of 55 mm, see page 102
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 122

Accessories (optional)


- Matching bench RELAX-BA-SOLO-G see page 42



SYSTEMS ON UNFINISHED FLOORS – SHOWERS LINEAR DRAINAGE / SEPARATE DRAINAGE TECHNOLOGY

■ **PRODUCT SPECIFICATIONS– LUX ELEMENTS®-TUB-LINE BOL V** Packaging specifications see p. 136 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



TUB-LINE BOL V R1 1800/800: a = 800
TUB-LINE BOL V R1 1800/900: a = 900
TUB-LINE BOL V R1 1800/1000: a = 1000
TUB-LINE BOL V R1 1800/1200: a = 1200

	TUB-LINE BOL V R1 , hard foam shower base elements, with one-sided gradient, with integrated and sealed floor channel drainage on shorter side, with extended tiling aid V and extended cover rail V over the shower base width in brushed stainless steel, with odour trap, height adjustable with height adapter from 5–17 mm. Shower base can be cut to size. Including accessories for the stepless adaptation of the stainless steel components. → Substrate elements see page 102–103 / Drainage technology and accessories see page 122			
	LTUBE98003	TUB-LINE BOL V R1 1800/800*	1800 x 800 x 30/45 mm	piece 921,00
	LTUBE98004	TUB-LINE BOL V R1 1800/900*	1800 x 900 x 30/45 mm	piece 955,14
	LTUBE98001	TUB-LINE BOL V R1 1800/1000*	1800 x 1000 x 30/45 mm	piece 976,11
	LTUBE98002	TUB-LINE BOL V R1 1800/1200*	1800 x 1200 x 30/45 mm	piece 1.012,31



LUX ELEMENTS manufactures individual customised and special products for TUB.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



Flush with the floor shower bases with separate drainage technology including surface element



TUB-LINE FINISH

- Set of shower base and surface element made of white solid surface material including cover rail made of solid surface material
- Ready to adhere – without time-consuming cutting to size
- Sealed floor drain fitting frame
- Factory sealing
- Prefabricated gradient (four-sided)
- Excellent hygienic properties of the surface
- Pore-free, heat-resistant surface
- Simple maintenance and care
- Durable and hard-wearing
- Shower base height: 30/45 mm
- Surface element height: 6 mm
- For barrier-free construction
- Second drainage level
- Matching substrate elements with a height of 55 mm, see page 102
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 122

Also available with point drainage, see TUB-FINISH page 86

Adhesion with mounting adhesive COL-MK (see p. 18), consumption of COL-MK:


- Shower bases 900 x 900 mm = 1 cartridge,
- Shower bases 1200 x 900 mm = 2 cartridges,
- Shower bases 1600 x 900 mm = 3 cartridges




SYSTEMS ON UNFINISHED FLOORS – SHOWERS LINEAR DRAINAGE / SEPARATE DRAINAGE TECHNOLOGY

■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE FINISH** Packaging specifications see p. 136 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



TUB-LINE FW Q4



TUB-LINE FW R4

TUB-LINE FW , hard foam shower base elements, with 4-sided gradient, with integrated and sealed floor channel drain 70 x 750 mm on shorter side, with surface element FW (d=6 mm) and cover rail FW (d=12 mm) made of white solid surface material, with odour trap. → Substrate elements see page 102–103 / Drainage technology and accessories see page 122				
	LTUBE94001.FW	TUB-LINE FW Q4 900* , square	shower base element: 900 x 900 x 30/45 mm, surface element: 900 x 900 x 6 mm	set 956,37
	LTUBE94003.FW	TUB-LINE FW R4 1200/900* , rectangular	shower base element: 1200 x 900 x 30/45 mm, surface element: 1200 x 900 x 6 mm	set 1.057,87
	LTUBE94007.FW	TUB-LINE FW R4 1600/900* , rectangular	shower base element: 1600 x 900 x 30/45 mm, surface element: 1600 x 900 x 6 mm	set 1.268,28



LUX ELEMENTS manufactures individual customised and special products for TUB.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.




Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



Substrate elements for TUB and TUB-LINE TUB-U

- **Universal substrate elements:**
 - For standard formats with shower bases
 - Simple shortening or cutting to size to other formats
 - including fillers for closing the unused openings
- **Made to measure substrate elements:**
 - For made to measure shower bases
 - including drain position cut to size



■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-U... (SUBSTRATE ELEMENTS)

Packaging specifications see p. 137 · Online calculator see p. 7








	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
Universal substrate elements – for standard sizes TUB and TUB-LINE					
	LTUBE11110	TUB-UQ 800, square	800 x 800 x 55 mm	piece	58,64
	LTUBE11111	TUB-UQ 900, square	900 x 900 x 55 mm	piece	62,63
	LTUBE11112	TUB-UQ 1000, square	1000 x 1000 x 55 mm	piece	94,75
	LTUBE11115	TUB-UQ 1100, square	1100 x 1100 x 55 mm	piece	103,65
	LTUBE11113	TUB-UQ 1200, square	1200 x 1200 x 55 mm	piece	107,52
	LTUBE11114	TUB-UQ 1500, square	1500 x 1500 x 55 mm	piece	188,08
	LTUBE11828	TUB-UR 900/800, rectangular	900 x 800 x 55 mm	piece	64,20
	LTUBE11811	TUB-UR 1000/800, rectangular	1000 x 800 x 55 mm	piece	69,48
	LTUBE11819	TUB-UR 1100/800, rectangular	1100 x 800 x 55 mm	piece	79,10
	LTUBE11820	TUB-UR 1200/800, rectangular	1200 x 800 x 55 mm	piece	81,60
	LTUBE11821	TUB-UR 1000/900, rectangular	1000 x 900 x 55 mm	piece	71,65
	LTUBE11822	TUB-UR 1100/900, rectangular	1100 x 900 x 55 mm	piece	79,55
	LTUBE11812	TUB-UR 1200/900, rectangular	1200 x 900 x 55 mm	piece	85,84
	LTUBE11814	TUB-UR 1300/900, rectangular	1300 x 900 x 55 mm	piece	106,90
	LTUBE11815	TUB-UR 1400/900, rectangular	1400 x 900 x 55 mm	piece	121,05
	LTUBE11816	TUB-UR 1500/900, rectangular	1500 x 900 x 55 mm	piece	121,69
	LTUBE11817	TUB-UR 1600/900, rectangular	1600 x 900 x 55 mm	piece	122,33
	LTUBE11823	TUB-UR 1100/1000, rectangular	1100 x 1000 x 55 mm	piece	93,05
	LTUBE11813	TUB-UR 1200/1000, rectangular	1200 x 1000 x 55 mm	piece	94,86
	LTUBE11824	TUB-UR 1300/1000, rectangular	1300 x 1000 x 55 mm	piece	157,95
	LTUBE11825	TUB-UR 1400/1000, rectangular	1400 x 1000 x 55 mm	piece	159,75
	LTUBE11826	TUB-UR 1500/1000, rectangular	1500 x 1000 x 55 mm	piece	161,55
	LTUBE11827	TUB-UR 1600/1000, rectangular	1600 x 1000 x 55 mm	piece	163,40

SYSTEMS ON UNFINISHED FLOORS – SHOWERS

POINT DRAINAGE + LINEAR DRAINAGE / SEPARATE DRAINAGE TECHNOLOGY

■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-U... (SUBSTRATE ELEMENTS)

Packaging specifications see p. 137 · Online calculator see p. 7

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
Substrate elements for TUB-BOL and TUB-LINE BOL				
	LTUBE18028	TUB-UBOL 1800/800, rectangular	1800 x 800 x 55 mm	piece 126,97
	LTUBE18019	TUB-UBOL 1800/900, rectangular	1800 x 900 x 55 mm	piece 126,97
	LTUBE98101	TUB-UBOL 1800/1000, rectangular	1800 x 1000 x 55 mm	piece 158,45
	LTUBE98102	TUB-UBOL 1800/1200, rectangular	1800 x 1200 x 55 mm	piece 181,92
Substrate elements for TUB (point drainage) – made to measure				
	LTUBE11005	TUB-UEQ 1–1000, square	1–1000 x 55 mm	piece 96,56
	LTUBE11006	TUB-UEQ 1001–1200, square	1001–1200 x 55 mm	piece 110,62
	LTUBE11007	TUB-UEQ 1201–1400, square	1201–1400 x 55 mm	piece 199,29
	LTUBE11105	TUB-UMQ 1–1000, square	1–1000 x 55 mm	piece 96,56
	LTUBE11106	TUB-UMQ 1001–1200, square	1001–1200 x 55 mm	piece 110,62
	LTUBE11107	TUB-UMQ 1201–1400, square	1201–1400 x 55 mm	piece 199,29
	LTUBE11606	TUB-UER 1–1000, rectangular	1–1000 x 55 mm	piece 96,56
	LTUBE11607	TUB-UER 1001–1200, rectangular	1001–1200 x 55 mm	piece 110,62
	LTUBE11608	TUB-UER 1201–1400, rectangular	1201–1400 x 55 mm	piece 193,24
	LTUBE11609	TUB-UER 1401–1600, rectangular	1401–1600 x 55 mm	piece 199,93
	LTUBE11610	TUB-UER 1601–1800, rectangular, manufactured in 2 parts	1601–1800 x 55 mm	piece 204,97
	LTUBE11611	TUB-UER 1801–2000, rectangular, manufactured in 2 parts	1801–2000 x 55 mm	piece 220,44
	LTUBE11707	TUB-UMR 1–1000, rectangular	1–1000 x 55 mm	piece 96,56
	LTUBE11708	TUB-UMR 1001–1200, rectangular	1001–1200 x 55 mm	piece 110,62
	LTUBE11709	TUB-UMR 1201–1400, rectangular	1201–1400 x 55 mm	piece 193,24
	LTUBE11710	TUB-UMR 1401–1600, rectangular	1401–1600 x 55 mm	piece 199,93
	LTUBE11711	TUB-UMR 1601–1800, rectangular, manufactured in 2 parts	1601–1800 x 55 mm	piece 204,97
	LTUBE11712	TUB-UMR 1801–2000, rectangular, manufactured in 2 parts	1801–2000 x 55 mm	piece 220,44
Substrate elements for TUB-LINE (linear drainage) – made to measure				
	LTUBE94114	TUB-LINE UQ 800–900, square	800–900 x 800–900 x 55 mm	piece 76,80
	LTUBE94105	TUB-LINE UQ 900–1000, square	900–1000 x 900–1000 x 55 mm	piece 96,56
	LTUBE94112	TUB-LINE UQ 1000–1200, square	1000–1200 x 1000–1200 x 55 mm	piece 115,12
	LTUBE94115	TUB-LINE UR 900–1200/800–900, rectangular	900–1200 x 800–900 x 55 mm	piece 108,85
	LTUBE94106	TUB-LINE UR 1000–1200/900–1000, rectangular	1000–1200 x 900–1000 x 55 mm	piece 115,12
	LTUBE94113	TUB-LINE UR 1000–1200/1000–1100, rectangular	1000–1200 x 1000–1100 x 55 mm	piece 115,12
	LTUBE94107	TUB-LINE UR 1200–1400/900–1000, rectangular	1200–1400 x 900–1000 x 55 mm	piece 197,94
	LTUBE94108	TUB-LINE UR 1400–1600/900–1000, rectangular	1400–1600 x 900–1000 x 55 mm	piece 200,00
	LTUBE94116	TUB-LINE UR 1200–1400/1000–1100, rectangular	1200–1400 x 1000–1100 x 55 mm	piece 185,35
	LTUBE94117	TUB-LINE UR 1400–1600/1000–1100, rectangular	1400–1600 x 1000–1100 x 55 mm	piece 188,25



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.


■ Systems for wooden sub-constructions

LUX ELEMENTS® shower base elements, flush with the floor, flat shower base height, with separate drainage technology (point or linear drainage) for installation in and on wooden sub-constructions – ready for tiling!

■ General properties

	TUB-H	TUB-LINE H
For barrier-free construction	■	■
Height-adjustable drain system	page 118	page 105
Factory sealing, compliant with DIN 18534	■	■
Gate fitting frame, factory sealed	■	—
Floor channel drain, factory sealed	—	■
Prefabricated gradient	■	■
Flat shower base height	■	■
Second drainage level	■	■
Click system for fastening the drain connection fitting	■	■
Separate floor drain support, horizontal	from page 118	from page 122
Extensive accessories	page 121	page 123
Matching mounting accessories	from page 124	from page 124
Made to measure possible	■	■

■ Installation principle, general



- 1 Shower base element** – with flat shower base height, factory sealed, square or rectangular, with four-sided gradient, integrated and sealed floor drain system
 - Details design variants: page 105
 - Details format variants: page 105


- 2 Drain support** – horizontal (DN 50), simple, fast and safe mounting by means of click system without gluing or screwing
 - Details: from page 118 (point drainage)
 - Details: page 122 (linear drainage)

■ Installation heights

Dimensions in mm. Measures without adhesive coating and tiles.


Point drainage

TUB-H



Linear drainage

TUB-LINE H




■ Properties, point drainage

Grates/grate fitting frames – compatible with all LUX ELEMENTS®-TUB-RA... variants, standard and design – see page 119

Design variants – basic shape: square or rectangular, **gradient**: four-sided, **drain position**: corner or centre

Special features: also as TUB-COMBI-S BOL with slope and shortening area, e.g. as bath tub replacement system (see page 112)



■ Properties, linear drainage


Cover rail / Floor channel drain – dimensions: 70 x 650 mm, 70 x 750 mm or 70 x 850 mm, depending on the size of the shower base

Special features: reversible cover rail for two design variants (brushed stainless steel and tileable rear side), tiling aid for clean tiling, height adjustable from 5 – 17 mm using height adapter, with odour trap



Design variants – basic shape: square or rectangular, **gradient**: four-sided, **drain position**: on shorter side

Special features: also as TUB-LINE H BOL with slope and shortening area, e.g. as bath tub replacement system (see page 116)



OVERVIEW STANDARD FORMATS SQUARE

		SIDE LENGTH LENGTH				
		800 mm	900 mm	1000 mm	1100 mm	1200 mm
SIDE LENGTH WIDTH	800 mm	TUB-HEQ (page 109) TUB-HMQ (page 109) TUB-LINE HQ4 (page 115)				
	900 mm		TUB-HEQ (page 109) TUB-HMQ (page 109) TUB-LINE HQ4 (page 115)			
	1000 mm			TUB-HEQ (page 109) TUB-HMQ (page 109) TUB-LINE HQ4 (page 115)		
	1100 mm				TUB-HEQ (page 109) TUB-HMQ (page 109) TUB-LINE HQ4 (page 115)	
	1200 mm					TUB-HEQ (page 109) TUB-HMQ (page 109) TUB-LINE HQ4 (page 115)

OVERVIEW STANDARD FORMATS RECTANGULAR

		SIDE LENGTH – SHORT SIDE		
		800 mm	900 mm	1000 mm
SIDE LENGTH – LONG SIDE	900 mm	TUB-HER (page 110) TUB-HMR (page 111) TUB-LINE HR4 (page 115)		
	1000 mm	TUB-HER (page 110) TUB-HMR (page 111) TUB-LINE HR4 (page 115)	TUB-HER (page 110) TUB-HMR (page 111) TUB-LINE HR4 (page 115)	
	1100 mm	TUB-HER (page 110) TUB-HMR (page 111) TUB-LINE HR4 (page 115)	TUB-HER (page 110) TUB-HMR (page 111) TUB-LINE HR4 (page 115)	TUB-HER (page 110) TUB-HMR (page 111) TUB-LINE HR4 (page 115)
	1200 mm	TUB-HER (page 110) TUB-HMR (page 111) TUB-LINE HR4 (page 115)	TUB-HER (page 110) TUB-HMR (page 111) TUB-LINE HR4 (page 115)	TUB-HER (page 110) TUB-HMR (page 111) TUB-LINE HR4 (page 115)
	1300 mm		TUB-HER (page 110) TUB-HMR (page 111) TUB-LINE HR4 (page 115)	TUB-HER (page 110) TUB-HMR (page 111) TUB-LINE HR4 (page 115)
	1400 mm		TUB-HER (page 110) TUB-HMR (page 111) TUB-LINE HR4 (page 115)	TUB-HER (page 110) TUB-HMR (page 111) TUB-LINE HR4 (page 115)
	1500 mm		TUB-HER (page 110) TUB-HMR (page 111) TUB-LINE HR4 (page 115)	TUB-HER (page 110) TUB-HMR (page 111) TUB-LINE HR4 (page 115)
	1600 mm		TUB-HER (page 110) TUB-HMR (page 111) TUB-LINE HR4 (page 115)	TUB-HER (page 110) TUB-HMR (page 111) TUB-LINE HR4 (page 115)
	1800 mm	TUB-H BOL (page 113) TUB-LINE H BOL (page 117)	TUB-H BOL (page 113) TUB-LINE H BOL (page 117)	TUB-H BOL (page 113) TUB-LINE H BOL (page 117)





Flush with the floor shower bases with separate drainage technology for installation in and on wooden sub-constructions

TUB-H


- Factory sealing
- Sealed floor drain fitting frame
- Prefabricated gradient (four-sided)
- Flat shower base height: 15/30 mm
- For barrier-free construction
- Second drainage level
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 118–121

Also available with floor channel drain, see TUB-LINE H, page 114

Please note: A planning expert is to be consulted when intervening in components with load-bearing function. Furthermore, national guidelines and generally recognised codes of practice must be observed.



■ Installation height



Please note: Dimensions in mm. Measures without adhesive coating and tiles.

■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-HEQ / -HMQ** Packaging specifications see p. 137 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



TUB-H...Q, hard foam shower base elements, square, with integrated and sealed floor drain support frame 135 x 135 mm, for installation on wooden sub-constructs. → Drainage technology and accessories see page 118–121				
	LTUBE17004	TUB-HEQ 800*, drain in the corner	800 x 800 x 15/30 mm	377,24
	LTUBE17001	TUB-HEQ 900*, drain in the corner	900 x 900 x 15/30 mm	391,90
	LTUBE17003	TUB-HEQ 1000*, drain in the corner	1000 x 1000 x 15/30 mm	409,56
	LTUBE17005	TUB-HEQ 1100*, drain in the corner	1100 x 1100 x 15/30 mm	428,72
	LTUBE17002	TUB-HEQ 1200*, drain in the corner	1200 x 1200 x 15/30 mm	447,88
	LTUBE17104	TUB-HMQ 800*, drain in the centre	800 x 800 x 15/30 mm	377,24
	LTUBE17101	TUB-HMQ 900*, drain in the centre	900 x 900 x 15/30 mm	391,90
	LTUBE17103	TUB-HMQ 1000*, drain in the centre	1000 x 1000 x 15/30 mm	409,56
	LTUBE17105	TUB-HMQ 1100*, drain in the centre	1100 x 1100 x 15/30 mm	428,72
	LTUBE17102	TUB-HMQ 1200*, drain in the centre	1200 x 1200 x 15/30 mm	447,88



LUX ELEMENTS manufactures individual customised and special products for TUB. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TUB. Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-HER / -HMR** Packaging specifications see p. 138 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------




TUB-H...R, hard foam shower base elements, rectangular, with integrated and sealed floor drain support frame 135 x 135 mm, for installation on wooden sub-constructions. → **Drainage technology and accessories see page 118–121**

LTUBE17014	TUB-HER 900/800* , drain in the corner	900 x 800 x 15/30 mm	piece	384,57
LTUBE17015	TUB-HER 1000/800* , drain in the corner	1000 x 800 x 15/30 mm	piece	393,40
LTUBE17016	TUB-HER 1100/800* , drain in the corner	1100 x 800 x 15/30 mm	piece	411,96
LTUBE17017	TUB-HER 1200/800* , drain in the corner	1200 x 800 x 15/30 mm	piece	430,52
LTUBE17019	TUB-HER 1000/900* , drain in the corner	1000 x 900 x 15/30 mm	piece	400,73
LTUBE17020	TUB-HER 1100/900* , drain in the corner	1100 x 900 x 15/30 mm	piece	419,29
LTUBE17011	TUB-HER 1200/900* , drain in the corner	1200 x 900 x 15/30 mm	piece	437,84
LTUBE17021	TUB-HER 1300/900* , drain in the corner	1300 x 900 x 15/30 mm	piece	451,33
LTUBE17013	TUB-HER 1400/900* , drain in the corner	1400 x 900 x 15/30 mm	piece	464,82
LTUBE17023	TUB-HER 1500/900* , drain in the corner	1500 x 900 x 15/30 mm	piece	478,31
LTUBE17012	TUB-HER 1600/900* , drain in the corner	1600 x 900 x 15/30 mm	piece	498,22
LTUBE17024	TUB-HER 1100/1000* , drain in the corner	1100 x 1000 x 15/30 mm	piece	436,95
LTUBE17025	TUB-HER 1200/1000* , drain in the corner	1200 x 1000 x 15/30 mm	piece	455,50
LTUBE17026	TUB-HER 1300/1000* , drain in the corner	1300 x 1000 x 15/30 mm	piece	486,65
LTUBE17027	TUB-HER 1400/1000* , drain in the corner	1400 x 1000 x 15/30 mm	piece	517,80
LTUBE17028	TUB-HER 1500/1000* , drain in the corner	1500 x 1000 x 15/30 mm	piece	548,95
LTUBE17029	TUB-HER 1600/1000* , drain in the corner	1600 x 1000 x 15/30 mm	piece	580,10


contd. on page 111

■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-HER / -HMR** Packaging specifications see p. 138 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



TUB-H...R, hard foam shower base elements, rectangular, with integrated and sealed floor drain support frame 135 x 135 mm, for installation on wooden sub-constructs. → Drainage technology and accessories see page 118–121				
LTUBE17114	TUB-HMR 900/800*, drain in the centre	900 x 800 x 15/30 mm	piece	384,57
LTUBE17115	TUB-HMR 1000/800*, drain in the centre	1000 x 800 x 15/30 mm	piece	393,40
LTUBE17116	TUB-HMR 1100/800*, drain in the centre	1100 x 800 x 15/30 mm	piece	411,96
LTUBE17117	TUB-HMR 1200/800*, drain in the centre	1200 x 800 x 15/30 mm	piece	430,52
LTUBE17119	TUB-HMR 1000/900*, drain in the centre	1000 x 900 x 15/30 mm	piece	400,73
LTUBE17120	TUB-HMR 1100/900*, drain in the centre	1100 x 900 x 15/30 mm	piece	419,29
LTUBE17111	TUB-HMR 1200/900*, drain in the centre	1200 x 900 x 15/30 mm	piece	437,84
LTUBE17121	TUB-HMR 1300/900*, drain in the centre	1300 x 900 x 15/30 mm	piece	451,33
LTUBE17113	TUB-HMR 1400/900*, drain in the centre	1400 x 900 x 15/30 mm	piece	464,82
LTUBE17123	TUB-HMR 1500/900*, drain in the centre	1500 x 900 x 15/30 mm	piece	478,31
LTUBE17112	TUB-HMR 1600/900*, drain in the centre	1600 x 900 x 15/30 mm	piece	498,22
LTUBE17124	TUB-HMR 1100/1000*, drain in the centre	1100 x 1000 x 15/30 mm	piece	436,95
LTUBE17125	TUB-HMR 1200/1000*, drain in the centre	1200 x 1000 x 15/30 mm	piece	455,50
LTUBE17126	TUB-HMR 1300/1000*, drain in the centre	1300 x 1000 x 15/30 mm	piece	486,65
LTUBE17127	TUB-HMR 1400/1000*, drain in the centre	1400 x 1000 x 15/30 mm	piece	517,80
LTUBE17128	TUB-HMR 1500/1000*, drain in the centre	1500 x 1000 x 15/30 mm	piece	548,95
LTUBE17129	TUB-HMR 1600/1000*, drain in the centre	1600 x 1000 x 15/30 mm	piece	580,10



LUX ELEMENTS manufactures individual customised and special products for TUB. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TUB. Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



Flush with the floor shower bases with separate drainage technology for installation in and on wooden sub-constructions for the substitution of bath tubs

TUB-H BOL

- Factory sealing
- Sealed floor drain fitting frame
- Prefabricated gradient (four-sided)
- Can be shortened in length through area without gradient
- Flat shower base height: 15/30 mm
- For barrier-free construction
- Second drainage level
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 118–121

Also available with floor channel drain, see TUB-LINE H BOL, page 116

Accessories (optional)

- Matching bench RELAX-BA-SOLO-G see page 42

Please note: A planning expert is to be consulted when intervening in components with load-bearing function. Furthermore, national guidelines and generally recognised codes of practice must be observed.




- Shower base, can be cut to size

TUB-H BOL 1800/800 – can be cut to size to minimum 800 x 1200 mm

TUB-H BOL 1800/900 – can be cut to size to minimum 900 x 1200 mm

TUB-H BOL 1800/1000 – can be cut to size to minimum 1000 x 1200 mm




Shower area* (slope area)

*Please note: the fittings are to be located in the shower area


■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-H BOL**

Packaging specifications see p. 138 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



TUB-LINE H BOL 1800/800: a = 800
TUB-LINE H BOL 1800/900: a = 900
TUB-LINE H BOL 1800/1000: a = 1000

	<p>TUB-H BOL, hard foam shower base elements for the substitution of bath tubs, with integrated and sealed floor drain support frame 135 x 135 mm, can be cut to length, drain in the slope area in the centre. → Drainage technology and accessories see page 118–121</p>				
	LTUBE17031	<p>TUB-H BOL 1800/800*, can be cut to length to minimum 800 x 1200 mm, slope area from 800 x 1200 mm</p>	1800 x 800 x 15/30 mm	piece	517,70
	LTUBE17018	<p>TUB-H BOL 1800/900*, can be cut to length to minimum 900 x 1200 mm, slope area from 900 x 1200 mm</p>	1800 x 900 x 15/30 mm	piece	536,35
	LTUBE17032	<p>TUB-H BOL 1800/1000*, can be cut to length to minimum 1000 x 1200 mm, slope area from 1000 x 1200 mm</p>	1800 x 1000 x 15/30 mm	piece	608,95



LUX ELEMENTS manufactures individual customised and special products for TUB. These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TUB. Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



Flush with the floor shower bases with separate drainage technology for installation in and on wooden sub-constructions

TUB-LINE H


- Shower bases for the use on wooden sub-constructions with integrated and sealed floor channel drain (70 x 650 mm, 70 x 750 mm or 70 x 850 mm)
- Factory sealing
- Prefabricated gradient (four-sided)
- Flat shower base height: 20/30 mm
- Reversible channel cover rail offers two design options
- Clean tiling with tiling aid
- Height-adjustable for optimum adaptation to covering thickness
- For barrier-free construction
- Second drainage level
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 122

Also available with point drainage, see TUB-H, page 108

Please note: A planning expert is to be consulted when intervening in components with load-bearing function. Furthermore, national guidelines and generally recognised codes of practice must be observed.




■ Installation height




■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE H

Packaging specifications see p. 139 · Online calculator see p. 7 · * standard-compliant according to DIN 18534


ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



TUB-LINE HQ4



TUB-LINE HR4



Floor channel drain

TUB-LINE H, hard foam shower base elements, with 4-sided gradient, with integrated and sealed floor channel drain 70 x 750 mm or 70 x 850 mm on shorter side, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, with odour trap, height adjustable with height adapter from 5–17 mm, for installation on wooden sub-constructs. → **Drainage technology and accessories see page 122**

with floor channel drain 70 x 650 mm

LTUBE96006	TUB-LINE HQ4 800* , square	800 x 800 x 20/30 mm	piece	835,28
-------------------	-----------------------------------	----------------------	-------	--------

with floor channel drain 70 x 750 mm

LTUBE96001	TUB-LINE HQ4 900* , square	900 x 900 x 20/30 mm	piece	857,12
-------------------	-----------------------------------	----------------------	-------	--------

with floor channel drain 70 x 850 mm

LTUBE96003	TUB-LINE HQ4 1000* , square	1000 x 1000 x 20/30 mm	piece	878,96
-------------------	------------------------------------	------------------------	-------	--------

LTUBE96007	TUB-LINE HQ4 1100* , square	1100 x 1100 x 20/30 mm	piece	919,06
-------------------	------------------------------------	------------------------	-------	--------

LTUBE96004	TUB-LINE HQ4 1200* , square	1200 x 1200 x 20/30 mm	piece	959,15
-------------------	------------------------------------	------------------------	-------	--------

with floor channel drain 70 x 650 mm

LTUBE96008	TUB-LINE HR4 900/800* , rectangular	900 x 800 x 20/30 mm	piece	823,00
-------------------	--	----------------------	-------	--------

LTUBE96009	TUB-LINE HR4 1000/800* , rectangular	1000 x 800 x 20/30 mm	piece	837,45
-------------------	---	-----------------------	-------	--------

LTUBE96010	TUB-LINE HR4 1100/800* , rectangular	1100 x 800 x 20/30 mm	piece	851,90
-------------------	---	-----------------------	-------	--------

LTUBE96011	TUB-LINE HR4 1200/800* , rectangular	1200 x 800 x 20/30 mm	piece	866,35
-------------------	---	-----------------------	-------	--------

with floor channel drain 70 x 750 mm

LTUBE96012	TUB-LINE HR4 1000/900* , rectangular	1000 x 900 x 20/30 mm	piece	863,50
-------------------	---	-----------------------	-------	--------

LTUBE96013	TUB-LINE HR4 1100/900* , rectangular	1100 x 900 x 20/30 mm	piece	879,46
-------------------	---	-----------------------	-------	--------

LTUBE96002	TUB-LINE HR4 1200/900* , rectangular	1200 x 900 x 20/30 mm	piece	903,87
-------------------	---	-----------------------	-------	--------

LTUBE96014	TUB-LINE HR4 1300/900* , rectangular	1300 x 900 x 20/30 mm	piece	928,30
-------------------	---	-----------------------	-------	--------

LTUBE96005	TUB-LINE HR4 1400/900* , rectangular	1400 x 900 x 20/30 mm	piece	953,59
-------------------	---	-----------------------	-------	--------

LTUBE96015	TUB-LINE HR4 1500/900* , rectangular	1500 x 900 x 20/30 mm	piece	978,88
-------------------	---	-----------------------	-------	--------

LTUBE96016	TUB-LINE HR4 1600/900* , rectangular	1600 x 900 x 20/30 mm	piece	991,30
-------------------	---	-----------------------	-------	--------

with floor channel drain 70 x 850 mm

LTUBE96017	TUB-LINE HR4 1100/1000* , rectangular	1100 x 1000 x 20/30 mm	piece	935,04
-------------------	--	------------------------	-------	--------



LTUBE96018	TUB-LINE HR4 1200/1000* , rectangular	1200 x 1000 x 20/30 mm	piece	959,46
-------------------	--	------------------------	-------	--------

LTUBE96019	TUB-LINE HR4 1300/1000* , rectangular	1300 x 1000 x 20/30 mm	piece	983,88
-------------------	--	------------------------	-------	--------

LTUBE96020	TUB-LINE HR4 1400/1000* , rectangular	1400 x 1000 x 20/30 mm	piece	1.009,17
-------------------	--	------------------------	-------	----------

LTUBE96021	TUB-LINE HR4 1500/1000* , rectangular	1500 x 1000 x 20/30 mm	piece	1.034,46
-------------------	--	------------------------	-------	----------

LTUBE96022	TUB-LINE HR4 1600/1000* , rectangular	1600 x 1000 x 20/30 mm	piece	1.049,88
-------------------	--	------------------------	-------	----------



LUX ELEMENTS manufactures individual customised and special products for TUB.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



Flush with the floor shower bases with separate drainage technology for installation in and on wooden sub-constructions for the substitution of bath tubs


TUB-LINE H BOL

- Shower base element with integrated and sealed floor channel drain (70 x 650 mm, 70 x 750 mm or 70 x 850 mm)
- Factory sealing
- Prefabricated gradient (four-sided)
- Flat shower base height: 20/30 mm
- Reversible channel cover rail offers two design options
- Clean tiling with tiling aid
- Height-adjustable for optimum adaptation to covering thickness
- Can be shortened in length through area without gradient
- For barrier-free construction
- Second drainage level
- Secure click system for fastening the drain connection fitting
- Suitable drain systems, see page 122

Also available with point drainage, see TUB-H BOL, page 112

Accessories (optional)


- Matching bench RELAX-BA-SOLO-G see page 42



■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-LINE H BOL

Packaging specifications see p. 139 · Online calculator see p. 7 · * standard-compliant according to DIN 18534

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
----------------	------------------------------------	--	------	----------------



	TUB-LINE H BOL , hard foam shower base elements for the substitution of bath tubs, with 4-sided gradient, with integrated and sealed floor channel drain on shorter side, with cover rail and tiling aid made of brushed stainless steel, cover rail tileable on the rear side, with odour trap, height adjustable with height adapter from 5–17 mm. → Drainage technology and accessories see page 122				
	with floor channel drain 70 x 650 mm				
	LTUBE97102	TUB-LINE H BOL 1800/800* , can be cut to length to minimum 800 x 1200 mm, slope area from 800 x 1200 mm	1800 x 800 x 20/30 mm	piece	956,75
	with floor channel drain 70 x 750 mm				
LTUBE97101	TUB-LINE H BOL 1800/900* , can be cut to length to minimum 900 x 1200 mm, slope area from 900 x 1200 mm	1800 x 900 x 20/30 mm	piece	998,01	
with floor channel drain 70 x 850 mm					
LTUBE97103	TUB-LINE H BOL 1800/1000* , can be cut to length to minimum 1000 x 1200 mm, slope area from 1000 x 1200 mm	1800 x 1000 x 20/30 mm	piece	1.086,10	



LUX ELEMENTS manufactures individual customised and special products for TUB.

These include dimensions, thicknesses, shapes etc. that deviate from the standard programme. For more information see page 5.



Visit www.luxelements.com for further information on TUB.


Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

■ Drain technology and accessories

TUB floor drain systems – a general differentiation is made in the drain systems for the TUB shower bases between **free combinable systems** and **completely assembled systems** (from page 120).





TUB combinable floor drain systems

- Floor drain supports – TUB-BA-...
vertical or horizontal
- Grate fitting frame with standard grate – TUB-RA-S
- Grate fitting frame with design grate – TUB-RA-D...
Design variants see page 67
- Drainage capacity in accordance with DIN EN 1253 [l/s]:
Standard odour trap DN 50 vertical
– TUB-BA-S with standard grate: 1,7 l/s
– TUB-BA-S 100 with standard grate: 1,2 l/s
Standard odour trap DN 50 horizontal
– TUB-BA-W with standard grate: 1,0 l/s



■ PRODUCT SPECIFICATIONS – TUB COMBINABLE FLOOR DRAIN SYSTEMS

Packaging specifications see p. 140 · Online calculator see p. 7

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH	UNIT	PRICE / UNIT €
	LTUBE1102	TUB-BA-S, floor drain support DN 50 vertical, for 160 mm core drill hole, with odour trap		set	45,47
	LTUBE1103	TUB-BA-S 100, floor drain support DN 40/DN 50 vertical, for 100 mm core drill hole, with odour trap		set	39,15
	LTUBE1101	TUB-BA-W, floor drain support DN 50 horizontal, with odour trap		set	39,69
	LTUBE1100	TUB-RA-S, grate fitting frame made of ABS and standard stainless steel grate, universal height adjustment to suit tile thickness	external frame dimensions: 130 x 130 mm, grate: 120 x 120 mm	set	30,97









contd. on page 119

DRAIN TECHNOLOGY AND ACCESSORIES – SHOWERS

POINT DRAINAGE / FLOOR DRAIN SYSTEMS AND ACCESSORIES

■ PRODUCT SPECIFICATIONS – TUB COMBINABLE FLOOR DRAIN SYSTEMS


Packaging specifications see p. 140 · Online calculator see p. 7

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH	UNIT	PRICE / UNIT €
	LTUBE1104	TUB-RA-DA , grate fitting frame made from ABS, with frame and design grate 'ANGOLO' made of stainless steel, universal height adjustment to suit tile thickness is possible	external frame dimensions: 132 x 132 mm, grate: 120 x 120 mm	set	96,61
	LTUBE1105	TUB-RA-DC , grate fitting frame made from ABS, with frame and design grate 'CUBE' made of stainless steel, universal height adjustment to suit tile thickness is possible	external frame dimensions: 132 x 132 mm, grate: 120 x 120 mm	set	106,27
	LTUBE1106	TUB-RA-DM , grate fitting frame made from ABS, with frame and design grate 'MARE' made of stainless steel, universal height adjustment to suit tile thickness is possible	external frame dimensions: 132 x 132 mm, grate: 120 x 120 mm	set	96,37
	LTUBE1107	TUB-RA-DL , grate fitting frame made from ABS, with frame and design grate 'LUMEN' made of stainless steel, universal height adjustment to suit tile thickness is possible	external frame dimensions: 132 x 132 mm, grate: 120 x 120 mm	set	96,18
	LTUBE1108	TUB-RA-DV , grate fitting frame made from ABS, with frame made of stainless steel and tileable cover 'VARI' made of stainless steel, universal height adjustment to suit tile thickness is possible, thickness of surface covering (tile and adhesive) for the shower tray minimum 5 mm, for the tileable covering 8 mm	external frame dimensions: 132 x 132 mm, cover: 110 x 110 mm	set	96,48
	LTUBE1110	TUB-RA-DS , grate fitting frame made from ABS, with frame and design grate 'Slot' made of stainless steel, universal height adjustment to suit tile thickness is possible, with locking system	external frame dimensions: 132 x 132 mm, grate: 120 x 120 mm	set	122,09
	LTUBE1109	TUB-RA-DF , grate fitting frame made from ABS, with frame made of stainless steel and tileable plastic cover, universal height adjustment to suit tile thickness is possible, with locking system, thickness of surface covering (tile and adhesive) for the shower tray minimum 14 mm, for the tileable covering 11 mm	external frame dimensions: 132 x 132 mm, cover: 110 x 110 mm	set	144,62
	LTUBE1001	TUB-RA-A , grate fitting frame made of ABS plastic, including standard stainless steel grate 120 x 120 mm, overall height 85 mm, universal height adjustment to suit tile thickness is possible	external frame dimensions: 130 x 130 mm; frame height: 9 mm	set	39,97

To fit all LUX ELEMENTS®-TUB-shower base elements and shower drain element TUB-MQ-SET 300 · Thickness of surface covering (tile and adhesive): TUB-RA-S/DA/DC/DM/DL/DS: for the shower tray: minimum 5 mm / TUB-RA-DV: for the shower tray: minimum 5 mm / for the tileable covering: 8 mm / TUB-RA-DF: for the shower tray: minimum 14 mm / for the tileable covering: 11 mm · **Please note:** Flow capacity when using design grates and/or accessories, see data sheet TUB.

TUB complete floor drain systems

- Set consisting of standard grate with grate fitting frame and vertical or horizontal floor drain support
- Simple to mount
- Drainage capacity in accordance with DIN EN 1253 [l/s]:
 - Standard odour trap DN 50 vertical
 - TUB-BAS-S with standard grate: 1,7 l /s
 - TUB-BAS-S 100 with standard grate: 1,2 l /s
 - Standard odour trap DN 50 horizontal
 - TUB-BAW-S with standard grate: 1,0 l /s



■ PRODUCT SPECIFICATIONS – TUB COMPLETE FLOOR DRAIN SYSTEMS

Packaging specifications see p. 140 · Online calculator see p. 7

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH	UNIT	PRICE / UNIT €
	LTUBE1180	TUB-BAS-S , floor drain support DN 50 vertical, for 160 mm core drill hole, with odour trap, incl. grate fitting frame made of ABS and standard stainless steel grate, universal height adjustment to suit tile thickness	external frame dimensions: 130 x 130 mm, grate: 120 x 120 mm	set	67,79
	LTUBE1193	TUB-BAS-S 100 , floor drain support DN 40/DN 50 vertical, for 100 mm core drill hole, with odour trap, incl. grate fitting frame made of ABS and standard stainless steel grate, universal height adjustment to suit tile thickness	external frame dimensions: 130 x 130 mm, grate: 120 x 120 mm	set	61,29
	LTUBE1184	TUB-BAW-S , floor drain support DN 50 horizontal, with odour trap, incl. grate fitting frame made of ABS and standard stainless steel grate, universal height adjustment to suit tile thickness	external frame dimensions: 130 x 130 mm, grate: 120 x 120 mm	set	61,29

To fit all LUX ELEMENTS®-TUB-shower base elements and shower drain element TUB-MQ-SET 300

Please note: Flow capacity when using design grates and/or accessories, see data sheet TUB.




Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.


TUB floor drain systems accessories

- To fit all LUX ELEMENTS®-TUB-floor drain systems (TUB-BAZ HS does not fit TUB-COMBI MQ SET 300)
- Impact sound insulating mat for the reduction of noise nuisance caused by running water, e.g. in bathrooms of apartment blocks, nursing homes and hotels: TUB-TSM
- Fire protection set for more safety: TUB-BAS-S FIRE STOP



■ PRODUCT SPECIFICATIONS – TUB FLOOR DRAIN SYSTEMS ACCESSORIES

Packaging specifications see p. 140 · Online calculator see p. 7

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
	LTUBE1 188	TUB-BAZ STOP , odour, foam and vermin barrier; can also be retrofitted to existing installed drains		piece	57,33
	LTUBE1 189	TUB-BAZ HS , removable hair trap		piece	19,51
	LTUBE1 200	TUB-BAZ DN 50/40 , reducer, DN 50 to DN 40, with lip seal		piece	10,01
	LTUBE1 190	TUB-BAZ BST , adapter, DN 50 to British Standard		piece	10,26
	LTUBE1 192	TUB-BAZ HTK , elbow, DN 50, swivel joint 0–87° (infinitely variable)		piece	7,93
	LTUBE1 197	TUB-BAS-S FIRE STOP , floor drain support DN 50 for 160 mm core drill hole, vertical, with odour trap, incl. grate fitting frame made of ABS and standard stainless steel grate, incl. adapter part TUB-BAZ VER and fire-protection component	external frame dimensions: 130 x 130 mm, grate: 120 x 120 mm	set	221,12
	LTUBE1 198	TUB-BAZ DGD , conduit seal for core drill hole in diameter 160 mm, with fire protection in conjunction with TUB-BAS-S FIRE STOP		piece	144,40
	LTUBE1 191.6	TUB-TSM 6 , impact sound insulating mat 6 mm for LUX ELEMENTS flush with the floor shower base elements	1250 x 1250 x 6 mm	piece	53,54
	LTUBE1 191.12	TUB-TSM 12 , impact sound insulating mat 12 mm for LUX ELEMENTS flush with the floor shower base elements, for elevated requirements	1250 x 1250 x 12 mm	piece	78,50

To fit all LUX ELEMENTS®-TUB-floor drain systems (TUB-BAZ HS does not fit TUB-COMBI MQ SET 300)


Visit www.luxelements.com for further information on TUB.
Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

Floor drain supports and accessories TUB-LINE


- To fit all LUX ELEMENTS®-TUB-LINE shower bases and floor channel drains
- Drainage capacity in accordance with DIN EN 1253 [l/s]:
 - vertical (TUB-LINE BA-S): 0,8 l/s
 - horizontal (TUB-LINE BA-W 22): 0,8 l/s
- Impact sound insulating mat for the reduction of noise nuisance caused by running water, e.g. in apartment blocks, nursing homes and hotels: TUB-TSM
- Fire protection set for more safety:
TUB-LINE BA-S FIRE STOP



■ TUB-LINE BA-S FIRE STOP



■ TUB-TSM



DRAIN TECHNOLOGY AND ACCESSORIES – SHOWERS

LINEAR DRAINAGE / FLOOR DRAIN SYSTEMS AND ACCESSORIES

■ PRODUCT SPECIFICATIONS – TUB-LINE FLOOR DRAIN SUPPORTS AND ACCESSORIES

Packaging specifications see p. 141 · Online calculator see p. 7

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	PRICE / UNIT €
	LTUBE1113	TUB-LINE BA-S , floor drain support DN 50 vertical, for 160 mm core drill hole, without odour trap		piece	44,46
	LTUBE1112.22	TUB-LINE BA-W 22 , floor drain support DN 50 horizontal, without odour trap		piece	37,83
	LTUBE1112.50	TUB-LINE BA-W 50 , floor drain support DN 50 horizontal, without odour trap, to fit TUB-LINE BA-GV 50		piece	44,52
	LTUBE1115.50	TUB-LINE BA-GV 50 , odour trap, sealing water height 50 mm, to fit TUB-LINE BA-W 50		piece	21,40
	LTUBE1288	TUB-LINE BAZ STOP , odour, foam and vermin barrier, can also be retrofitted to existing installed channel drains for the design variants TUB-LINE		piece	57,34
	LTUBE1114	TUB-LINE BAZ HS , removable hair trap for TUB-LINE		piece	19,51
	LTUBE1200	TUB-BAZ DN 50/40 , reducer, DN 50 to DN 40, with lip seal		piece	10,01
	LTUBE1190	TUB-BAZ BST , adapter, DN 50 to British Standard,		piece	10,26
	LTUBE1192	TUB-BAZ HTK , elbow, DN 50, swivel joint 0–87° (infinitely variable)		piece	7,93
	LTUBE1289	TUB-LINE BA-S FIRE STOP , floor drain support DN 50 vertical for 160 mm core drill hole, with odour trap, incl. adapter part TUB-BAZ VER and fire-protection component		set	209,42
	LTUBE1198	TUB-BAZ DGD , conduit seal for core drill hole in diameter 160 mm, with fire protection in conjunction with TUB-LINE BA-S FIRE STOP		piece	144,40
	LTUBE1191.6	TUB-TSM 6 , impact sound insulating mat 6 mm for LUX ELEMENTS flush with the floor shower base elements	1250 x 1250 x 6 mm	piece	53,54
	LTUBE1191.12	TUB-TSM 12 , impact sound insulating mat 12 mm for LUX ELEMENTS flush with the floor shower base elements, for elevated requirements	1250 x 1250 x 12 mm	piece	78,50




Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.



Mounting accessories for TUB and TUB-LINE **TUB-KIT**

- Necessary mounting material for installation in one kit
- Three variants, tailored to the shower base size
- Cut protection tape DRY-SB see page 20, further mounting material from page 16



Fixing adhesive – COL-AK

- Ready-mixed dry mortar
- For the attachment, levelling and adhesion of LUX ELEMENTS® hard foam support elements
- Stable, fast bonding, waterproof
- Low on chromate in accordance with EC directive 2003/53/EC



Sealing filler – DRY-ASK

- Single-component, water-impermeable, crack-bridging and flexible sealing compound
- For large seals on LUX ELEMENTS® hard foam support elements



Sealing tape – DRY-DB

- Extremely thin, tear-resistant, elastic and vapour-permeable special tissue
- For connection sealing in conjunction with DRY-ASK sealing filler or shower bases
- For wall/floor connections, inner corners, outer corners






■ PRODUCT SPECIFICATIONS – LUX ELEMENTS®-TUB-KIT

Packaging specifications see p. 141 · Online calculator see p. 7

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	UNIT	PRICE / UNIT €
----------------	------------------------------------	------	----------------

■ Range of application

Length TUB a in mm	Length TUB b in mm	without substrate element, full coverage	without substrate element, on 15 mm dots	with substrate element, full coverage	with substrate element, on 15 mm dots
900	900	TUB-KIT UNI	TUB-KIT UNI GK	TUB-KIT UNI	TUB-KIT UNI GK
1000	800	TUB-KIT UNI	TUB-KIT UNI GK	TUB-KIT UNI	TUB-KIT UNI GK
1000	1000	TUB-KIT UNI	TUB-KIT UNI GK	TUB-KIT UNI	TUB-KIT UNI GK
1200	1200	TUB-KIT UNI	TUB-KIT UNI GK	TUB-KIT UNI GK	TUB-KIT UNI GG
1400	1400	TUB-KIT UNI GK	TUB-KIT UNI GG	TUB-KIT UNI GK	TUB-KIT UNI GG
1500	1500	TUB-KIT UNI GK	TUB-KIT UNI GG	TUB-KIT UNI GK	TUB-KIT UNI GG
2000	1000	TUB-KIT UNI GK	TUB-KIT UNI GG	TUB-KIT UNI GK	TUB-KIT UNI GG

	LTUBE1090	TUB-KIT UNI , mounting kit for shower bases: 5 kg COL-AK, 3,5 kg DRY-ASK, 10 m DRY-DB, 2 pieces DRY-DBIE (inner corners)	Kit	118,85
	LTUBE1098	TUB-KIT UNI GK , mounting kit for shower bases: 3 x 5 kg COL-AK, 3,5 kg DRY-ASK, 10 m DRY-DB, 2 pieces DRY-DBIE (inner corners)	Kit	156,10
	LTUBE1099	TUB-KIT UNI GG , mounting kit for shower bases: 5 x 5 kg COL-AK, 3,5 kg DRY-ASK, 10 m DRY-DB, 2 pieces DRY-DBIE (inner corners)	Kit	178,29



Visit www.luxelements.com for further information on TUB.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

Packaging specifications

LUX ELEMENTS®-ELEMENT

see page 13/15

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	DIMENSIONS – LENGTH x WIDTH x HEIGHT		UNIT	WEIGHT/UNIT	WEIGHT/PALLET
LELEEMIX1000	ELEMENT-EL BABY MIX 1	pallet	1250 x 1200 x 750 mm		set	228,00 kg	238,00 kg
LELEEMIX2000	ELEMENT-EL MIX 1		2500 x 1200 x 710 mm			267,90 kg	287,90 kg
LELEEMIX2001	ELEMENT-EL MIX 2		2500 x 1200 x 800 mm			271,50 kg	291,50 kg
LELEEMIX2002	ELEMENT-EL MIX 3		2500 x 1200 x 600 mm			258,00 kg	278,00 kg
LELEEMIX2003	ELEMENT-EL MIX 4		2500 x 1200 x 820 mm			275,10 kg	295,10 kg
COLLECTIVE PACKAGING – PALLET PER PRODUCT							
ARTICLE-NUMBER	ARTICLE-NAME	PIECE/PALLET	m ² /PALLET	PALLET DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ PALLET
LELEE1116	ELEMENT-EL Baby 4	160	120	1250 x 1200 x 440 mm	m ²	~ 3,00 kg	370 kg
LELEE1117	ELEMENT-EL Baby 6	160	120	1250 x 1200 x 600 mm		~ 3,00 kg	370 kg
LELEE1118	ELEMENT-EL Baby 10	100	75	1250 x 1200 x 630 mm		~ 3,20 kg	250 kg
LELEE1135	ELEMENT-EL Baby 12	80	60	1250 x 1200 x 620 mm		~ 3,30 kg	200 kg
LELEE1141	ELEMENT-EL Baby 20	80	60	1250 x 1200 x 920 mm		~ 3,50 kg	200 kg
LELEE1142	ELEMENT-EL Baby 30	52	39	1250 x 1200 x 900 mm		~ 3,80 kg	160 kg
LELEE1143	ELEMENT-EL Baby 40	40	30	1250 x 1200 x 920 mm		~ 4,10 kg	130 kg
LELEE1144	ELEMENT-EL Baby 50	32	24	1250 x 1200 x 920 mm		~ 4,40 kg	115 kg
LELEE1145	ELEMENT-EL Baby 80	24	18	1250 x 1200 x 1080 mm		~ 5,30 kg	105 kg
LELEE1146	ELEMENT-EL Baby 100	20	15	1250 x 1200 x 1150 mm		~ 6,00 kg	100 kg
LELEE1119	ELEMENT-EL 10	80	120	2500 x 1200 x 540 mm		~ 3,20 kg	400 kg
LELEE1131	ELEMENT-EL 12	80	120	2500 x 1200 x 620 mm		~ 3,30 kg	400 kg
LELEE1120	ELEMENT-EL 20	80	120	2500 x 1200 x 920 mm		~ 3,50 kg	435 kg
LELEE1121	ELEMENT-EL 30	52	78	2500 x 1200 x 900 mm		~ 3,80 kg	310 kg
LELEE1123	ELEMENT-EL 40	40	60	2500 x 1200 x 920 mm		~ 4,10 kg	260 kg
LELEE1122	ELEMENT-EL 50	32	48	2500 x 1200 x 920 mm		~ 4,40 kg	225 kg
LELEE1133	ELEMENT-EL 80	24	36	2500 x 1200 x 1080 mm		~ 5,30 kg	205 kg
LELEE1137	ELEMENT-EL 100	20	30	2500 x 1200 x 1150 mm		~ 6,00 kg	190 kg
LELEE2001	ELEMENT-SL 30	52	78	2500 x 1200 x 900 mm		~ 3,80 kg	300 kg
LELEE2003	ELEMENT-SL 50	32	48	2500 x 1200 x 920 mm		~ 4,40 kg	215 kg
LELEE2002	ELEMENT-SQ 30	52	78	2500 x 1200 x 900 mm		~ 3,80 kg	300 kg
LELEE2004	ELEMENT-SQ 50	32	48	2500 x 1200 x 920 mm		~ 4,40 kg	215 kg
LELEE3009	ELEMENT-VK Baby 6	160	120	1250 x 1200 x 600 mm		~ 3,30 kg	410 kg
LELEE3010	ELEMENT-VK Baby 12	80	60	1250 x 1200 x 630 mm		~ 3,90 kg	248 kg
LELEE3011	ELEMENT-VK Baby 20	80	60	1250 x 1200 x 950 mm		~ 4,10 kg	260 kg
LELEE3012	ELEMENT-VK Baby 30	52	39	1250 x 1200 x 930 mm		~ 4,30 kg	180 kg
LELEE3013	ELEMENT-VK Baby 50	32	24	1250 x 1200 x 950 mm		~ 4,75 kg	124 kg
LELEE3001	ELEMENT-VK 12	80	120	2500 x 1200 x 620 mm		~ 3,50 kg	450 kg
LELEE3002	ELEMENT-VK 20	80	120	2500 x 1200 x 920 mm		~ 4,10 kg	510 kg
LELEE3003	ELEMENT-VK 30	52	78	2500 x 1200 x 900 mm		~ 4,10 kg	335 kg
LELEE3005	ELEMENT-VK 50	32	48	2500 x 1200 x 950 mm		~ 4,40 kg	230 kg

LUX ELEMENTS®-TEC

see page 29

INDIVIDUAL PACKAGING						
ARTICLE	CONTAINER	PACKAGING	UNIT	CONTENTS		
all	loose	carton or pallet	piece	singly by choice		
COLLECTIVE PACKAGING – PALLET PER PRODUCT						
ARTICLE-NUMBER	ARTICLE-NAME	PIECE/PALLET (P) PIECE/CARTON (K)	PALLET DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ PALLET/CARTON
LTECX1001	TEC-KA 15 BS	60 (P)	2500 x 1200 x 630 mm	piece	2,65 kg	~ 180 kg
LTECX1002	TEC-KA 20 BS	40 (P)	2500 x 1200 x 520 mm		3,50 kg	~ 160 kg
LTECX1003	TEC-KA 30 BS	40 (P)	2500 x 1200 x 950 mm		5,00 kg	~ 220 kg
LTECX1004	TEC-KA 40 BS	40 (P)	2500 x 1200 x 900 mm		5,00 kg	~ 220 kg
LTECX1010	TEC-U 20 BS	5 (K)	2500 x 600 x 400 mm		6,00 kg	34 kg
COLLECTIVE PACKAGING TEC-VWD						
ARTICLE-NUMBER	ARTICLE-NAME	PIECE/PALLET	PALLET DIMENSIONS – LENGTH x WIDTH x HEIGHT		WEIGHT/CARTON	WEIGHT/PALLET
LTECX5003	TEC-VWD-PS	40 pieces	1250 x 1200 x 520 mm	piece	2,20 kg	103 kg
LTECX5004	TEC-VWD-E	40 pieces	1250 x 1200 x 920 mm		6,00 kg	255 kg
LTECX5002	TEC-VWD-P	40 pieces	1250 x 1200 x 920 mm		5,8 kg	247 kg

LUX ELEMENTS®-TOP

see page 31/33

INDIVIDUAL PACKAGING							
ARTICLE	CONTAINER	PACKAGING	UNIT	CONTENTS			
all	loose	carton or pallet	piece	singly by choice			
COLLECTIVE PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	PIECE/PALLET PIECE/CARTON	PALLET DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ PALLET/CARTON	
LTOPE1002	TOP-TRS 1685 S	20	1800 x 600 x 750 mm	piece	3,50 kg	85 kg	
LTOPE1004	TOP-TRS 1785 S	20	1800 x 600 x 750 mm		4,15 kg	90 kg	
LTOPE1054	TOP-TRS 1860 S	20	2100 x 600 x 750 mm		4,60 kg	90 kg	
LTOPE1006	TOP-TRS 2100 S	20	2100 x 600 x 750 mm		5,20 kg	100 kg	
LTOPE1010	TOP-TRS 800 S	20	910 x 600 x 750 mm		1,70 kg	37 kg	
LTOPE1055	TOP-TRS 900 S	20	910 x 600 x 750 mm		1,95 kg	42 kg	
LTOPE1017	TOP-TRU 2100 S	6	2100 x 600 x 480 mm		5,25 kg	40 kg	
LTOPE1021	TOP-TRU 900 S	6	910 x 600 x 200 mm		2,20 kg	15 kg	
LTOPE1023	TOP-TRV 2100 S	6	2100 x 600 x 750 mm		5,40 kg	40 kg	
LTOPE1029	TOP-TRV 900 li S	6	1250 x 600 x 750 mm		1,95 kg	20 kg	
LTOPE1031	TOP-TRV 900 re S	6	1250 x 600 x 750 mm		1,95 kg	20 kg	
INDIVIDUAL PACKAGING TOP-KIT							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING		NOMINAL FORMATS/DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT
LTOPE1053	TOP-KIT	1 set	bag	485 x 275 x 160 mm	set	0,8 kg	0,8 kg

LUX ELEMENTS®-LAVADO

see page 37

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LLAVE5001	LAVADO-FLOAT G	1 set	carton	1210 x 605 x 120 mm	set	7,97 kg	9,74 kg
LLAVE5005	LAVADO-FLOAT L			1210 x 605 x 120 mm		10,00 kg	11,50 kg
OTHER ARTICLES ON REQUEST / COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-RELAX-NI

see page 41

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LREL8201	RELAX-NI-M	1 piece	carton	415 x 415 x 102 mm	piece	0,94 kg	2,50 kg
LREL8202	RELAX-NI-L			562 x 415 x 102 mm		1,35 kg	2,58 kg
LREL8203	RELAX-NI-XL			1075 x 415 x 102 mm		2,36 kg	3,50 kg
OTHER ARTICLES ON REQUEST / COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-RELAX-BA

see page 43

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LREL8007	RELAX-BA-SOLO-G 800	1 piece	carton	865 x 520 x 480 mm	piece	5,75 kg	7,35 kg
LREL8003	RELAX-BA-SOLO-G 900			965 x 520 x 480 mm		5,80 kg	7,70 kg
LREL8006	RELAX-BA-SOLO-G 1000			1065 x 520 x 480 mm		5,90 kg	7,90 kg
LREL8001	RELAX-BA-CO FLOAT S			615 x 105 x 305 mm		0,50 kg	0,68 kg
LREL8002	RELAX-BA-CO FLOAT L			860 x 105 x 435 mm		1,00 kg	1,16 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-RELAX-TW

see page 45

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LREL9000	RELAX-TW 900	1 piece	carton	2520 x 920 x 120 mm	piece	13,50 kg	15,50 kg
LREL9001	RELAX-TW 1200			2520 x 1220 x 120 mm		18,00 kg	20,00 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-COMBI MQ SET 300

see page 55

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE19003	TUB-COMBI MQ SET 300	1 set	carton	310 x 305 x 100 mm	piece	1,15 kg	1,50 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-MQ SET 300

see page 55

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE1111	TUB-MQ-SET 300	1 set	carton	340 x 310 x 120 mm	piece	0,55 kg	0,90 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-LINE COMBI (V) RT / GK

see page 57/59

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE9316	TUB-LINE COMBI RT 900 (650)	1 piece	carton	1255 x 218 x 121 mm	piece	2,60 kg	3,40 kg
LTUBE9306	TUB-LINE COMBI RT 900 (750)			1255 x 218 x 121 mm		2,70 kg	3,50 kg
LTUBE9307	TUB-LINE COMBI GK R1 1200/900			1250 x 910 x 115 mm		9,70 kg	11,60 kg
LTUBE98301	TUB-LINE COMBI V RT 1000 (650)			1055 x 218 x 121 mm		4,60 kg	5,40 kg
LTUBE9305	TUB-LINE COMBI GK Q1 1000			1035 x 1015 x 115 mm		11,00 kg	14,50 kg
LTUBE9308	TUB-LINE COMBI RT 1200 (850)			1255 x 218 x 121 mm		3,30 kg	4,10 kg
LTUBE98302	TUB-LINE COMBI V RT 1200 (850)			1255 x 218 x 121 mm		5,30 kg	6,10 kg
LTUBE9309	TUB-LINE COMBI GK Q1 1200			1235 x 1215 x 115 mm		11,80 kg	15,05 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-LINE (V) RT / GK

see page 61/63

INDIVIDUAL PACKAGING								
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON	
LTUBE95008	TUB-LINE RT 900/200 (650)	1 set	carton	1255 x 218 x 121 mm	set	2,70 kg	3,50 kg	
LTUBE95001	TUB-LINE RT 900/200 (750)	1 set		1255 x 218 x 121 mm	set	2,70 kg	3,50 kg	
LTUBE95002	TUB-LINE GK R1 1200/900	1 piece		1250 x 910 x 60 mm	piece	9,50 kg	11,40 kg	
LTUBE11812	TUB-UR 1200/900	1 piece		1250 x 910 x 60 mm	piece	1,47 kg	2,99 kg	
LTUBE98201	TUB-LINE V RT 1000/200 (650)	1 set		1055 x 218 x 121 mm	set	4,60 kg	5,40 kg	
LTUBE95009	TUB-LINE GK Q1 1000	1 piece		1035 x 1015 x 60 mm	piece	10,50 kg	13,75 kg	
LTUBE11112	TUB-UQ 1000	1 piece		1045 x 1020 x 60 mm	piece	1,36 kg	3,25 kg	
LTUBE95003	TUB-LINE RT 1200/200 (850)	1 set		1255 x 218 x 121 mm	set	3,30 kg	4,10 kg	
LTUBE98202	TUB-LINE V RT 1200/200 (850)	1 set		1255 x 218 x 121 mm	set	5,30 kg	6,10 kg	
LTUBE95004	TUB-LINE GK Q1 1200	1 piece		1235 x 1215 x 115 mm	piece	11,50 kg	14,75 kg	
LTUBE11113	TUB-UQ 1200	1 piece		1235 x 1215 x 60 mm	piece	1,96 kg	3,70 kg	
LTUBE98205	TUB-LINE V RT 1800/200 (850)	1 set		1855 x 218 x 121 mm	set	8,50 kg	9,50 kg	
LTUBE95010	TUB-LINE GK R1 1000/1800	1 piece		1835 x 1015 x 60 mm	piece	19,44 kg	24,75 kg	
LTUBE98101	TUB-UBOL 1800/1000	1 piece		1850 x 1010 x 60 mm	piece	2,50 kg	5,50 kg	
COLLECTIVE PACKAGING ON REQUEST								

LUX ELEMENTS®-TUB-COMBI-S

see page 69

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE19302	TUB-COMBI S MQ 800	1 piece	carton	845 x 820 x 80 mm	piece	3,95 kg	5,00 kg
LTUBE19300	TUB-COMBI-S MQ 900			945 x 920 x 100 mm		5,55 kg	7,10 kg
LTUBE19301	TUB-COMBI-S MQ 1000			1045 x 1020 x 100 mm		7,35 kg	9,50 kg
LTUBE19303	TUB-COMBI S MQ1100			1145 x 1120 x 80 mm		7,50 kg	9,40 kg
LTUBE19304	TUB-COMBI S MQ 1200			1245 x 1220 x 80 mm		8,95 kg	10,90 kg
LTUBE19305	TUB-COMBI S ER 900/800			950 x 810 x 80 mm		4,45 kg	5,50 kg
LTUBE19306	TUB-COMBI S ER 1000/800			1050 x 810 x 80 mm		5,00 kg	6,10 kg
LTUBE19307	TUB-COMBI S ER 1100/800			1150 x 810 x 80 mm		5,45 kg	6,60 kg
LTUBE19308	TUB-COMBI S ER 1200/800			1250 x 810 x 80 mm		6,00 kg	7,30 kg
LTUBE19309	TUB-COMBI S ER 1000/900			1050 x 910 x 80 mm		5,60 kg	6,70 kg
LTUBE19310	TUB-COMBI S ER 1100/900			1150 x 910 x 80 mm		6,20 kg	7,40 kg
LTUBE19311	TUB-COMBI S ER 1200/900			1250 x 910 x 80 mm		6,70 kg	8,20 kg
LTUBE19312	TUB-COMBI S ER 1300/900			1350 x 910 x 80 mm		7,25 kg	8,50 kg
LTUBE19313	TUB-COMBI S ER 1400/900			1450 x 910 x 80 mm		7,80 kg	9,30 kg
LTUBE19314	TUB-COMBI S ER 1500/900			1550 x 910 x 80 mm		8,40 kg	10,00 kg
LTUBE19315	TUB-COMBI S ER 1600/900			1650 x 910 x 80 mm		8,95 kg	10,60 kg
LTUBE19316	TUB-COMBI S ER 1100/1000			1150 x 1010 x 80mm		6,80 kg	8,70 kg
LTUBE19317	TUB-COMBI S ER 1200/1000			1250 x 1010 x 80 mm		7,45 kg	9,00 kg
LTUBE19318	TUB-COMBI S ER 1300/1000			1350 x 1010 x 80 mm		8,00 kg	9,60 kg
LTUBE19319	TUB-COMBI S ER 1400/1000			1450 x 1010 x 80 mm		8,70 kg	10,40 kg
LTUBE19320	TUB-COMBI S ER 1500/1000			1550 x 1010 x 80 mm		9,30 kg	11,10 kg
LTUBE19321	TUB-COMBI S ER 1600/1000			1650 x 1010 x 80 mm		9,90 kg	11,80 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-COMBI-S BOL

see page 71

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE19322	TUB-COMBI-S BOL 1800/800	1 piece	carton	1850 x 810 x 80 mm	piece	8,95 kg	11,00 kg
LTUBE19323	TUB-COMBI-S BOL 1800/900			1850 x 910 x 80 mm		10,00 kg	12,10 kg
LTUBE19324	TUB-COMBI-S BOL 1800/1000			1850 x 1010 x 80 mm		11,20 kg	13,40 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-PUMP

see page 73

INDIVIDUAL PACKAGING										
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON			
LTUBE19209	TUB-PUMP S MQ 800	1 set	carton	845 x 820 x 125 mm	set	6,80 kg	8,20 kg			
LTUBE19205	TUB-PUMP-S MQ 900			945 x 920 x 125 mm		8,60 kg	10,40 kg			
LTUBE19210	TUB-PUMP S MQ 1000			1045 x 1020 x 125 mm		10,60 kg	12,80 kg			
LTUBE19211	TUB-PUMP S MQ1100			1145 x 1120 x 125 mm		12,85 kg	15,50 kg			
LTUBE19206	TUB-PUMP S MQ 1200			1245 x 1220 x 125 mm		15,30 kg	18,50 kg			
LTUBE19212	TUB-PUMP S MR 900/800			950 x 810 x 125 mm		7,65 kg	9,25 kg			
LTUBE19213	TUB-PUMP S MR 1000/800			1050 x 810 x 125 mm		8,50 kg	10,25 kg			
LTUBE19214	TUB-PUMP S MR 1100/800			1150 x 810 x 125 mm		9,35 kg	11,30 kg			
LTUBE19215	TUB-PUMP S MR 1200/800			1250 x 810 x 125 mm		10,20 kg	12,30 kg			
LTUBE19216	TUB-PUMP S MR 1000/900			1050 x 910 x 125 mm		9,60 kg	11,55 kg			
LTUBE19217	TUB-PUMP S MR 1100/900			1150 x 910 x 125 mm		10,50 kg	12,70 kg			
LTUBE19207	TUB-PUMP-S MR 1200/900			1250 x 910 x 125 mm		11,50 kg	13,85 kg			
LTUBE19218	TUB-PUMP S MR 1300/900			1350 x 910 x 125 mm		12,40 kg	15,00 kg			
LTUBE19208	TUB-PUMP-S MR 1400/900			1450 x 910 x 125 mm		13,40 kg	16,15 kg			
LTUBE19219	TUB-PUMP S MR 1500/900			1550 x 910 x 125 mm		14,30 kg	17,30 kg			
LTUBE19220	TUB-PUMP S MR 1600/900			1650 x 910 x 125 mm		15,30 kg	18,45kg			
LTUBE19221	TUB-PUMP S MR 1100/1000			1150 x 1010 x 125 mm		11,70 kg	14,10 kg			
LTUBE19222	TUB-PUMP S MR 1200/1000			1250 x 1010 x 125 mm		12,75 kg	15,40 kg			
LTUBE19223	TUB-PUMP S MR 1300/1000			1350 x 1010 x 125 mm		13,80 kg	16,70 kg			
LTUBE19224	TUB-PUMP M ER 1400/1000			1450 x 1010 x 125 mm		14,90 kg	17,95 kg			
LTUBE19225	TUB-PUMP S MR 1500/1000			1550 x 1010 x 125 mm		15,95 kg	19,25 kg			
LTUBE19226	TUB-PUMP S MR 1600/1000			1650 x 1010 x 125 mm		17,00 kg	20,50 kg			
COLLECTIVE PACKAGING ON REQUEST										

LUX ELEMENTS®-TUB-LINE COMBI

see page 75

INDIVIDUAL PACKAGING										
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON			
LTUBE9324	TUB-LINE COMBI Q1 800	1 set	carton	845 x 820 x 100 mm	set	6,10 kg	6,90 kg			
LTUBE9322	TUB-LINE COMBI Q1 900			945 x 920 x 100 mm		7,70 kg	8,70 kg			
LTUBE9325	TUB-LINE COMBI Q1 1000			1045 x 1020 x 100 mm		9,50kg	10,75 kg			
LTUBE9326	TUB-LINE COMBI Q1 1100			1145 x 1120 x 100 mm		11,50 kg	13,00 kg			
LTUBE9327	TUB-LINE COMBI Q1 1200			1245 x 1220 x 100 mm		13,70 kg	15,45 kg			
LTUBE9328	TUB-LINE COMBI R1 900/800			950 x 810 x 100 mm		6,90 kg	7,75 kg			
LTUBE9329	TUB-LINE COMBI R1 1000/800			1050 x 810 x 100 mm		7,60 kg	8,60 kg			
LTUBE9334	TUB-LINE COMBI R1 1100/800			1150 x 810 x 100 mm		8,40 kg	9,45 kg			
LTUBE9335	TUB-LINE COMBI R1 1200/800			1250 x 810 x 100 mm		9,15 kg	10,30 kg			
LTUBE9336	TUB-LINE COMBI R1 1000/900			1050 x 910 x 100 mm		8,60 kg	9,65 kg			
LTUBE9337	TUB-LINE COMBI R1 1100/900			1150 x 910 x 100 mm		9,45 kg	10,65 kg			
LTUBE9323	TUB-LINE COMBI R1 1200/900			1250 x 910 x 100 mm		10,30 kg	11,60 kg			
LTUBE9338	TUB-LINE COMBI R1 1100/1000			1150 x 1010 x 100mm		10,50 kg	11,80 kg			
LTUBE9339	TUB-LINE COMBI R1 1200/1000			1250 x 1010 x 100 mm		11,45 kg	12,90 kg			
COLLECTIVE PACKAGING ON REQUEST										

LUX ELEMENTS®-TUB-EQ

see page 81

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE10000	TUB-EQ 800	1 piece	carton	845 x 820 x 60 mm	piece	5,00 kg	6,00 kg
LTUBE10001	TUB-EQ 900			945 x 920 x 60 mm		5,50 kg	6,48 kg
LTUBE10002	TUB-EQ 1000			1045 x 1020 x 60 mm		6,79 kg	8,69 kg
LTUBE10009	TUB-EQ 1100			1145 x 1120 x 60 mm		8,25 kg	9,30 kg
LTUBE10003	TUB-EQ 1200			1235 x 1215 x 60 mm		9,78 kg	11,52 kg
LTUBE10004	TUB-EQ 1500			1535 x 1515 x 60 mm		15,28 kg	18,93 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-MQ

see page 81

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE10100	TUB-MQ 800	1 piece	carton	845 x 820 x 60 mm	piece	5,00 kg	6,00 kg
LTUBE10101	TUB-MQ 900			945 x 920 x 60 mm		5,50 kg	6,48 kg
LTUBE10102	TUB-MQ 1000			1045 x 1020 x 60 mm		6,79 kg	8,69 kg
LTUBE10109	TUB-MQ 1100			1145 x 1120 x 60 mm		8,25 kg	9,30 kg
LTUBE10103	TUB-MQ 1200			1235 x 1215 x 60 mm		9,78 kg	11,52 kg
LTUBE10104	TUB-MQ 1500			1535 x 1515 x 60 mm		15,28 kg	18,93 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-ER

see page 82

INDIVIDUAL PACKAGING										
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON			
LTUBE10616	TUB-ER 900/800	1 piece	carton	950 x 810 x 60 mm	piece	4,90 kg	5,55 kg			
LTUBE10614	TUB-ER 1000/800			1050 x 810 x 60 mm		5,45 kg	6,15 kg			
LTUBE10617	TUB-ER 1100/800			1150 x 810 x 60 mm		6,00 kg	6,75 kg			
LTUBE10618	TUB-ER 1200/800			1250 x 810 x 60 mm		6,50 kg	7,40 kg			
LTUBE10619	TUB-ER 1000/900			1050 x 910 x 60 mm		6,10 kg	6,90 kg			
LTUBE10620	TUB-ER 1100/900			1150 x 910 x 60 mm		6,70 kg	7,60 kg			
LTUBE10601	TUB-ER 1200/900			1250 x 910 x 60 mm		7,35 kg	8,30 kg			
LTUBE10615	TUB-ER 1300/900			1350 x 910 x 60 mm		7,95 kg	9,00 kg			
LTUBE10603	TUB-ER 1400/900			1450 x 910 x 60 mm		8,55 kg	9,70 kg			
LTUBE10604	TUB-ER 1500/900			1550 x 910 x 60 mm		9,15 kg	10,40 kg			
LTUBE10605	TUB-ER 1600/900			1650 x 910 x 60 mm		9,80 kg	11,10 kg			
LTUBE10621	TUB-ER 1100/1000			1150 x 1010 x 60 mm		7,45 kg	8,45 kg			
LTUBE10602	TUB-ER 1200/1000			1250 x 1010 x 60 mm		8,15 kg	9,25 kg			
LTUBE10622	TUB-ER 1300/1000			1350 x 1010 x 60 mm		8,85 kg	10,00 kg			
LTUBE10623	TUB-ER 1400/1000			1450 x 1010 x 60 mm		9,50 kg	10,80 kg			
LTUBE10624	TUB-ER 1500/1000			1550 x 1010 x 60 mm		10,20 kg	11,55 kg			
LTUBE10625	TUB-ER 1600/1000			1650 x 1010 x 60 mm		10,85 kg	12,30 kg			
COLLECTIVE PACKAGING ON REQUEST										

LUX ELEMENTS®-TUB-MR

see page 83

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE10719	TUB-MR 900/800	1 piece	carton	950 x 810 x 60 mm	piece	4,90 kg	5,55 kg
LTUBE10701	TUB-MR 1000/800			1050 x 810 x 60 mm		5,45 kg	6,15 kg
LTUBE10720	TUB-MR 1100/800			1150 x 810 x 60 mm		6,00 kg	6,75 kg
LTUBE10718	TUB-MR 1200/800			1250 x 810 x 60 mm		6,50 kg	7,40 kg
LTUBE10721	TUB-MR 1000/900			1050 x 910 x 60 mm		6,10 kg	6,90 kg
LTUBE10722	TUB-MR 1100/900			1150 x 910 x 60 mm		6,70 kg	7,60 kg
LTUBE10702	TUB-MR 1200/900			1250 x 910 x 60 mm		7,35 kg	8,30 kg
LTUBE10717	TUB-MR 1300/900			1350 x 910 x 60 mm		7,95 kg	9,00 kg
LTUBE10704	TUB-MR 1400/900			1450 x 910 x 60 mm		8,55 kg	10,70 kg
LTUBE10705	TUB-MR 1500/900			1550 x 910 x 60 mm		9,15 kg	10,40 kg
LTUBE10706	TUB-MR 1600/900			1650 x 910 x 60 mm		9,80 kg	11,10 kg
LTUBE10723	TUB-MR 1100/1000			1150 x 1010 x 60 mm		7,45 kg	8,45 kg
LTUBE10703	TUB-MR 1200/1000			1250 x 1010 x 60 mm		8,15 kg	9,25 kg
LTUBE10724	TUB-MR 1300/1000			1350 x 1010 x 60 mm		8,85 kg	10,00 kg
LTUBE10725	TUB-MR 1400/1000			1450 x 1010 x 60 mm		9,50 kg	10,80 kg
LTUBE10726	TUB-MR 1500/1000			1550 x 1010 x 60 mm		10,20 kg	11,55 kg
LTUBE10727	TUB-MR 1600/1000			1650 x 1010 x 60 mm		10,85 kg	12,30 kg

COLLECTIVE PACKAGING ON REQUEST

LUX ELEMENTS®-TUB-BOL

see page 85

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE18026	TUB-BOL 1800/800	1 piece	carton	1850 x 810 x 60 mm	piece	9,80 kg	11,10 kg
LTUBE18018	TUB-BOL 1800/900			1850 x 910 x 60 mm		11,00 kg	12,45 kg
LTUBE18027	TUB-BOL 1800/1000			1850 x 1010 x 60 mm		12,20 kg	13,85 kg

COLLECTIVE PACKAGING ON REQUEST

LUX ELEMENTS®-TUB-FINISH

see page 87

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE10101.FW	TUB-FW MQ 900	1 piece	carton	945 x 920 x 100 mm	piece	16,00 kg	18,00 kg
LTUBE10601.FW	TUB-FW ER 1200/900			1250 x 920 x 100 mm		22,80 kg	24,80 kg
LTUBE10605.FW	TUB-FW ER 1600/900			1650 x 920 x 100 mm		29,30 kg	31,30 kg

COLLECTIVE PACKAGING ON REQUEST

LUX ELEMENTS®-TUB-LINE Q4/Q1

see page 89

INDIVIDUAL PACKAGING										
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON			
LTUBE94033	TUB-LINE Q4 800	1 piece	carton	845 x 820 x 60 mm	piece	5,30 kg	6,10 kg			
LTUBE94001	TUB-LINE Q4 900			945 x 920 x 60 mm		6,72 kg	7,70 kg			
LTUBE94017	TUB-LINE Q4 1000			1045 x 1020 x 60 mm		8,3 kg	9,51 kg			
LTUBE94037	TUB-LINE Q4 1100			1145 x 1120 x 60 mm		10,00 kg	11,50 kg			
LTUBE94019	TUB-LINE Q4 1200			1235 x 1215 x 60 mm		11,11 kg	12,85 kg			
LTUBE94034	TUB-LINE Q1 800			845 x 820 x 60 mm		5,30 kg	6,10 kg			
LTUBE94002	TUB-LINE Q1 900			945 x 920 x 60 mm		6,72 kg	7,70 kg			
LTUBE94018	TUB-LINE Q1 1000			1045 x 1020 x 60 mm		8,3 kg	9,51 kg			
LTUBE94038	TUB-LINE Q1 1100			1145 x 1120 x 60 mm		10,00 kg	11,50 kg			
LTUBE94020	TUB-LINE Q1 1200			1235 x 1215 x 60 mm		11,11 kg	12,85 kg			
COLLECTIVE PACKAGING ON REQUEST										

LUX ELEMENTS®-TUB-LINE R4

see page 90

INDIVIDUAL PACKAGING										
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON			
LTUBE94039	TUB-LINE R4 900/800	1 piece	carton	950 x 810 x 60 mm	piece	6,00 kg	6,85 kg			
LTUBE94041	TUB-LINE R4 1000/800			1050 x 810 x 60 mm		6,65 kg	7,60 kg			
LTUBE94043	TUB-LINE R4 1100/800			1150 x 810 x 60 mm		7,30 kg	8,35 kg			
LTUBE94045	TUB-LINE R4 1200/800			1250 x 810 x 60 mm		8,00 kg	9,10 kg			
LTUBE94047	TUB-LINE R4 1000/900			1050 x 910 x 60 mm		7,45 kg	8,55 kg			
LTUBE94049	TUB-LINE R4 1100/900			1150 x 910 x 60 mm		8,20 kg	9,40 kg			
LTUBE94003	TUB-LINE R4 1200/900			1250 x 910 x 60 mm		9,00 kg	10,25 kg			
LTUBE94051	TUB-LINE R4 1300/900			1350 x 910 x 60 mm		9,70 kg	11,10 kg			
LTUBE94005	TUB-LINE R4 1400/900			1450 x 910 x 60 mm		10,45 kg	12,00 kg			
LTUBE94053	TUB-LINE R4 1500/900			1550 x 910 x 60 mm		11,20 kg	12,85 kg			
LTUBE94007	TUB-LINE R4 1600/900			1650 x 910 x 60 mm		11,95 kg	13,70 kg			
LTUBE94055	TUB-LINE R4 1100/1000			1150 x 1010 x 60 mm		9,15 kg	10,45 kg			
LTUBE94021	TUB-LINE R4 1200/1000			1250 x 1010 x 60 mm		9,95 kg	11,40 kg			
LTUBE94057	TUB-LINE R4 1300/1000			1350 x 1010 x 60 mm		10,80 kg	12,35 kg			
LTUBE94059	TUB-LINE R4 1400/1000			1450 x 1010 x 60 mm		11,60 kg	13,30 kg			
LTUBE94061	TUB-LINE R4 1500/1000			1550 x 1010 x 60 mm		12,45 kg	14,25 kg			
LTUBE94063	TUB-LINE R4 1600/1000			1650 x 1010 x 60 mm		13,30 kg	15,20 kg			
COLLECTIVE PACKAGING ON REQUEST										

LUX ELEMENTS®-TUB-LINE R1

see page 92

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE94040	TUB-LINE R1 900/800	1 piece	carton	950 x 810 x 60 mm	piece	6,00 kg	6,85 kg
LTUBE94042	TUB-LINE R1 1000/800			1050 x 810 x 60 mm		6,65 kg	7,60 kg
LTUBE94044	TUB-LINE R1 1100/800			1150 x 810 x 60 mm		7,30 kg	8,35 kg
LTUBE94046	TUB-LINE R1 1200/800			1250 x 810 x 60 mm		8,00 kg	9,10 kg
LTUBE94048	TUB-LINE R1 1000/900			1050 x 910 x 60 mm		7,45 kg	8,55 kg
LTUBE94050	TUB-LINE R1 1100/900			1150 x 910 x 60 mm		8,20 kg	9,40 kg
LTUBE94004	TUB-LINE R1 1200/900			1250 x 910 x 60 mm		9,00 kg	10,25 kg
LTUBE94052	TUB-LINE R1 1300/900			1350 x 910 x 60 mm		9,70 kg	11,10 kg
LTUBE94006	TUB-LINE R1 1400/900			1450 x 910 x 60 mm		10,45 kg	12,00 kg
LTUBE94054	TUB-LINE R1 1500/900			1550 x 910 x 60 mm		11,20 kg	12,85 kg
LTUBE94008	TUB-LINE R1 1600/900			1650 x 910 x 60 mm		11,95 kg	13,70 kg
LTUBE94056	TUB-LINE R1 1100/1000			1150 x 1010 x 60 mm		9,15 kg	10,45 kg
LTUBE94022	TUB-LINE R1 1200/1000			1250 x 1010 x 60 mm		9,95 kg	11,40 kg
LTUBE94058	TUB-LINE R1 1300/1000			1350 x 1010 x 60 mm		10,80 kg	12,35 kg
LTUBE94060	TUB-LINE R1 1400/1000			1450 x 1010 x 60 mm		11,60 kg	13,30 kg
LTUBE94062	TUB-LINE R1 1500/1000			1550 x 1010 x 60 mm		12,45 kg	14,25 kg
LTUBE94064	TUB-LINE R1 1600/1000			1650 x 1010 x 60 mm		13,30 kg	15,20 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-LINE BOL

see page 95

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE97003	TUB-LINE BOL 1800/800	1 piece	carton	1850 x 810 x 60 mm	piece	11,95 kg	13,70 kg
LTUBE97001	TUB-LINE BOL 1800/900			1850 x 910 x 60 mm		13,45 kg	15,40 kg
LTUBE97005	TUB-LINE BOL 1800/1000			1850 x 1010 x 60 mm		14,95 kg	17,10 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-LINE V

see page 97

INDIVIDUAL PACKAGING										
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON			
LTUBE98010	TUB-LINE V Q1 800	1 piece	carton	850 x 810 x 60 mm	piece	5,30 kg	6,10 kg			
LTUBE98011	TUB-LINE V Q1 900			950 x 910 x 60 mm		6,70 kg	7,70 kg			
LTUBE98012	TUB-LINE V Q1 1000			1050 x 1010 x 60 mm		8,30 kg	9,50 kg			
LTUBE98013	TUB-LINE V Q1 1100			1150 x 1110 x 60 mm		10,00 kg	11,50 kg			
LTUBE98014	TUB-LINE V Q1 1200			1250 x 1210 x 60 mm		11,95 kg	13,70 kg			
LTUBE98015	TUB-LINE V R1 900/800			950 x 810 x 60 mm		6,00 kg	6,85 kg			
LTUBE98016	TUB-LINE V R1 1000/800			1050 x 810 x 60 mm		6,65 kg	7,60 kg			
LTUBE98017	TUB-LINE V R1 1100/800			1150 x 810 x 60 mm		7,30 kg	8,35 kg			
LTUBE98018	TUB-LINE V R1 1200/800			1250 x 810 x 60 mm		8,00 kg	9,10 kg			
LTUBE98019	TUB-LINE V R1 1000/900			1050 x 910 x 60 mm		7,50 kg	8,55 kg			
LTUBE98020	TUB-LINE V R1 1100/900			1150 x 910 x 60 mm		8,20 kg	9,40 kg			
LTUBE98021	TUB-LINE V R1 1200/900			1250 x 910 x 60 mm		8,95 kg	10,25 kg			
LTUBE98022	TUB-LINE V R1 1300/900			1350 x 910 x 60 mm		9,70 kg	11,10 kg			
LTUBE98023	TUB-LINE V R1 1400/900			1450 x 910 x 60 mm		10,45 kg	11,95 kg			
LTUBE98024	TUB-LINE V R1 1500/900			1550 x 910 x 60 mm		11,20 kg	12,85 kg			
LTUBE98025	TUB-LINE V R1 1600/900			1650 x 910 x 60 mm		11,95 kg	13,70 kg			
LTUBE98026	TUB-LINE V R1 1100/1000			1150 x 1010 x 60 mm		9,15 kg	10,45 kg			
LTUBE98027	TUB-LINE V R1 1200/1000			1250 x 1010 x 60 mm		9,95 kg	11,40 kg			
LTUBE98028	TUB-LINE V R1 1300/1000			1350 x 1010 x 60 mm		10,80 kg	12,35 kg			
LTUBE98029	TUB-LINE V R1 1400/1000			1450 x 1010 x 60 mm		11,60 kg	13,30 kg			
LTUBE98030	TUB-LINE V R1 1500/1000			1550 x 1010 x 60 mm		12,45 kg	14,25 kg			
LTUBE98031	TUB-LINE V R1 1600/1000			1650 x 1010 x 60 mm		13,30 kg	15,20 kg			
COLLECTIVE PACKAGING ON REQUEST										

LUX ELEMENTS®-TUB-LINE BOL V

see page 99

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE98003	TUB-LINE BOL V R1 1800/800	1 piece	carton	1850 x 810 x 60 mm	piece	11,95 kg	13,70 kg
LTUBE98004	TUB-LINE BOL V R1 1800/900			1850 x 910 x 60 mm		13,45 kg	15,40 kg
LTUBE98001	TUB-LINE BOL V R1 1800/1000			1850 x 1010 x 60 mm		14,95 kg	17,10 kg
LTUBE98002	TUB-LINE BOL V R1 1800/1200			1850 x 1210 x 60 mm		17,95 kg	20,50 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-LINE FINISH

see page 101

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE94001.FW	TUB-LINE FW Q4 900	1 piece	carton	945 x 920 x 100 mm	piece	16,00 kg	18,00 kg
LTUBE94003.FW	TUB-LINE FW R4 1200/900			1250 x 920 x 100 mm		22,80 kg	24,80 kg
LTUBE94007.FW	TUB-LINE FW R4 1600/900			1650 x 920 x 100 mm		29,30 kg	31,30 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-U

see page 102/103

INDIVIDUAL PACKAGING										
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON			
LTUBE11110	TUB-UQ 800	1 piece	carton	845 x 820 x 60 mm	piece	1,00 kg	2,00 kg			
LTUBE11111	TUB-UQ 900			945 x 920 x 60 mm		1,10 kg	2,08 kg			
LTUBE11112	TUB-UQ 1000			1045 x 1020 x 60 mm		1,36 kg	3,25 kg			
LTUBE11115	TUB-UQ 1100			1145 x 1120 x 60 mm		1,63 kg	2,84 kg			
LTUBE11113	TUB-UQ 1200			1235 x 1215 x 60 mm		1,96 kg	3,70 kg			
LTUBE11114	TUB-UQ 1500			1535 x 1515 x 60 mm		3,06 kg	6,71 kg			
LTUBE11828	TUB-UR 900/800			950 x 810 x 60 mm		0,97 kg	1,69 kg			
LTUBE11811	TUB-UR 1000/800			1050 x 810 x 60 mm		1,09 kg	2,39 kg			
LTUBE11819	TUB-UR 1100/800			1150 x 810 x 60 mm		1,19 kg	2,07 kg			
LTUBE11820	TUB-UR 1200/800			1250 x 810 x 60 mm		1,30 kg	2,26 kg			
LTUBE11821	TUB-UR 1000/900			1050 x 810 x 60 mm		1,22 kg	2,12 kg			
LTUBE11822	TUB-UR 1100/900			1150 x 910 x 60 mm		1,34 kg	2,33 kg			
LTUBE11812	TUB-UR 1200/900			1250 x 910 x 60 mm		1,47 kg	2,99 kg			
LTUBE11814	TUB-UR 1300/900			1350 x 910 x 60 mm		1,58 kg	2,75 kg			
LTUBE11815	TUB-UR 1400/900			1450 x 910 x 60 mm		1,71 kg	3,86 kg			
LTUBE11816	TUB-UR 1500/900			1550 x 910 x 60 mm		1,84 kg	4,97 kg			
LTUBE11817	TUB-UR 1600/900			1650 x 910 x 60 mm		1,96 kg	4,49 kg			
LTUBE11823	TUB-UR 1100/1000			1150 x 1010 x 60 mm		1,49 kg	2,59 kg			
LTUBE11813	TUB-UR 1200/1000			1250 x 1010 x 60 mm		1,63 kg	3,79 kg			
LTUBE11824	TUB-UR 1300/1000			1350 x 1010 x 60 mm		1,76 kg	3,06 kg			
LTUBE11825	TUB-UR 1400/1000			1450 x 1010 x 60 mm		1,89 kg	3,29 kg			
LTUBE11826	TUB-UR 1500/1000			1550 x 1010 x 60 mm		2,03 kg	3,53 kg			
LTUBE11827	TUB-UR 1600/1000			1650 x 1010 x 60 mm		2,16 kg	3,76 kg			
LTUBE18028	TUB-UBOL 1800/800			1850 x 810 x 60 mm		1,94 kg	3,38 kg			
LTUBE18019	TUB-UBOL 1800/900			1850 x 910 x 60 mm		2,20 kg	5,15 kg			
LTUBE98101	TUB-UBOL 1800/1000			1850 x 1010 x 60 mm		2,50 kg	5,50 kg			
LTUBE98102	TUB-UBOL 1800/1200			1850 x 1210 x 60 mm		3,00 kg	6,00 kg			
COLLECTIVE PACKAGING ON REQUEST										

LUX ELEMENTS®-TUB-HEQ/-HMQ

see page 109

INDIVIDUAL PACKAGING										
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON			
LTUBE17004	TUB-HEQ 800	1 piece	carton	845 x 820 x 60 mm	piece	4,70 kg	5,45 kg			
LTUBE17001	TUB-HEQ 900			945 x 915 x 60 mm		6,15 kg	7,15 kg			
LTUBE17003	TUB-HEQ 1000			1045 x 1020 x 60 mm		7,30 kg	8,50 kg			
LTUBE17005	TUB-HEQ 1100			1145 x 1120 x 60 mm		8,85 kg	10,30 kg			
LTUBE17002	TUB-HEQ 1200			1235 x 1215 x 60 mm		10,45 kg	12,05 kg			
LTUBE17104	TUB-HMQ 800			845 x 820 x 60 mm		4,70 kg	5,45 kg			
LTUBE17101	TUB-HMQ 900			945 x 920 x 60 mm		6,15 kg	7,15 kg			
LTUBE17103	TUB-HMQ 1000			1045 x 1020 x 60 mm		9,50 kg	10,65 kg			
LTUBE17105	TUB-HMQ 1100			1145 x 1120 x 60 mm		8,85 kg	10,30 kg			
LTUBE17102	TUB-HMQ 1200			1235 x 1215 x 60 mm		10,45 kg	12,05 kg			
COLLECTIVE PACKAGING ON REQUEST										

LUX ELEMENTS®-TUB-HER/-HMR

see page 110/111

INDIVIDUAL PACKAGING										
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON			
LTUBE17014	TUB-HER 900/800	1 piece	carton	950 x 810 x 60 mm	piece	5,25 kg	6,10 kg			
LTUBE17015	TUB-HER 1000/800			1050 x 810 x 60 mm		5,85 kg	6,80 kg			
LTUBE17016	TUB-HER 1100/800			1150 x 810 x 60 mm		6,40 kg	7,50 kg			
LTUBE17017	TUB-HER 1200/800			1250 x 810 x 60 mm		7,00 kg	8,15 kg			
LTUBE17019	TUB-HER 1000/900			1050 x 910 x 60 mm		6,60 kg	7,65 kg			
LTUBE17020	TUB-HER 1100/900			1150 x 910 x 60 mm		7,25 kg	8,40 kg			
LTUBE17011	TUB-HER 1200/900			1250 x 910 x 60 mm		7,90 kg	9,20 kg			
LTUBE17021	TUB-HER 1300/900			1350 x 910 x 60 mm		8,55 kg	9,95 kg			
LTUBE17013	TUB-HER 1400/900			1450 x 910 x 60 mm		9,20 kg	10,70 kg			
LTUBE17023	TUB-HER 1500/900			1550 x 910 x 60 mm		9,85 kg	11,50 kg			
LTUBE17012	TUB-HER 1600/900			1650 x 910 x 60 mm		10,50 kg	12,25 kg			
LTUBE17024	TUB-HER 1100/1000			1150 x 1010 x 60 mm		8,05 kg	9,35 kg			
LTUBE17025	TUB-HER 1200/1000			1250 x 1010 x 60 mm		8,75 kg	10,20 kg			
LTUBE17026	TUB-HER 1300/1000			1350 x 1010 x 60 mm		9,50 kg	11,05 kg			
LTUBE17027	TUB-HER 1400/1000			1450 x 1010 x 60 mm		10,20 kg	11,90 kg			
LTUBE17028	TUB-HER 1500/1000			1550 x 1010 x 60 mm		10,95 kg	12,75 kg			
LTUBE17029	TUB-HER 1600/1000			1650 x 1010 x 60 mm		11,70 kg	13,60 kg			
LTUBE17114	TUB-HMR 900/800			1 piece		carton	950 x 810 x 60 mm	piece	5,25 kg	6,10 kg
LTUBE17115	TUB-HMR 1000/800						1050 x 810 x 60 mm		5,85 kg	6,80 kg
LTUBE17116	TUB-HMR 1100/800						1150 x 810 x 60 mm		6,40 kg	7,50 kg
LTUBE17117	TUB-HMR 1200/800						1250 x 810 x 60 mm		7,00 kg	8,15 kg
LTUBE17119	TUB-HMR 1000/900						1050 x 910 x 60 mm		6,60 kg	7,65 kg
LTUBE17120	TUB-HMR 1100/900						1150 x 910 x 60 mm		7,25 kg	8,40 kg
LTUBE17111	TUB-HMR 1200/900						1250 x 910 x 60 mm		7,90 kg	9,20 kg
LTUBE17121	TUB-HMR 1300/900						1350 x 910 x 60 mm		8,55 kg	9,95 kg
LTUBE17113	TUB-HMR 1400/900						1450 x 910 x 60 mm		9,20 kg	10,70 kg
LTUBE17123	TUB-HMR 1500/900						1550 x 910 x 60 mm		9,85 kg	11,50 kg
LTUBE17112	TUB-HMR 1600/900						1650 x 910 x 60 mm		10,50 kg	12,25 kg
LTUBE17124	TUB-HMR 1100/1000						1150 x 1010 x 60 mm		8,05 kg	9,35 kg
LTUBE17125	TUB-HMR 1200/1000	1250 x 1010 x 60 mm	8,75 kg		10,20 kg					
LTUBE17126	TUB-HMR 1300/1000	1350 x 1010 x 60 mm	9,50 kg		11,05 kg					
LTUBE17127	TUB-HMR 1400/1000	1450 x 1010 x 60 mm	10,20 kg		11,90 kg					
LTUBE17128	TUB-HMR 1500/1000	1550 x 1010 x 60 mm	10,95 kg	12,75 kg						
LTUBE17129	TUB-HMR 1600/1000	1650 x 1010 x 60 mm	11,70 kg	13,60 kg						
COLLECTIVE PACKAGING ON REQUEST										

LUX ELEMENTS®-TUB-H BOL

see page 113

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE17031	TUB-H BOL 1800/800	1 piece	carton	1850 x 810 x 60 mm	piece	10,50 kg	12,25 kg
LTUBE17018	TUB-H BOL 1800/900			1850 x 910 x 60 mm		11,85 kg	13,75 kg
LTUBE17032	TUB-H BOL 1800/1000			1850 x 1010 x 60 mm		13,15 kg	15,30 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-LINE H

see page 115

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE96006	TUB-LINE HQ4 800	1 piece	carton	850 x 810 x 60 mm	piece	5,40 kg	6,15 kg
LTUBE96001	TUB-LINE HQ4 900			950 x 910 x 60 mm		6,80 kg	7,80 kg
LTUBE96003	TUB-LINE HQ4 1000			1050 x 1010 x 60 mm		8,40 kg	9,60 kg
LTUBE96007	TUB-LINE HQ4 1100			1150 x 1110 x 60 mm		10,20 kg	11,60 kg
LTUBE96004	TUB-LINE HQ4 1200			1250 x 1210 x 60 mm		12,10 kg	13,80 kg
LTUBE96008	TUB-LINE HR4 900/800			950 x 810 x 60 mm		6,05 kg	6,95 kg
LTUBE96009	TUB-LINE HR4 1000/800			1050 x 810 x 60 mm		6,75 kg	7,70 kg
LTUBE96010	TUB-LINE HR4 1100/800			1150 x 810 x 60 mm		7,40 kg	8,45 kg
LTUBE96011	TUB-LINE HR4 1200/800			1250 x 810 x 60 mm		8,10 kg	9,20 kg
LTUBE96012	TUB-LINE HR4 1000/900			1050 x 910 x 60 mm		7,60 kg	8,65 kg
LTUBE96013	TUB-LINE HR4 1100/900			1150 x 910 x 60 mm		8,30 kg	9,50 kg
LTUBE96002	TUB-LINE HR4 1200/900			1250 x 910 x 60 mm		9,05 kg	10,35 kg
LTUBE96014	TUB-LINE HR4 1300/900			1350 x 910 x 60 mm		9,80 kg	11,25 kg
LTUBE96005	TUB-LINE HR4 1400/900			1450 x 910 x 60 mm		10,60 kg	12,10 kg
LTUBE96015	TUB-LINE HR4 1500/900			1550 x 910 x 60 mm		11,35 kg	12,95 kg
LTUBE96016	TUB-LINE HR4 1600/900			1650 x 910 x 60 mm		12,10 kg	13,80 kg
LTUBE96017	TUB-LINE HR4 1100/1000			1150 x 1010 x 60 mm		9,25 kg	10,60 kg
LTUBE96018	TUB-LINE HR4 1200/1000			1250 x 1010 x 60 mm		10,10 kg	11,50 kg
LTUBE96019	TUB-LINE HR4 1300/1000			1350 x 1010 x 60 mm		10,90 kg	12,45 kg
LTUBE96020	TUB-LINE HR4 1400/1000			1450 x 1010 x 60 mm		11,75 kg	13,45 kg
LTUBE96021	TUB-LINE HR4 1500/1000			1550 x 1010 x 60 mm		12,60 kg	14,40 kg
LTUBE96022	TUB-LINE HR4 1600/1000			1650 x 1010 x 60 mm		13,45 kg	15,35 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB-LINE H BOL

see page 117

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ CARTON
LTUBE97102	TUB-LINE H BOL 1800/800	1 piece	carton	1850 x 810 x 60 mm	piece	12,10 kg	13,80 kg
LTUBE97101	TUB-LINE H BOL 1800/900			1850 x 910 x 60 mm		13,60 kg	15,55 kg
LTUBE97103	TUB-LINE H BOL 1800/1000			1850 x 1010 x 60 mm		15,15 kg	17,30 kg
COLLECTIVE PACKAGING ON REQUEST							

LUX ELEMENTS®-TUB combinable floor drain systems

see page 118/119

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	
LTUBE1102	TUB-BA-S	1 set	bag	305 x 205 x 160 mm	set	0,55 kg	
LTUBE1103	TUB-BA-S 100			305 x 205 x 160 mm		0,30 kg	
LTUBE1101	TUB-BA-W			305 x 205 x 160 mm		0,35 kg	
LTUBE1100	TUB-RA-S			305 x 205 x 160 mm		0,25 kg	
LTUBE1104	TUB-RA-DA			305 x 205 x 160 mm		0,60 kg	
LTUBE1105	TUB-RA-DC			305 x 205 x 160 mm		0,60 kg	
LTUBE1106	TUB-RA-DM			305 x 205 x 160 mm		0,45 kg	
LTUBE1107	TUB-RA-DL			305 x 205 x 160 mm		0,55 kg	
LTUBE1108	TUB-RA-DV			305 x 205 x 160 mm		0,35 kg	
LTUBE1110	TUB-RA-DS			305 x 205 x 160 mm		0,50 kg	
LTUBE1109	TUB-RA-DF			305 x 205 x 160 mm		0,25 kg	
LTUBE1001	TUB-RA-A			305 x 205 x 160 mm		0,35 kg	

LUX ELEMENTS®-TUB complete floor drain systems

see page 120

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	
LTUBE1180	TUB-BAS-S	1 set	bag	485 x 275 x 160 mm	set	0,85 kg	
LTUBE1193	TUB-BAS-S 100			485 x 275 x 160 mm		0,55 kg	
LTUBE1184	TUB-BAW-S			485 x 275 x 160 mm		0,65 kg	

LUX ELEMENTS®-TUB floor drain systems accessories

see page 121

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ PACKAGING
LTUBE1188	TUB-BAZ STOP	1 piece	bag	245 x 190 x 75 mm	piece	0,05 kg	0,05 kg
LTUBE1189	TUB-BAZ HS			245 x 190 x 75 mm		0,02 kg	0,02 kg
LTUBE1200	TUB-BAZ DN 50/40			245 x 190 x 75 mm		0,05 kg	0,05 kg
LTUBE1190	TUB-BAZ BST			245 x 190 x 75 mm		0,06 kg	0,06 kg
LTUBE1192	TUB-BAZ HTK			245 x 190 x 75 mm		0,05 kg	0,05 kg
LTUBE1197	TUB-BAS-S FIRE STOP	1 set	carton	485 x 275 x 160 mm	set	1,20 kg	1,20 kg
LTUBE1198	TUB-BAZ DGD			305 x 205 x 160 mm		0,40 kg	0,40 kg
LTUBE1191.6	TUB-TSM 6	1 piece	—	—	piece	3,20 kg	3,20 kg
LTUBE1191.12	TUB-TSM 12		—	—		4,70 kg	4,70 kg

LUX ELEMENTS®-TUB-LINE floor drain systems/accessories

see page 123

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	
LTUBE1113	TUB-LINE BA-S	1 piece	bag	305 x 205 x 160 mm	piece	0,40 kg	
LTUBE1112.22	TUB-LINE BA-W 22			305 x 205 x 160 mm		0,25 kg	
LTUBE1112.50	TUB-LINE BA-W 50			305 x 205 x 160 mm		0,25 kg	
LTUBE1115.50	TUB-LINE BA-GV 50			245 x 190 x 75 mm		0,05 kg	
LTUBE1288	TUB-LINE BAZ STOP			245 x 190 x 75 mm		0,05 kg	
LTUBE1114	TUB-LINE BAZ HS			20 x 255 x 160 mm		0,02 kg	
LTUBE1200	TUB-BAZ DN 50/40			245 x 190 x 75 mm		0,05 kg	
LTUBE1190	TUB-BAZ BST			245 x 190 x 75 mm		0,06 kg	
LTUBE1192	TUB-BAZ HTK			245 x 190 x 75 mm		0,05 kg	
LTUBE1289	TUB-LINE BA-S FIRE STOP			1 set			305 x 205 x 160 mm
LTUBE1198	TUB-BAZ DGD	1 piece	carton	305 x 205 x 160 mm	piece	0,40 kg	
LTUBE1191.6	TUB-TSM 6		–	–		3,20 kg	
LTUBE1191.12	TUB-TSM 12		–	–		4,70 kg	

LUX ELEMENTS®-TUB-KIT

see page 125

INDIVIDUAL PACKAGING							
ARTICLE-NUMBER	ARTICLE-NAME	CONTAINER	PACKAGING	DIMENSIONS LENGTH x WIDTH x HEIGHT	UNIT	WEIGHT/ UNIT	WEIGHT/ PACKAGING
LTUBE1090	TUB-KIT UNI	1 kit	pail	height 240 mm; Ø 280 mm	kit	10,00 kg	10,00 kg
LTUBE1098	TUB-KIT UNI GK			400 x 310 x 350 mm		19,60 kg	19,60 kg
LTUBE1099	TUB-KIT UNI GG			400 x 310 x 350 mm		29,62 kg	29,62 kg

Data protection information for business partners

Revised August 2018

Our handling of your data and your rights

Information according to articles 13, 14 and 21 of the General Data Protection Regulation (GDPR)

In accordance with the EU General Data Protection Regulation (GDPR) valid from 25 May 2018, we wish to take the opportunity with this data protection information to inform you, our business partners, about how we process your personal data and about your rights. This information will be updated whenever necessary and published on www.luxelements.com, where you will also find our data protection information for visitors to our website.

1. Who is responsible for the data processing and who is the Data Protection Officer?

Responsible is: LUX ELEMENTS GmbH & Co. KG
An der Schusterinsel 7
D - 51379 Leverkusen
Tel.: +49 (0) 21 71 / 72 12-0
Fax: +49 (0) 21 71 / 72 12-40
E-Mail: info@luxelements.de

Our Data Protection Officer Julia Lux can be contacted at the above address or by e-mail to datenschutz@luxelements.de. The contact data are also available online at:

<https://www.luxelements.com/lux/impressum.htm#datenschutz>

2. What sources and data are used?

LUX ELEMENTS GmbH & Co. KG processes data that it obtains from the business relationship with you, for example in the context of the handling of customer contracts, personnel and supplier administration, and attendance to commercial agents and prospective customers.

Specifically, the following data in particular are processed:

- identifying data (e.g. name, address and contact data of the business partner, bank account details)
- information on the risk profile of the business partner, including creditworthiness and financial solvency as well as information in accordance with the suitability declaration
- data connected with the execution of the specific order
- tax-relevant data
- contract data for other correspondence (e.g. correspondence with you)
- advertising and sales data (e.g. products and services that are potentially of interest to you)

3. What is the purpose of the processing of my data and what is the legal basis for this?

LUX ELEMENTS GmbH & Co. KG processes your data on the following legal basis and for the purposes listed below:

3.1 For the fulfilment of contractual obligations (Article 6, section 1 b) GDPR)

Your data are processed in order to execute our contracts with you, i.e. for example for the carrying out of the service ordered. The purposes of the data processing depend in detail on the specific service and the contract documents.

3.2 In the context of the weighing of interests (Article 6, section 1 f) GDPR)

In addition, your data may be used on the basis of a weighing of interests to protect our justified interests or those of third parties. This takes place for the following purposes:

- general business management and the further development of services, systems and products
- fulfilment of internal requirements and the requirements of our affiliated companies, insurance, checking or administration purposes

- guaranteeing IT security and IT operation
- advertising, market and opinion research
- assertion of legal claims and defence in legal disputes
- prevention and solving of crimes as well as risk management and prevention of fraud

The interest of LUX ELEMENTS GmbH & Co. KG in the respective processing arises from the respective purposes and is otherwise of a business nature (efficient fulfilment of tasks, sales, avoidance of legal risks).

If the specific purpose allows, LUX ELEMENTS GmbH & Co. KG processes your data in pseudonymised or anonymised form.

3.3. On the basis of your consent (Article 6, section 1 a) GDPR)

If you have given your consent to the processing of personal data, the respective consent is the legal basis for the processing mentioned there.

In addition, you may have consented to being contacted by e-mail or telephone for advertising purposes.

You can revoke your consent at any time with effect for the future.

This also applies to declarations of consent that you have made to LUX ELEMENTS GmbH & Co. KG before the coming into force of the GDPR, i.e. before 25 May 2018. The revocation applies only to future processing.

3.4. On account of legal regulations (Article 6, section 1 c) GDPR)

LUX ELEMENTS GmbH & Co. KG is subject to various legal obligations, i.e. legal requirements (e.g. technical checking regulations, industrial health and safety regulations, money laundering laws, tax laws).

The purposes of processing include the checking of identity and age, the prevention of fraud and money laundering, accounting, the evaluation and control of risks (including the creation of a risk profile for business partners, as well as the checking of creditworthiness and the fulfilment of checking and reporting obligations under tax laws).

4. Who receives my data?

LUX ELEMENTS GmbH & Co. KG passes on your data only in compliance with the GDPR and the BDSG (German Federal Data Protection Act). Within LUX ELEMENTS GmbH & Co. KG, your data is received by those bodies that require it in order to fulfil the contractual and legal obligations or to fulfil their respective tasks (e.g. Sales, Marketing and Accounts).

In addition, the following bodies may receive your data:

- processors (Art. 28 GDPR) employed by us, in particular in the fields of IT services, logistics, disposal and printing services, who process your data for us according to our instructions
- public bodies and institutions where there is a legal or official obligation
- our respective employees, advisers, representatives, proxies, accountants, service providers
- other bodies for whom you have given us your consent to be given your data

5. How long will my data be stored?

We delete your personal data as soon as it is no longer required for the aforementioned purposes. After the termination of the business relationship your personal data will be stored if we are legally obligated to do so. This arises from legal verification and archiving obligations, which are governed among others by the German Commercial Code and Fiscal Code. Accordingly, storage periods may be up to ten years. In addition, it may be the case that personal data is stored for the period during which claims may be asserted against us (legal statute of limitations of three or up to thirty years).

6. Are data transmitted to a third-party country or an international organisation?

Your data are transmitted to states outside of the European Economic Area – EEA (third countries) only if this is necessary for the execution of your orders or is legally prescribed or if you have given your consent thereto.

7. What other data protection rights do I have?

Under the respective legal conditions, you have the right to information (Article 15 GDPR), to correction (Article 16 GDPR), to deletion (Article 17 GDPR), to restriction of the processing (Article 18 GDPR) and to data transferability (Article 20 GDPR).

In addition, you have the right to complain to a data protection supervisory authority (Article 77 GDPR).

You can assert these rights centrally against LUX ELEMENTS GmbH & Co. KG.

The responsible supervisory authority is the State Officer for Data Protection and Freedom of Information for North Rhine-Westphalia:

Landesbeauftragte für Datenschutz und Informationsfreiheit

Nordrhein-Westfalen

Postfach 20 04 44

D - 40102 Düsseldorf

Tel.: +49 (0) 211 / 3 84 24-0

Fax: +49 (0) 211 / 3 84 24-10

E-Mail: poststelle@ldi.nrw.de

Right of objection

You have the right to object to the processing of your personal data for the purposes of direct advertising without giving reasons. If we process your data for the protection of justified interests, you can object to this processing for reasons arising from your particular situation. We will then no longer process your personal data unless we can prove that there are compelling reasons worthy of protection for the processing that outweigh your interests, rights and freedoms or that the processing serves the assertion or exercising of, or defence against legal claims.

8. What data protection rights can I assert as the person affected?

Within the framework of our business relationship you need only provide such personal data as are necessary for the establishment, conduction and termination of a business relationship or to whose acquisition we are legally obligated.

General terms and conditions LUX ELEMENTS GmbH & Co. KG

Released December 2017

I) General

1. LUX ELEMENTS GmbH & Co. KG (the Seller) accepts and executes all orders exclusively based on the following terms and conditions.
2. The Buyer accepts these terms and conditions by placing his order. Conflicting purchase terms of the Buyer shall only be binding if accepted by the Seller in writing.
3. Ancillary verbal agreements including discounts, bonuses and dispositions shall only be valid if confirmed in writing by the Seller.

II) Terms of delivery

1. Deliveries are made at the Seller's discretion from the Leverkusen plant or from the Seller's warehouse. Deliveries are at the Buyer's risk if the Buyer is a Merchant and in any case to the account of the Buyer.
2. If the Buyer does not accept the goods at the agreed time, the Seller shall be entitled to withdraw from the delivery contract after setting a one-week acceptance period. The provisions of the German Civil Code (BGB) regarding default of acceptance shall remain unaffected.
3. If, at the request of the Buyer, the Seller takes back any goods as a gesture of goodwill, the Buyer shall bear the return freight. For the processing and handling of the goods, 15 percent of the goods' net value shall be deducted from the credit note to be issued by the Seller. Only goods from the currently valid product range can be returned, with the exception of construction chemical products and custom-made products.

III) Delayed delivery

1. All sales are subject to the timely supply to us by our subsuppliers. This does not apply if the Seller is responsible for the delay.
2. In case of force majeure, in particular labour disputes, official intervention and operational breakdowns for which the seller is not responsible, the delivery period shall be extended by the duration of the disruption provided that it does not take an unreasonably long time. In case of delays beyond this time, the parties shall mutually agree whether to adhere to or cancel the contract. The buyer shall not be entitled to claim damages in this regard.
3. In the event of delay of the Seller, the Buyer shall grant a period of grace of 10 days unless a firm deal has been agreed upon. This grace period can be set in writing earliest after the expiry of the delivery period.

In the event of delayed delivery, claims for damages due to default shall be excluded in cases of ordinary negligence, if the Buyer is a Merchant, and it is not a firm deal. In any event, in the case of slight negligence, the liability for damages shall be limited to the foreseeable losses.

IV) Warranty

1. The warranty period shall be one year if the Buyer is a Merchant. The Seller will meet its warranty obligation by means of replacement.
2. The Seller shall not be liable for any consequential loss or damages. This shall not apply for consequential damages arising from injury of life, body or health; or which can be attributed to gross negligence, intent or breach of a substantial contract obligation (cardinal obligation); or in case of damages resulting from a failure to achieve warranted characteristics, quality or durability guarantees. If the Seller is liable for consequential damages and the Buyer is a Merchant, the liability of the Seller shall be limited to the foreseeable losses if the damage arises from the negligent breach of a substantial contract obligation (cardinal obligation).
3. If goods such as joint sealing materials are sold as per sample, the guarantee is limited to the professional compliance with the sample.
4. The information provided in the Seller's datasheets is based on the state of knowledge at the time when the datasheets were issued. They are solely intended to describe the products with view to safety requirements. They do not constitute any assurance of delivery specifications.
5. The instructions for use issued by the Seller should be considered a general guide only. Given the diversity of uses of each product and

taking into account the specific application situation, the Buyer shall be responsible to conduct its own trials.

6. Buyers intending to resell the goods received from the Seller take the sole responsibility for the correct packing, classification and marking of hazardous substances, see art. 15 GefStoffV (German Ordinance on Hazardous Substances). In particular the Buyer shall not be entitled to any claims if the packing, classification or marking provided by the Seller does no longer comply with the current regulations as a result of legal changes made after the delivery of the goods. The Seller explicitly does not assume any obligation to provide information on such legal changes.

7. The same (6) shall apply if goods of the Seller are packed using packing material of the Buyer. In this case the Buyer takes the entire responsibility for the packing and marking. As regards insufficient packing and/or marking, the Buyer shall indemnify the Seller from all third party claims.

V) Terms of payment

1. The invoice is issued on the day of despatch or availability of the goods after receipt of the delivery note. Unless otherwise agreed, the price shall be calculated based on the prices in effect on the day of delivery.

2. Invoices shall be payable within 14 days of the invoice date after deducting a discount of 2 percent or within 30 days net.

3. The offsetting against counter-claims shall not be permitted unless the Buyer's claims are undisputed or have been determined as legally binding.

4. A significant deterioration of the Buyer's financial situation shall entitle the Seller, with no prejudice to any other rights, to execute the remaining orders on a delivery against payment basis. Under the same preconditions, the Seller's claims for payment from previous deliveries shall become due for immediate payment.

5. Merchants shall be entitled to the right of retention arising from alleged deficiencies of the goods only if the deficiencies of the goods are undisputed or have been determined as legally binding. In all other instances, the Buyer may demonstrate the deficiency of the goods supplied through a professional opinion which is not arbitration opinion and which has been provided by a publicly appointed and sworn expert whereupon the Seller remains free to raise objections to this opinion.

VI) Retention of title

1. The Seller shall retain title to the delivery items until complete payment of the purchase price. If the Buyer is a Merchant, the Seller shall in addition retain title to the delivery item until all its claims against the Buyer arising out of the entire business relationship have been settled.

2. In the event the goods supplied are processed or combined with other material, the Seller shall become co-owner of the new manufactured items in the ratio the value of goods subject to retention of title bears to the value of the new items so resulting from the production process. The time of such processing decides upon the value of the goods subject to retention of title as well as the value of processing. During the processing, the Buyer shall act on behalf of the Seller without, however, acquiring any entitlement against the Seller as a result of the processing. The Buyer is obliged to store the goods subject to retention of title carefully on behalf of the Seller. If the Seller does not obtain co-ownership of the combination of several items, the Buyer shall already transfer a co-ownership share in accordance with the provisions of section 6 no. 2 sentences 1 and 2. The required declarations of intent are already being executed.

3. Where the new product is resold by the Buyer, the Buyer's claim to the purchase price shall, by way of security, take the place of the product in accordance with the provisions of section 6 no. 2 sentences 1 and 2. The Buyer shall assign the claims to the purchase price on a pro-rata basis to the Seller who hereby accepts the assignment.

4. If the Buyer re-sells the unprocessed goods, the Buyer shall hereby

assign all claims, including any ancillary rights, to the Seller up to the amount of his claims. The Seller hereby accepts the assignment.

5. The amounts collected are to be transferred to a separate account for the benefit of the Seller.

6. If the value of the securities exceeds the Seller's claims by more than 10 percent, the Seller shall, at the request of the Buyer, release the exceeding amount of the securities to the Buyer.

7. The Buyer shall inform the Seller immediately in writing if an attachment is enforced upon the goods subject to retention of title or upon goods in the co-ownership of the Seller or upon claims transferred to the Seller by way of an advance assignment. The Buyer must inform the enforcement authority and the judgment creditor without delay that the goods are subject to retention of title or co-owned by the Seller or the fact that the claim has been assigned to the Seller.

VII) Place of performance and jurisdiction

1. Place of performance for all goods and services arising from this supply contract is the domicile of the Seller's commercial establishment.

2. For Merchants, the place of jurisdiction for all obligations of the parties (including actions on bills of exchange or cheques) is Leverkusen.

VIII) Applicable law

The purchase contract shall be subject to German law to the exclusion of the United Nations Convention on Contracts for the International Sale of Goods of 11 April 1980.

IX) Final provisions

The invalidity of one or more provisions of these terms and conditions shall in no way affect the validity of the remaining provisions.

LUX ELEMENTS GmbH & Co.KG,
An der Schusterinsel 7, D-51379 Leverkusen,
Tel.: +49 (0)2171-7212-0, Fax: +49 (0)2171-7212-30



The EUF (European Union of National Tile Associations) has developed the concept '**Healthier Living with Ceramics**' together with its European member associations and sponsor members. This concept is intended as information 'pro tile' for trade, dealers and manufacturers. LUX ELEMENTS is the force behind the project and is actively involved in its implementation.



(D) LUX ELEMENTS GmbH & Co. KG

An der Schusterinsel 7
D - 51379 Leverkusen-Opladen
Tel. +49 (0)21 71/7212-0
Fax +49 (0)21 71/7212-10
info@luxelements.de
www.luxelements.com

(F) LUX ELEMENTS S.A.S

ZI-31, rue d'Ensisheim
F - 68190 Ungersheim
Tél. +33 (0) 3 89 83 69 79
Fax +33 (0) 3 89 48 83 27
info@luxelements.fr
www.luxelements.fr