

# CERTIFICATE

<b>Certificate holder</b>	<b>LUX Elements GmbH &amp; Co KG</b> <b>An der Schusterinsel 7</b> <b>51379 Leverkusen</b> <b>GERMANY</b>
<b>Product</b>	Barrier-free products
<b>Type, Model</b>	LUX ELEMENTS® - Shower receptor units TUB 1200 x 1200 mm
<b>Testing basis</b>	DIN 18040-2:2011-09 Certification scheme barrier-free designs, buildings and products (2015-07)

**Mark of conformity**

<b>Registration No.</b>	P1B036
<b>Valid until</b>	2020-03-31
<b>Right of use</b>	This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number.  See annex for further information.

# ANNEX

Page 1 of 1

**Certificate**

P1B036 dated 2017-03-09

**Technical Data**LUX ELEMENTS® - TUB shower receptor units  $\geq 1200 \times 1200$  mm

Shower receptor units that set flush with the sub-base and can be tiled, consisting of hard foam carrier plates with an incline, sealed on the upper side and built-in, sealed drainage attachment (DN 50):

- height of carrier plate 30/45 mm (middle/outside)
- center minimum height 30 mm
- built-in, sealed drainage attachment
- integral incline of 45 mm and 30 mm
- pressure resistance 0.1 N/mm<sup>2</sup>

LUX ELEMENTS®-BAS (vertical shower waste):

- waste water pipe DN 50 vertical with removable stench trap

LUX ELEMENTS®-BAW (horizontal shower waste):

- waste water pipe DN 50 with removable stench trap

**Testing laboratory/  
Inspection body**

Lautsch-Wunderlich, Dagmar  
Podbielskiallee 19  
14195 Berlin  
GERMANY

**Test report(s)**

Report dated 2017-03-07

