# PRESS RELEASE

www.luxelements.com

## Lux Elements expands product range

Leverkusen, 01.02.2022


### Extra-flat shower bases with integrated drainage technology in many new formats

**When renovating a bathroom in an old building, a flush-with-the-floor shower is often desired, even though the existing installation height of the floor is too low for the installation of the drain technology. The Tub-Combi-S shower base system solves this problem thanks to its very flat design and also impresses with a good drainage capacity. This product will be offered in many new standard formats from 2022 onwards.**

The extra-flat Tub-Combi-S models with prefabricated slope are the combination of a sealed hard foam shower base (DIN 18534, Part 6, AIV-P) and a horizontal drain. The shower bases are only 65 mm high at the outer edges and only 55 mm high at the floor drain.

**Choice of standard or design grate**

The built-in horizontal DN 40 floor drain has a good drainage capacity of 48 litres/minute. New: from 2022 onwards, the grate fitting frame including standard or design grate can be chosen from a comprehensive range of items, dependent on the covering thickness. Tileable grate versions are thus also possible.

**Many new formats – also as bathtub replacement**

The over 20 new square and rectangular standard formats also include three Tub-Combi-S Bol models for the replacement of bath tubs with a

# PRESS RELEASE

www.luxelements.com



length of 1800 mm and widths of 800, 900 and 1000 mm. These consist of a shower area with a slope and an area without a slope that can be cut to any desired size. If you're looking for a matching bench seat, you'll find that also in the "Bathroom and shower" range from Lux Elements.

Bespoke manufacturing of the Combi-S is also possible under the designation "Plus".

More information and product data can be downloaded at:
https://www.luxelements.com/lux_en/programm/tub/duschtasse-combi.htm


**Information:**

Lux Elements GmbH & Co. KG
Barbara Steinhöfer
E-mail: b.steinhoefer@luxelements.de
Phone +49 (0) 21 71/72 12 15

# PRESS RELEASE

www.luxelements.com

Leverkusen, 01.02.2022

The assembly shows (from bottom to top):
sealing sleeve, DN40 floor drain system, plastic reinforcement, shower base element, grate fitting frame and grate

**TELECHARGEMENT**:
-> TUB-COMBI-S_Aufbau_3C [194 KB]
-> TUB-COMBI-S_Aufbau_4C [2,7 MB]

LUX ELEMENTS GmbH & Co. KG · An der Schusterinsel 7 · D-51379 Leverkusen
Phone +49 (0) 21 71/72 12-0 · Fax +49 (0) 21 71/72 12-40
E-Mail: info@luxelements.de · www.luxelements.com · Print free of charge · Voucher requested

# PRESS RELEASE

www.luxelements.com



Leverkusen, 01.02.2022


**TELECHARGEMENT**:
-> TUB-COMBI-S_Ambiente_3C [870 KB]
-> TUB-COMBI-S_Ambiente_4C [8,7 MB]

LUX ELEMENTS GmbH & Co. KG · An der Schusterinsel 7 · D-51379 Leverkusen
Phone +49 (0) 21 71/72 12-0 · Fax +49 (0) 21 71/72 12-40
E-Mail: info@luxelements.de · www.luxelements.com · Print free of charge · Voucher requested

# PRESS RELEASE

www.luxelements.com



Leverkusen, 01.02.2022


**TELECHARGEMENT**:
-> TUB-COMBI-S_BOL_Ambiente_3C [488 KB]
-> TUB-COMBI-S_BOL_Ambiente_4C [7,1 MB]

LUX ELEMENTS GmbH & Co. KG · An der Schusterinsel 7 · D-51379 Leverkusen
Phone +49 (0) 21 71/72 12-0 · Fax +49 (0) 21 71/72 12-40
E-Mail: info@luxelements.de · www.luxelements.com · Print free of charge · Voucher requested