PRESS RELEASE

www.luxelements.com

LUX ELEMENTS optimises TUB-COMBI

Even flatter shower bases with integrated drainage technology

The sanitary and tiling trades are only too familiar with these challenges: when renovating a bathroom in an old building, a flush-with-the-floor shower is desired, even though the existing installation height of the floor is too low for the installation of the drain technology. The TUB-COMBI-S shower base system solves this problem thanks to its very flat design – and it also impresses with a good drainage capacity. A further advantage is the short installation time.

The new, even flatter models with prefabricated slope are the combination of a sealed hard foam shower base (AIV-P) according to DIN 18534, Part 6 and a horizontal drain. The shower bases are only 65 mm high at the outer edges and only 55 mm high at the floor drain.

The built-in horizontal DN 40 floor drain, including grate fitting frame made of ABS plastic and standard grate made of stainless steel, has a good drainage capacity of 48 litres/minute.

The TUB-COMBI-S is currently offered in two square dimensions - 900 x 900 mm and 1000 x 0200 mm. Bespoke manufacturing is also possible at the customer's request under the designation "PLUS".

In addition to this version, there is also the proven TUB-COMBI product

with horizontal DN 50 floor drain. Detailed information on both versions can be found on the LUX ELEMENTS website.
The manufacturer's YouTube channel additionally offers an installation video for the TUB-COMBI.

Links:
https://www.luxelements.com/lux_en/programm/tub/duschtasse-combi.htm
https://youtu.be/EhllNTWxlI4

Information:

Lux Elements GmbH & Co. KG
Barbara Steinhöfer
E-mail: b.steinhoefer@luxelements.de
Phone +49 (0) 21 71/72 12 15

PRESS RELEASE

www.luxelements.com



Leverkusen, 26.10.2020


TELECHARGEMENT:
-> Lux3D_LE-TUB-COMBI-S_Ambiente_06-2020_3C [105 KB]
-> Lux3D_LE-TUB-COMBI-S_Ambiente_06-2020_4C [3,1 MB]

LUX ELEMENTS GmbH & Co. KG · An der Schusterinsel 7 · D-51379 Leverkusen
Phone +49 (0) 21 71/72 12-0 · Fax +49 (0) 21 71/72 12-40
E-Mail: info@luxelements.de · www.luxelements.com · Print free of charge · Voucher requested

PRESS RELEASE

www.luxelements.com

Leverkusen, 26.10.2020



TELECHARGEMENT:
-> Lux3D_LE-TUB-COMBI-S_MQ_1000_3C [223 KB]
-> Lux3D_LE-TUB-COMBI-S_MQ_1000_4C [3,8 MB]

LUX ELEMENTS GmbH & Co. KG · An der Schusterinsel 7 · D-51379 Leverkusen
Phone +49 (0) 21 71/72 12-0 · Fax +49 (0) 21 71/72 12-40
E-Mail: info@luxelements.de · www.luxelements.com · Print free of charge · Voucher requested